



UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

OFFICE OF CHEMICAL SAFETY AND POLLUTION PREVENTION

Debbie Ziehr The Andersons Lawn Fert. Div., Inc. P.O. Box 119 Maumee, OH 43537

SEP 2 2 2010

Subject:

Notification; Per PR-Notice 98-10

The Andersons 0.067% Acelepryn Insecticide Plus Fertilizer

EPA Reg. No. 9198-247

Date Submitted: August 10, 2010

Alternate Names: 1) DuPont Acelepryn Insecticide with Andersons Golf Products

Fertilizer 14-0-14; 2) DuPont Acelepryn Insecticide with

Andersons Golf Products Fertilizer 15-0-15

Dear Ms. Ziehr:

The Agency is in receipt of your Application for Pesticide Notification under Pesticide Registration Notice (PRN) 98-10 dated August 10, 2010 for the product referenced above. The Registration Division (RD) has conducted a review of this request for its applicability under PRN 98-10 and finds that the action requested falls within the scope of PRN 98-10. The label submitted with the application has been stamped "Notification" and will be placed in our records.

If you have any questions regarding this letter, please contact me at (703) 306-0415 or davis.kable@epa.gov.

Sincerely,

Kable Bo Davis

Entomologist

Insecticide-Rodenticide Branch Registration Division (7505P)

		~					-
Please read instructions on				Form Approve	7		O. Approval expires 2-28-9
United States Environmental Protection Ager Washington, DC 20460		•	cy Registr Amend ✓ Other		1		
		Applicati	on for Pestici	de - Sectior	ı I		
1. Company/Product Numb 9198-247	er		2. EPA Venus	Product Manager		3. Pi	roposed Classification
4. Company/Product (Name The Andersons 0.067% Ac		Fertilizer	PM# 01				None Restricted
5. Name and Address of A The Andersons Lawn Fe d/b/a Free Flow Fert. P.O. Box 119 Maumee. OH 43537	pplicant (Include ZIP Co	, - · · · · · · · · · · · · · · · · · ·	6. Exp (b)(i), n to: EPA F	ny product is sir Reg. No	milar or ident	ical in co	FIFRA Section 3(c)(3) emposition and labeling
Check ii th	is is a new address		Section - I	ct Name		NO	TIFICATION
Amendment - Explai Resubmission in res Notification - Explai Explanation: Use addition Notification of Alternate Brand N	sponse to Agency letter n below. onal page(s) if necessar	γ. (For section	on I and Section II.)		ated cation. pelow.	<u></u>	EP 2 2 2010
This notification is consistent wit made to the labeling or the confi further understand that if this no violation of FIFRA and I may be	idential statement of formula tification is not consistent wi	of this product. th the guidance o	I understand that it is a of PR Notice 98-10 and t under sections 12 and 1	violation of 18 U.S.C he requirements of 4 4 of FIFRA.	Sec. 1001 to wil	Ifully make	
1. Material This Product W	CH De Bestered in		Section - I				
Child-Resistant Packaging Yes V No Certification must be submitted	Unit Packaging Yes No If "Yes" Unit Packaging wgt.	ļ	Water Soluble P Yes √ No If "Yes" Package wgt	No. per container	2. Type of	Metal Plastic Glass Paper Other (5	Specify)
3. Location of Net Contents	Container	4. Size(s) Ke	tail Container 16 lbs 50 lbs.	S. L	ocation of Lac ✓ - On Labe		ons
6. Manner in Which Label i		Lithon Paper	graph glued illed	Other			
			Section - I	V .			0000
1. Contact Point IComplet	e items directly below 1	for identificati	on of individual to be	e contacted, if ne	cessary, to pr		
Name Debbie Ziehr			Title Regulatory Admir	nistrator			ie No. (Include Area Code).
I certify that the stat I acknowledge that a both under applicable 2. Signature	ements I have made on ny knowlinglly false or a law.	Certification this form and misleading st	all attachments the	ereto are true, ac sishable by fine o	curate and cor r imprisonmen	nplete. t or	6. Date Applications Control Received (Stamped)
(1)	γ · Λ		Regulatory Adminis	strator			1

5. Date

8/10/10

EPA Form 8570-1 (Rev. 3-94) Previous editions are obsolete.

4. Typed Name

Debbie Ziehr

White - EPA File Copy (original)

Yellow - Applicant Copy

DuPont™ ACELEPRYN™ Insecticide with Andersons Golf Products® Fertilizer 15-0-15

GROUP

28

INSECTICIDE

For systemic control of white grubs and other listed pests infesting landscape and recreational turfgrass, golf courses, landscape ornamentals, interior plantscapes and sod farms.

Active Ingredient Chlorantraniliorole* **By Weight**

3-Bromo-N-[4-chloro-2-methyl-6-[(methylamino)carbonyl]phenyl]-1-

(3-chloro-2-pyridinyl)-1H-pyrazole-5-carboxamide

Inert Ingredients .

0.067% 99.933%

NOTIFICATION

EPA Reg. No. 9198-247 EPA Est. No. 9198-OH-1<u>M.</u> 9198-OH-2<u>B.</u> 9198-AL-001<u>A</u> Underlined letter is first letter used in run code on bag *Chlorantraniliprole belongs to the anthranilic diamide chemical class. SEP 2 2 2010

Guaranteed Analysis

Total Nitrogen (N)	15.00%
15.00% Urea Nitrogen* Soluble Potash (K ₂ O)	15.00%
Sulfur (S)	5.10%

Plant nutrients derived from potassium sulfate and urea.

15.00% nitrogen stabilized with maleic-itaconic co-polymer.

F292

Information regarding the contents and levels of metals in this product is available on the internet at http://www.regulatory-info-ap.com

Florida Applications:

We recommend that you follow the Florida Green Industries BMP's at: http://www.flaes.org/pdf/BMP_Book_final.pdf

We recommend that you follow the Florida Golf Course BMP's at: http://www.flaes.org/pdf/glfbmp07.pdf

KEEP OUT OF REACH OF CHILDREN

Si usted no entiende la etiquete, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

FIRST AID

If in.eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after first 5 minutes then continue rinsing eye. Call a poison control center or doctor for treatment advice.

Have the container or label with you when calling a poison center or doctor, or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Caution! Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with scap and water after handling and before eating, drinking, chewing gum or using tobacco.

PERSONAL PROTECTIVE FOUIPMENT

Applicators and other handlers must wear: Long-sleeved shirt and long pants. Shoes plus socks. After the product has been loaded into properly calibrated application equipment, shirt, pants, socks, and shoes are sufficient Personal Protective Equipment. Follow manufacturers instructions for cleaning/maintaining personal protective equipment (PPE). If no such instructions for washables are available, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS
USERS SHOULD: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.
Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS

This product is toxic to aquatic invertebrates, oysters and shrimp. Do not apply directly to water. Drift and runoff may be hazardous to aquatic organisms in water adjacent to use sites.

Surface Water Advisory:

This product may impact surface water quality due to runoff of rain water. This is especially true for poorly rms product may impact surface water quarity due to ruliof of rain water. This is especially fute of poorly draining soils and soils with shallow ground water. This product is classified as having a high potential for reaching surface water via runoff for several months or more after application. A level, well-maintained vegetative buffer strip between areas to which this product is applied and surface water features such as ponds, streams, and springs will reduce the potential loading of chlorantraniliprole from runoff water and sediment. Runoff of this product will be reduced by avoiding applications when rainfall is forecasted to occur within 48 hours.

Ground Water Advisory:

This chemical has properties and characteristics associated with chemicals detected in ground water. This chemical may leach into ground water if used in areas where soils are permeable, particularly where the water table is shallow.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Read and understand the entire label before using this product

This product must be used only in accordance with specifications on this label. The Andersons will not be responsible for losses or damages resulting from the use of this product in any manner not specifically stated on this label or other labels or bulletins published by The Andersons. User assumes all risks associated with such non-specified use.

AGRICULTURAL USE REQUIREMENTS
Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. This standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements on the label about personal protective equipment, restricted-entry interval, and notification to workers (as applicable). Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application.

For any requirements specific to your State or Tribe, consult the State or Tribal agency responsible for pesticide regulation.

Do not enter or allow worker entry into treated areas during the restricted-entry interval (REI) of 4 hours.

For early entry into treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, wear:

Long-sleeved shirt and long pants

Shoes plus socks

NON-AGRICULTURAL USE REQUIREMENTS

The requirements in this box apply to uses of this product that are not within the scope of the Worker Protection Standard for agricultural pesticides, 40 CFR part 170. The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhous

Professional applications to golf courses, residential, industrial and commercial lawns and sports fields are not within the scope of the Worker Protection Standard.

Do not allow other workers to enter the treated area while application is in progress.

PRODUCT INFORMATION

This product may be applied for the control of white grubs and other listed pests infesting landscape and recreational turfgrass, golf courses, landscape ornamentals and interior plantscapes.

This product may be used on plants or turigrasses that are being grown for aesthetic or recreational purpose or climatic modification in or around home lawns, commercial lawns, industrial facilities, residential dwellings business and office complexes, shopping complexes, multi-family residential complexes, institutional buildings, airports, cemeteries, interior plantscapes, ornamental gardens, parks, wildlife plantings, playgrounds, schools, day-care facilities, golf courses (tee box areas, roughs, fairways, greens, collars etc.), athletic fields, sod farms and other landscaped areas.

This product must not be applied when the soil is saturated with water because adequate distribution of the active ingredient vertically in the soil profile cannot be achieved under this condition,

This product is in GROUP 28 of the EPA's Insecticide and Acaricide Groups Based on Target Site of Action (EPA PR Notice 2001-5) and may be used in rotational resistance management programs

Due to pest activity differences, consult your local cooperative extension service for guidance. To find your local extension agent, visit www.csrees.usda.gov.

APPLICATION EQUIPMENT

Apply this product using drop-type, rotary-type or hand-held application equipment. The application equipme must be properly calibrated according to the manufacturer's directions to ensure uniform coverage over the treated area, During application, the equipment must be checked periodically to confirm that it is working properly and that the granules are being uniformly distributed.

APPLICATION TIMING
White Grubs: Apply this product from early April to early September for preventative and early curative control all of the major white grub species infesting turgrass. The need for an application may be based on historical monitoring of the site, previous records or experiences, current season adult trapping or other methods. The higher rate listed for white grub control in Table 1 may be required in late August or early September when less sensitive mid-instar grubs are present at the time of application. Irrigate turl immediately after application or allocated the sense of the process of the p rainfall to move the product into the soil.

Annual Bluegrass Weevil: Apply this product in late April or early May, when over wintered adult annual bluegrass weevils are observed, to prevent damage from first generation larvae in late May and June. An application of this product at this time will also provide white grub control. The higher rates listed in Table 1 may be required for applications made after mid May. ن ر ب ب

Billbugs: Apply this product when over-wintered adult billbugs are first observed. This will usually occur in late April or early May in regions with cool-season turfgrasses. An application of this product at this time will also provide white grub control. The higher rates listed in Table 1 may be required for applications made after early May or when billbug species other than bluegrass billbug are present.

European Crane Fly: Apply this product between September and November to control European Trane Fly larvae in turigrass. The higher rate listed in Table 1 may be required to achieve control when applications are made in November.

Turf Caterpillars: This product will provide curative caterpillar control in turforass. If the area being treated is maintained at a mowing height of greater than one inch, then the higher rate listed in Table and be require during periods of high pest pressure.

Chinch Bugs: For suppression of chinch bugs, apply this product before aggs hatch.

APPLICATION RATES FOR LAWNS, GOLF COURSES AND OTHER RECREATIONAL TURFGRASS AREAS Table 1 provides the application rates that will control the listed turforass pasts. For maximum residual effectiveness or for optimal control of large pest infestations, apply this product at up to 500 pounds per acre (0.33 bk JlA) to control any of the pests listed in Table 1. Restriction: 30 act apply more than 750 pounds (equivalent to 0.5 lb of active ingredient) of product per acre per year in broadcast applications to turfgrass.

3LE 1: TURFGRASS APPLICATION RATES

arget.Pest	Product per Acre	Product per 1,000 Square Feet	Ib AVA	
Inite Grubs (including Aphodius spp., siatic garden beetle, black turfgrass taenius, European chafer, green June eetle, Japanese beetle, MaylJune eetles, (Phyllophaga spp.), northern asked chafer, oriental beetle and outhern masked chafer) iilbugs uropean Crane Fly urf caterpillars (including armyworms, utworms and sod webworms)	150 – 300 pounds	3.44 to 6.88 pounds	0.1 to 0.2	
nnual bluegrass weevil	225 to 300 pounds	5.17 to 6.88 pounds	0.15 to 0.2	
hinch bugs (suppression only)	150 to 300 pounds	3.44 to 6.88 pounds	0.1 to 0.2	

PLICATION RATES FOR ORNAMENTAL PLANTS

le 2 provides the application rates that will control the pests of landscape ornamentals and interior plantpes. Black plastic or other weed barrier materials that are impermeable to water should be removed before lication. For maximum residual effectiveness or for optimal control of large pest infestations, this product may applied at up to 500 pounds per acre (0.33 ib Al/A) to control any of the pests listed in Table 2.

3LE 2: ORNAMENTAL TREE AND SHRUB (INCLUDING EVERGREENS), FLOWER, FOLIAGE PLANT, D GROUNDCOVER APPLICATION RATES

arget Pest	Product per Acre	Product per 1,000 Square Feet	Ib AVA	
'hite Grubs (Asiatic garden beetle, uropean chafer, green June beetle, ipanese beetle, May/June beetles 'hyllophaga spp.), northern masked afer, oriental beetle and southern asked chafer)	150-300 pounds	3.44 to 6.88 pounds	0.1 to 0.2	

SISTANCE MANAGEMENT

ne insects are known to develop resistance to products used repeatedly for control. When this occurs, recommended dosages fail to suppress the pest population below threshold levels. Because the develop- it of resistance cannot be predicted, the use of this product should conform to resistance management tegies established for the use area. These strategies may include incorporation of cultural and biological troi practices, afternation of active classes of insecticides on succeeding generations and targeting the at susceptible life stage. Consult your local Cooperative Extension Service specialist or pest control isor for the latest information on resistance management in your area.

STRICTIONS

lot for use on plants being grown for sale or other commercial use, or for commercial seed production.

to not formulate this product into other end-use products without written permission from DuPont

o not apply this product in commercial nurseries and greenhouses.

o not apply more than 750 pounds (equivalent to 0.5 lb of active ingredient) of product per acre per year

o not apply more than 300 pounds (equivalent to 0.2 lb of active ingredient) of product per acre in a single pplication on sod farms.

lait a minimum of 7 days to retreat.

o not apply by air.

he following restrictions are required to permit use of this product in the State of New York:

ireens, tee boxes: Do not apply this product within 25 feet of a water body (lake, pond, river, stream, etland, or drainage ditch)

airways: Do not apply this product within 50 feet of a water body (lake, pond, river, stream, wetland, or

If other use sites: Do not apply this pushed within 100 feet of a water body (lake, pond, river, stream, etland, or drainage ditch)

Suggested Spreader Settings

These suggested spreader Settings

These suggested spreader settings are not intended to replace calibration.

Please calibrate your spreader before applying product.

50 lbs. treats 14,500 sq. ft. (0.33 acre) at the 150 lbs. product/acre - LOW RATE (3.44 lbs/1,000 sq. ft. rate)

50 lbs. treats 9,600 sq. ft. (0.22 acre) at the 225 lbs. product/acre - HEDIUM RATE (5.17 lbs/1,000 sq. ft. rate)

50 lbs. treats 7,200 sq. ft. (0.17 acre) at the 300 lbs. product/acre - HISH RATE (6.88 lbs/1,000 sq. ft. rate) 50 lbs. treats 4,300 sq. ft. (0.10 acre) at the 500 lbs. product/acre - HEAVY RATE (11.47 lbs/1,000 sq. ft. rate)

			SPREADER SETTINGS			
SPREADER	GROUND SPEED	WIDTH OF COVERAGE	LOW RATE 0.10 lbs. ai/A	MEDIUM RATE 0.15 lbs. ai/A	HIGH RATE 0.20 lbs. ai/A	HEAVY RATE 0.33 lbs. ai/A
Andersons AccuPro 2000, SR-2000 (cone 7)	3 mph	11 feet	L	N	Р	S 1/2
Andersons SS-2 Drop	3 mph	overlap wheels	3 1/4	4 1/2	5 3/4	8
Scotts R-8A (cone 7)	3 mph	11 feet	К	М	0	S.
Lety Models WTR, WFR, HR, 1250 (PTO at 450 rpm) Pattern II-C	4.5 mph	40 feet	4 1/4	5	5 3/4	7 1/4
Vicon (03 Series)	4.5 mph	34 feet	22	27	33	47

These spreader settings were established using standard equipment available from the spreader manufacturer at swath widths and speeds typically used within the industry. Calibrate all spreader equipment at the time of application to achieve labeled application rate.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store product in original container only in a location inaccessible to children and pets. Do not contaminate water, other pesticides, fertilizer, food or feed in storage.

PESTICIDE DISPOSAL: Do not contaminate water, food or feed by storage or disposal. Wastes resulting from the use of this product must be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL; Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability.

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label thereof and is Manufacturer warrants that this product conforms to the chemical description on the label thereor and is reasonably fit for the purpose stated on the label when used in strict accordance with the directions. To the extent consistent with applicable law, manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Liber contract to label directions is not recruited. LABEL DIRECTIONS. Use contrary to label directions is not permitted.

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS: YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Product of USA

Manufactured by: The Andersons Lawn Fertilizer Division, Inc. PO Box 119, Maumee, OH 43537 www.andersonsgolfproducts.com

Andersons Golf Products is a registered trademark of The Andersons, Inc.; DuPont and Acelepryn are trademarks of E.I. duPont de Nemours and Company.

> **SGN 150** Net Weight 50 Lbs. (22.68 kg)



AGC15NAC5

H10 (BLKP1929B)