| | U.S. ENVIRONMENTAL PROTECTION | · · · · · · | |
|---|--|------------------------------------|--------------------------------|
| WTED STAN | AGENCY | EPA Reg. Number: | Date of Issuance: |
| ST C | Office of Pesticide Programs Registration Division (7505P) | 9198-252 | |
| | Ariel Rios Building | | AUG-3 2010 |
| SATAL PROTECTION | 1200 Pennsylvania Ave., NW | | |
| | Washington, D.C. 20460 | | L |
| | NOTICE OF PESTICIDE: | Term of Issuance: CO | onditional |
| | <u>x</u> Registration | Name of Pesticide Pro | |
| | Reregistration (under FIFRA, as amended) | The Anderson | s 2.0% Treflan & |
| | (under Fill RA, as amended) | 0.5% Gallery | |
| ame and Address | of Registrant (include ZIP Code): | | |
| | | | |
| | awn Fertilizer Division, Inc | | |
| O Box 119 | 527 | | |
| laumee, OH 43 | 557 | | |
| te: Changes in labelin | differing in substance from that accepted in connection with this r | egistration must be submitted to | and accepted by the |
| zistration Division pri | or to use of the label in commerce. In any correspondence on this p | roduct always refer to the above | EPA registration number. |
| | on furnished by the registrant, the above named pesticide is hereby le Act. Registration is in no way to be construed as an endorsement | | |
| protect health and the | environment, the Administrator, on his motion, may at any time sus | pend or cancel the registration of | f a pesticide in accordance |
| | ance of any name in connection with the registration of a product us he name or to its use if it has been covered by others. | nder this Act is not to be constru | ied as giving the registrant a |
| The besi | CSE dated 20 luna 2010 is found assertabl | • ' | |
| | CSF dated 30 June 2010 is found acceptabl luct is conditionally registered in accordance | | d that you: |
| | fuct is conditionally registered in accordance | with Fil KA provide | d mai you. |
| 1. Subn | it and/or cite all data required for registratio | n review/reregistratio | on of your product |
| | the Agency requires all registrants of simila | - | · · |
| | | | |
| | it the data listed below: | | |
| | ithin one year of the date on this registration | | • • |
| | d Corrosion Characteristics (830.6320) studi | | |
| Ie | commended that the observations be made at | 10, 5, 0, 9, and 12 m | Juin miervais. |
| 3. Make | the following label revisions: | | |
| | nove the word, "General" from the section h | eading, "General Us | e Precautions and |
| | estrictions." In addition, replace "General" v | • | |
| IJ | formation." References to these sections mu | st also be revised (se | e pgs. 9 and 22 of |
| | e submitted draft label). The term"General" | is an implied safety of | claim that makes |
| a | l associated text unenforceable. | | |
| 1. D. | the dealer and a faller (NT-m. A second second | | -? h 4h -4 :4 |
| | vise the last statement of the 'Non-Agricultu ds: "Do not enter or allow others to enter the | - | |
| Tee | ds. Do not enter of anow others to enter the | e treated area until du | sis nave settied. |
| | Official: | Detai | |
| ignature of Approving (| A Der la A SI | Date: | |
| ignature of Approving (Kathryn V. Mon | $[ague]/M/h_{a} = 1/ (1/1/a) h_{a}$ | 1 | |
| Kathryn V. Mon | | AUG | -3 2010 |
| athryn V. Mon roject Manager | 23 / UM MAY V / 101 Mages | AUG | - 3 2010 |
| · · - | 23 / aun () V / 10/ 1000 | AUG | - 3 2010 |

Page 2 of 2 EPA Reg. No. 9198-252 Registration Notice

NOTE: Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance. 2/25

4. Submit one (1) copy of the revised final printed label for the record.

If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA sec. 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records.

(Base label)

The Andersons 2.0% Treflan & 0.5% Gallery Herbicides

A selective preemergence herbicide for control of certain broadleaf weeds and annual grasses in:

- Landscape Ornamentals
- Christmas Tree Plantations
- Container Grown Ornamentals
- Field Grown Ornamentals
- Groundcovers/Perennials
- Non-Bearing Fruit and Nut Trees
- Non-Bearing Vineyards
- Non-Cropland

Active Ingredients:

| trifluralin: α, α, α -trifluoro-2,6-dinitro-N, | |
|---|--------|
| N-dipropyl-p-toluidine | 2.0% |
| isoxaben: N-[3-(1-ethyl-1-methylpropyl)-5- | |
| isoxazolyl]-2,6-dimethoxybenzamide | |
| and isomers | 0.5% |
| Other Ingredients | |
| Total | 100.0% |

Contains 1.25 lb active ingredient per 50 lb bag.

KEEP OUT OF REACH OF CHILDREN CAUTION PRECAUCION

ACCEPTED with COMMENTS In EPA Letter Dated:

AUG = 3 2010 Under the Federal 2010 Fungicide, and Rose and e Act as amended, for the posticide registered under EPA Keg. No

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes moderate eye irritation. Harmful if swallowed or inhaled. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals.

Avoid breathing dust or spray mist and contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- · Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.

If swallowed: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

Environmental Hazards

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. Refer to label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

Refer to label booklet for Directions for Use.

In case of emergency endangering health or the environment involving this product, call 1-800-757-8951. If you wish to obtain additional product information, visit our web site at www.andersonsinc.com.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

EPA Reg. No. 9198-XXX

EPA Est. 9198-OH-1<u>M</u>, 9198-OH-2<u>B</u>, 9198-AL-001<u>A</u> Underlined letter is first letter used in run code on bag

Net Weight XX lbs. (XX kg)

(Label booklet cover)

The Andersons 2.0% Treflan & 0.5% Gallery Herbicides

A selective preemergence herbicide for control of certain broadleaf weeds and annual grasses in:

- Landscape Ornamentals
- Groundcovers/Perennials
- Christmas Tree Plantations
 Container Grown Ornamentals
 - Non-Bearing Fruit and Nut Trees
 Non-Bearing Vinevards
- Field Grown Ornamentals
- Non-Cropland

Active Ingredients:

| trifluralin: α, α, α -trifluoro-2,6-dinitro-N, | |
|---|--------|
| N-dipropyl-p-toluidine | 2.0% |
| isoxaben: N-[3-(1-ethyl-1-methylpropyl)-5- | |
| isoxazolyl]-2,6-dimethoxybenzamide | |
| and isomers | 0.5% |
| Other Ingredients | 97.5% |
| Total | 100.0% |

Contains 1.25 lb active ingredient per 50 lb bag.

Keep Out of Reach of Children CAUTION PRECAUCION

Si usted no entiende la etiqueta, busque a alguien para que se la explique a usted en detalle. (If you do not understand the label, find someone to explain it to you in detail.)

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR part 170. Refer to label booklet under "Agricultural Use Requirements" in the Directions for Use section for information about this standard.

Refer to inside of label booklet for additional precautionary information including Directions for Use.

Notice: Read the entire label. Use only according to label directions.

In case of emergency endangering health or the environment involving this product, call 1-800-757-8951. If you wish to obtain additional product information, visit our web site at www.andersonsinc.com.

Agricultural Chemical: Do not ship or store with food, feeds, drugs or clothing.

EPA Reg. No. 9198-XXX EPA Est. 9198-OH-1<u>M</u>, 9198-OH-2<u>B</u>, 9198-AL-001<u>A</u> Underlined letter is first letter used in run code on bag

Net Weight XX lbs. (XX kg)

(Page 1 through end)

KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

Causes moderate eye irritation. Harmful if swallowed or inhaled. Prolonged or frequently repeated skin contact may cause allergic reaction in some individuals

Avoid breathing dust or spray mist and contact with eyes or clothing. Wash thoroughly with soap and water after handling.

Personal Protective Equipment (PPE)

Applicators and other handlers must wear:

- Long-sleeved shirt and long pants
- Shoes plus socks

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

Engineering Controls

When handlers use closed systems or enclosed cabs in a manner that meets the requirements listed in the Worker Protection Standard (WPS) for agricultural pesticides [40 CFR 170.240 (d) (4-6)], the handler PPE requirements may be reduced or modified as specified in the WPS.

User Safety Recommendations

Users should:

- Wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.
- Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.
- Users should remove PPE immediately after handling this product. As soon as possible, wash thoroughly and change into clean clothing.

First Aid

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a Poison Control Center or doctor for treatment advice.

If swallowed: Call a Poison Control Center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a Poison Control Center or doctor. Do not give anything by mouth to an unconscious person.

If inhaled: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a Poison Control Center or doctor for further treatment advice.

Have the product container or label with you when calling a Poison Control Center or doctor or going for treatment. You may also contact 1-800-757-8951 for emergency medical treatment information.

Environmental Hazards

This pesticide is extremely toxic to freshwater marine, and estuarine fish and aquatic invertebrates including shrimp and oyster. Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply in a manner which will directly expose canals, lakes, streams, ponds, marshes or estuaries to aerial drift. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.

Directions for Use

It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Read all Directions for Use carefully before applying.

Do not apply this product in a way that will contact workers or other persons, either directly or through drift. Only protected handlers may be in the area during application. For any requirements specific to your state or tribe, consult the agency responsible for pesticide regulation.

Agricultural Use Requirements

Use this product only in accordance with its labeling and with the Worker Protection Standard, 40 CFR Part 170. This Standard contains requirements for the protection of agricultural workers on farms, forests, nurseries, and greenhouses, and handlers of agricultural pesticides. It contains requirements for training, decontamination, notification, and emergency assistance. It also contains specific instructions and exceptions pertaining to the statements of this label about personal protective equipment (PPE), and restricted entry interval. The requirements in the box only apply to uses of this product that are covered by the Worker Protection Standard.

Do not enter or allow worker entry into treated areas during the restricted entry interval (REI) of 12 hours.

PPE required for early entry to treated areas that is permitted under the Worker Protection Standard and that involves contact with anything that has been treated, such as plants, soil, or water, is:

Coveralls

Waterproof gloves

Shoes plus socks

Non-Agricultural Use Requirements

The requirements of this box apply to uses of this product that are NOT within the scope of the Worker Protection Standard for agricultural pesticides (40 CFR Part 170). The WPS applies when this product is used to produce agricultural plants on farms, forests, nurseries, or greenhouses.

For applications in landscape settings and in non-cropland sites, do not enter or allow others to enter the treated area until dusts have settled.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original container only. Store in cool, dry place and avoid excess heat.

PESTICIDE DISPOSAL: Wastes resulting from the use of the product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

General Information

This product is a preemergence product for control of certain broadleaf weeds and annual grasses in container and landscape ornamentals, nursery stock, Christmas trees, groundcovers/perennials, non-bearing fruit and nut trees, non-bearing vineyards and non-cropland areas. Apply this product anytime prior to germination of target weeds, or immediately after cultivation. Length of weed control will vary with rate of this product applied, weed population, potting media or soil conditions, temperature, watering regime, and other factors. Following application, user should monitor and observe level of weed control overtime to determine when additional applications may be needed.

General Use Precautions and Restrictions

In Arizona: The state of Arizona has not approved this product for use on plants grown for agricultural/commercial production; such as on Christmas tree plantations, container grown or field grown ornamentals, non-bearing fruit and nut trees and non-bearing vineyards.

This product controls weeds growing from seed. This product does not control established weeds, weeds growing from stolons, rhizomes, or root pieces. Existing weeds should be controlled by cultivation or with postemergence herbicides. Weed residues, prunings and trash should be removed or thoroughly mixed into soil prior to treatment. Soil should be in good condition and free of clods at the time of application. A single rainfall or sprinkler irrigation of 0.5 inches or more, or flood irrigation is required to activate this product. Optimum weed control is obtained when this product is activated within 3 days of application. If rainfall or irrigation does not occur within 3 days of application and tillage is possible, this product may be activated using cultivation equipment capable of uniformly mixing the herbicide into the upper 1 to 2 inches of soil. Failure to activate this product within 3 days of application may result in erratic control of annual grasses. Do not apply when wind conditions favor drift of this products granules from the target area.

Repeat applications at 150 lb per acre and higher should not be made sooner than 60 days after a previous application of this product. Do not apply over 600 pounds per acre total of this product within a 12-month period.

Tolerance of turfgrass adjacent to ornamental plantings: Accidental application to turf may occur when applying this product to ornamental plantings. This product is not recommended for weed control in turfgrasses, but turfgrasses are generally tolerant to small amounts of this product that fall outside of the intended area of application.

Do not aerially apply this product.

Treatment species not listed on the label for this product

Users who wish to use this product on plant species not recommended on this label may determine the suitability for use by treating a small number of such plants at a recommended rate. Prior to treatment of larger areas, the treated plants should be observed for any sign of herbicidal injury for during 30 to 60 days of normal growing conditions to determine if the treatment is safe to the target plant species. The user assumes responsibility for any plant damage or other liability resulting from use of this product on plant species not recommended on this label.

Application Instructions

Apply this product using a drop or rotary-type spreader designed to apply granular herbicides or insecticides. Calibrate application equipment prior to use according to manufacturer's directions. Check frequently to be sure equipment is working properly and distributing granules uniformly. Do not use spreaders that apply material in narrow concentrated bands. Avoid skips or overlaps as poor weed control or crop injury may occur. More uniform application may be achieved by spreading half of the required amount of product over the area and then applying the remaining half in swaths at right angles to the first.

Application techniques for applying this product

- When using a drop-type spreader, a splashboard mounted under the hopper will provide more even granule distribution.
- A chain fastened to the side of the spreader and allowed to drag on the soil surface can be used to mark the edge of the treated swath and help prevent skips or overlaps.
- For treating smaller areas or rows of nursery stock or ornamental beds, a hand held or push-type rotary applicator such as a whirlybird or cyclone unit is recommended. For hand held units, walk and turn the crank at a constant rate of speed.
- A shaker-type applicator made from a small container with holes punched in the bottom is recommended for small, difficult to treat areas. Carefully measure the amount of product needed to avoid over application.
- · The weight-to-volume conversion table below provides equivalent amounts of this product.

Broadcast Rates

| Rate | Amount/ | 1000 sq ft | Amount | /100 sq ft |
|---------|---------|------------|--------|------------|
| lb/Acre | (lb) | (quarts) | (lb) | (cups) |
| 100 | 2.30 | 1.75 | 0.23 | 0.7 |
| 150 | 3.45 | 2.60 | 0.35 | 1.0 |
| 200 | 4.60 | 3.50 | 0.46 | 1.4 |

1 lb of this product = 0.75 quart = 3 cups

Weeds Controlled or Suppressed

Weeds controlled when applied at 100 lb per acre (2.3 lb per 1000 sq ft):

Common Name aster, slender barnyardgrass bluegrass, annual bursage, annual celery, wild chickweed, common clover, white craborass cudweed. purple cupgrass, southwestern fiddleneck, coast filaree, redstem fleabane, blackleaved fleabane. dwarf foxtail, vellow groundcherry, lanceleaf henbit horseweed junglerice knotweed, prostrate lambsquarters, common mallow, little mustard, Indian mustard, wild nightshade, black oat, wild panicum, fall pepperweed, Virginia pigweed pineappleweed plantain, slender purslane, common radish, wild ragweed, common rocket, London rockpurslane, desert shepherdspurse sibara smartweed, Pennsylvania sowthistle, annual speedwell, purslane sprangletop, Mexican telegraphplant thistle, Russian witchgrass

Scientific Name Aster exilis Echinochloa crus-galli Poa annua Ambrosia acanthicarpa Apium leptophyllum Stellaria media Trifolium repens Digitaria spp. Gnaphalium purpureum Eriochloa gracilis Amsinckia intermedia Erodium cicutarium Conyza bonariensis Conyza ramosissima Setaria glauca Physalis lanceifolia Lamium amplexicaule Convza canadensis Echinochloa colonum Polygonum aviculare Chenopodium album Malva parviflora Brassica iuncea Sinapis arvensis Solanum nigrum Avena fatua Panicum dichotomiflorum Lepidium virginicum Amaranthus spp. Matricaria matricarioides Plantago elongata Portulaca oleracea Raphanus raphanistrum Ambrosía artemisiifolia Sisymbrium irio Calandrinia ciliata Capsella bursa-pastoris Sibara virginica Polygonum pensylvanicum Sonchus oleraceus Veronica peregrina Leptochloa univervia Heterotheca grandiflora Salsola iberica Panicum capillare

Weeds controlled when applied at 150 lb per acre (3.5 lb per 1000 sq ft):

Common Name aster, heath bittercress bittercress, hairy brassbuttons, southern carrot, wild chamberbitter chickweed, mouseear dandelion eclipta fireweed foxtail, giant galinsoga, hairy geranium. Carolina groundsel, common ladysthumb lettuce, prickly lovegrass mallow, dwarf marestail mayweed morningglory, ivyleaf mustard, black pennywort phyllanthus, long-stalk plantain, bracted plantain, broadleaf plantain, buckhorn pokeweed, common rockpurslane, redmaids ryegrass, annual sida, prickly sorrell, red speedwell, thymeleaf spurge, hyssop spurge, spotted sweetclover, yellow tansymustard, green velvetleaf woodsorrel, yellow

Scientific Name Aster ericoides Cardamine oligosperma Cardamine hirsuta Cotula australis Daucus carota Phyllanthus urinaria Cerastium vulgatum Taraxacum officinale Eclipta prostrata Erechtites hieracifolia Setaria faberi Galinsoga ciliata Geranium carolinianum Senecio vulgaris Polygonum persicaria Lactuca serriola Eragrostis spp. Malva rotundifolia Hippuris vulgaris Anthemis cotula Ipomoea hederacea Brassica nigra Hydrocotyle spp. Phyllanthus tenellus Plantago aristata Plantago major Plantago lanceolata Phytolacca americana Calandrinia ciliata var. menziesii Lolium multiflorum Sida spinosa Rumex acetosella Veronica serpyllifolia Euphorbia hyssopifolia Euphorbia maculata Melilotus officinalis Descurainia pinnata Abutilon theophrasti Oxalis stricta

Weeds controlled when applied at 200 lb per acre (4.6 lb per 1000 sq ft):

Common Name barley, hare bromegrass burclover, California cheat datura dogfennel eveningprimrose fescue, rattail filaree, whitestem goosefoot, nettleleaf goosegrass jimsonweed

Scientific Name

Hordeum leporinum Bromus spp. Medicago polymorpha Bromus secalinus Datura spp. Eupatorium capillifolium Oenothera spp. Vulpia myuros Erodium moschatum Chenopodium murale Eleusine indica Datura stramonium

knotweed, silversheath kochia medic, black mullein, turkey nettle, burning nettle, stinging oxtongue, bristly pimpernel, scarlet sandbur, field signalgrass sowthistle, spiny spurae, petty spurge, prostrate stinkgrass sunflower swinecress thistle, musk willoweed, panicle woodsorrel, creeping

Polygonum argyrocoleon Kochia scoparia Medicago lupulina Eremocarpus setigerus Urtica urens Urtica dioica Picris echioides Anagallis arvensis Cenchrus incertus Brachiaria spp. Sonchus asper Euphorbia peplus Euphorbia humistrata Eragrostis cilianensis Helianthus spp. Coronopus didymus Carduus nutans Epilobium paniculatum Oxalis corniculata

Weeds partially controlled or suppressed when applied at 200 lb per acre (4.6 lb per 1000 sq ft):

Common Name

bindweed, field carpetweed dock, curly johnsongrass (seedling) mallow, Venice milkweed, honeyvine morningglory, tall panicum, Texas pusley, Florida shattercane

Scientific Name

Convolvulus arvensis Mollugo verticillata Rumex crispus Sorghum halepense Hibiscus trionum Ampelamus albidus Ipomoea purpurea Panicum texanum Richardia scabra Sorghum bicolor

Uses

Ornamental Plantings

This product is recommended as a preemergence treatment for control of certain broadleaf weeds and annual grasses in container grown ornamentals, landscape ornamentals, field grown ornamentals, ground covers/perennials, Christmas trees, non-bearing fruit and nut crops, and non-bearing vineyards. Apply this product anytime prior to germination of target weeds, or immediately after cultivation.

Refer to the General Information section of this label for General Use Precautions and information on application, application rates and weeds controlled.

Special Use Precautions:

To avoid possible injury, do not apply this product to:

- nursery, forest, or Christmas tree: seedling beds, cutting beds, or transplant beds.
- nursery seedbeds or forest or Christmas tree seedling transplant beds.
- · unrooted liners or cuttings that have been planted in pots for the first time.
- pots less than four inches wide.
- bedding plants or areas where bedding plants will be planted or transplanted within one year following application.

· groundcovers until they are established and well rooted.

Do not apply This product to newly transplanted ornamentals, nursery stock, Christmas trees, groundcovers, non-bearing fruit and nut trees and non-bearing vineyards until soil or potting media has been settled by packing and irrigation or rainfall and no cracks are present or injury may occur.

Repeat applications at 150 lb per acre and higher should not be made sooner than 60 days after a previous application of this product. Do not apply over 600 lb per acre total of this product within a 12-month period.

Where loss of stand has occurred in field grown ornamentals, use untreated soil as fill around roots when replacing plants or injury may occur.

Note: Injury on the following plant species has been observed following applications of this product and use is not recommended.

| Common Name | Scientific Name |
|------------------------------|---|
| ballerina cranesbill | Geranium cinereum 'Ballerina' |
| bertram anderson lingwort | Pulmonaria longifolia |
| bugle | Ajuga spp. |
| cajeput tree | Melaleuca quinquenervia |
| candytuft | Iberis spp. |
| Carolina rhododendron | Rhododendron carolinianum |
| dwarf burning bush | Euonymus alatus 'compacta' |
| foxglove | Digitalis purpurea |
| green yucca | Yucca recurvifolia |
| hydrangea | Hydrangea spp. |
| luxuriant bleeding heart | Dicentra luxuriant |
| mountain sandwort | Arenaria montana |
| mustard | Brassica spp. |
| oak leaf acanthus | Acanthus mollis |
| prince of wales juniper | Juniperus horizontalis 'Prince of Wales' |
| purple coneflower | Echinacea purpurea |
| roseum elegans rhododendron | Rhododendron catawbiense 'Roseum elegans' |
| spurge | <i>Euphorbia</i> spp. |
| stonecrop | Sedum spp. |
| summer phlox | Phlox paniculata |
| white festival baby's breath | Gypsophila paniculata |
| wine periwinkle | Vinca minor 'Atropurpurea' |

This product may be used on the following <u>established</u> plant species (Note: Limitations on recommended treatment methods):

| Trees | Recommended Treatment Method: C = Container Grown F = Field Grown | |
|---------------------------------------|---|-----------|
| Scientific Name | Common Name | |
| Abies balsamea | fir, balsam | C, F F |
| Abies concolor | fir, white | F |
| Abutilon hybridum | albus-flowering maple | C, F |
| • • • • • • • • • • • • • • • • • • • | luteus-flowering maple | C, F |
| | roseus-flowering maple | C, F |
| | tangerine-flowering maple | C, F |
| | vesuvius red-flowering maple | F |
| Acer gimmala | flame maple | F |
| Acer rubrum | red maple | F |
| | red sunset maple | F |
| Acer saccharinum | silver maple | C, F |

| | | • - |
|------------------------------------|--|-------------|
| Alsophila australis | Australian tree fern | C, F |
| Areacastrum romanzoffianum | queen palm | C, F |
| Betula nigra | birch, river | C, F |
| Betula papyrifera | paper birch | F |
| Brachychiton populneus | bottle tree | C, F |
| Bucida buceras | black olive | F |
| Ceratonia siliqua | carob | F |
| Cercis canadensis | redbud | C, F |
| Chamaecyparis obtusa | filicoides-fernspray cypress | F |
| Chamaecyparis obtusa | gracilis-slender hinoki cypress | F |
| Chamaecyparis pisifera | sawara-false cypress | F |
| | squarrosa-moss cypress | F F F |
| Chamaedorea cataractarum | cat palm | F |
| | palm | , F |
| Chamaedorea costaricana | palm | C, F |
| Chamaedorea elegans | parlor palm | C, F |
| Cornus florida | cloud nine dogwood | C, F |
| oomas nonda | dogwood, flowering | C, F |
| Cratageus viridis | green hawthorn | E, F |
| Crataegus viridis | ÷ | |
| Cryptomeria japonica | cryptomeria, Japanese | C, F F |
| Cupaniopsis anacardioides | carrot wood | |
| Cupressocyparis x 'Emerald Isle' | emerald island leyland cypress | C, F |
| Cupressus arizonica | Arizona cypress | C, F |
| Cupressus glabra | Arizona cypress | F |
| Cupressus sempervirens | Italian cypress | C, F |
| Dicksonia antarctica | Tasmanian tree fern | C, F |
| Elaeagnus angustifolia | Russian olive | C, F |
| Elaegnus x 'Gilt edge' | gilt edge silverberry | C, F |
| Eucalyptus camaldulensis | red gum eucalyptus | F |
| Eucalyptus cinerea | eucalyptus, mealy | F |
| | silver dollar eucalyptus | F |
| Eucalyptus microtheca | coolibah tree | C, F |
| Eucalyptus sideroxylon | eucalyptus, red ironbark | F |
| Ficus benjamina | ficus | Ċ, F |
| r loud borgannina | mini ficus | C, F |
| Fraxinus udhei | shamel ash | C, F |
| Ginkgo biloba | ginkgo (maidenhair tree) | F, I |
| Gleditsia triacanthos | honey locust | F |
| | shademaster honey locust | F |
| Heteromeles arbutiflora | toyon | F |
| Illicium floridanum | Florida anise-tree | , C, F |
| Juniperus virginiana | redcedar, eastern | C, F |
| Liquidambar styraciflua | - | F |
| | sweetgum, American magnolia, southern | C, F |
| Magnolia grandiflora Morus alba | | F |
| | white mulberry | F C, F |
| Musa aluminata | banana | |
| Oxydendrum arboreum | sourwood | C, F |
| Picea abies | pendula-weeping Norway spruce | C, F |
| | repens-spreading Norway spruce | C, F |
| | spruce, Norway | C, F |
| Picea glauca | conica-dwarf Alberta spruce | C, F |
| Picea glauca conica | dwarf Alberta spruce | F |
| Picea pungens | dwarf globe blue spruce | C, F |
| | glauca-Colorado blue spruce | C, F |
| | hoopsii-hoop's blue spruce | C, F |
| | koster-koster blue spruce | F |
| Pinus aristata | bristlecone pine | F |
| Pinus canariensis | canary island pine | F |
| Pinus contorta | shore pine, beach pine | F |
| | | |

13/25

| Pinus eldarica | eldarica pine | C, F |
|--------------------------|-------------------------------------|-------------|
| Pinus leucodermis | Bosnian pine | C, F |
| Pinus mugo | pumilio-shrubby swiss mountain pine | C, F |
| Pinus nigra | Austrian black pine | C, F |
| Pinus radiata | monterey pine | F |
| Pinus strobus | eastern white pine | C, F |
| Pinus strobus | white pine | C, F |
| Pinus sylvestris | columnar Scotch pine | C, F |
| | Scotch pine | C, F |
| Pinus thunbergiana | Japanese black pine | C, F |
| Platanus occidentalis | American sycamore | F |
| Platanus racemosa | Califorina sycamore | F |
| Podocarpus spp. | podocarpus | F |
| Populus deltoides | cottonwood | F |
| Prosopis chilensis | Chilean mesquite | C, F |
| Prunus yedoensis | yoshino flowering cherry | F |
| Quercus ilicifolia | bear oak | F |
| Quercus palustris | pin oak | F F |
| Quercus pheilos | willow oak | C, F |
| Quercus rubra | red oak | C, F |
| Quercus virginiana | live oak | C, F |
| Salix babylonica | babylon weeping willow | F |
| | corkscrew willow | F |
| Sequoiadendron giganteum | giant sequoia | |
| Swietenia mahogani | mahogany | F F F |
| Tabebuia caraiba | yellow tab | F |
| Tsuga canadensis | eastern hemlock | C, F |
| Ulmus parvifolia | Chinese elm | F |
| Washingtonia robusta | Mexican fan palm | F |
| | mexican lan paint | 1 |

Shrubs

Scientific Name

Abelia grandiflora

Acacia abyssinica Acacia redolens Acacia stenophylla Acalypha wilkesiana Acer ginnala Acer palmatum

Agapanthus africanus Agave americana Anisodontea hypomandarum Aptenia cordifolia Ardisia japonica Astible arendsii Astilbe chinensis Athyrium nipponimcum

Recommended Treatment Method C = Container Grown F = Field Grown

Common Name

| edward goucher abelia glossy abelia abyssinica acacia acacia, prostrate shoestring acacia copper leaf amur maple coral bark Japanese maple dwarf Japanese maple queen anne lily of the nile century plant cape mallow red apple aptenia chirimen marlberry false spiraea astilbe/false spiraea | С,С,С,С,С,С,С,С,С,С,С,С,С,С,С,С,С,С,С, |
|---|--|
| false spiraea astilbe/false spirea Japanese painted fern | C, F C, F C, F |
| oupunese painteu terri | 0, 1 |

| Baccharis pilularis | coyotebush | F |
|---|--|--------------|
| Berberis gladwynensii | william penn barberry | C, F |
| Berberis mentorensis | mentor barberry | C, F |
| Berberis thunbergii | aurea-golden Japanese barberry | F |
| | crimson pygmy barberry | C, F |
| | rose glow barberry | C, F |
| | atropurea-redleaf Japanese barberry | F |
| e <i>i m</i> | cherry bomb barberry | C, F |
| <i>Bougainvillea</i> spp. | barbara karst | C, F |
| | California gold | C, F |
| | pink pixie | C, F |
| | scarlet o'hara | C, F |
| | temple fire | C, F |
| | Texas dawn | C, F |
| Buxus x 'Green velvet' | green velvet boxwood | C, F |
| Buxus microphylla japonica | boxwood, Japanese | C, F |
| Buxus microphylla Koreana | Korean boxwood | F |
| Buxus sempervirens | boxwood, common | C, F |
| Callistemon citrinus | bottlebrush, lemon | F |
| Callistemon viminalis | weeping bottlebrush | C, F |
| Calluna vulgaris | spring torch Scotch heather | C, F |
| Camellia japonica | camellia | C, F |
| Caryopteris x clandonen | dark knight bluebeard | C, F |
| Cassia artemisioides | cassia, feathery | C, F |
| Ceanothus spp. | wild lilac | F |
| Cephalotaxus drupacae Cerastium tomentosum | plum yew | C, F |
| | snow-in-summer | C, F C, F |
| Chamaecyparis obtusa | kosteri cypress nana-dwarf hinoki cypress | C, F C, F |
| | torulosa cypress | C, F C, F |
| Chamaecyparis pisifera | baileyi-dogwood | F |
| Chambecypans pisitera | flaviramea-dogwood | F |
| | squarrosa minima cypress | , C, F |
| Chamaecyparis pisifera spp. | filifera-thread cypress | C, F |
| Chrysalidocarpus lutescens | areca palm | F |
| Clethra alnifolia | summersweet | C, F |
| Cleyera japonica | cleyera, Japanese | C, F |
| Coleonema pulchrum | pink breath of heaven | C, F |
| Convolvius cneorum | bush morning glory | Ċ, F |
| Cornus alba | sibirica-Siberian dogwood | C, F |
| Cornus stolonifera | baileyi-red-osier dogwood | F |
| · · · · · · · · · · · · · · · · · · · | flaviramea-yellowtwig dogwood | F |
| Cotinus coggygria | royal purple smoke tree | C, F |
| Cotinus dammeri | coral beauty smoke tree | C, F |
| | eichholz smoke tree | C, F |
| Cotoneaster adpressus | praecox-early cotoneaster | C, F |
| Cotoneaster apiculatus | cotoneaster, cranberry | C, F |
| Cotoneaster congestus | cotoneaster, Pyrenees | C, F |
| Cotoneaster dammeri | cotoneaster, bearberry | C, F |
| Cotoneaster himalayan | Himalayan cotoneaster | C, F |
| Cotoneaster horizontalis | cotoneaster, rock | C, F |
| Cotoneaster opiculata | cotoneaster | C, F |
| Cycas revoluta | sago palm | C, F |
| Cytisus praecox | hollandia-warminster broom | C, F |
| Cytisus scoparius | lena-Scotch broom | C, F F |
| Cytisus spp. | holandia-Scotch broom | F C, F |
| Daphne odora Deutzia crenata | fragrant daphne nakiana-dwarf deutzia | C, F |
| Deutzia gracilis | slender gracilis | C, F |
| Boatzia gradina | Sichuci gradina | 0, 1 |

15/25

| Dodonea viscosa | hopseed bush | F |
|-------------------------------|------------------------------------|--------------|
| Elaeagnus pungens | fruitland silver berry | C, F |
| Erica cinerea | purple bell heather | C, F |
| Erica vagans | cornish heather | Ċ, F |
| Erica x darleyensa | Mediterranean pink heather | C, F |
| Eugenia myrtifolia | dwarf brush cherry | C, F |
| Euonymus x 'Aureo variegatus' | gold spot euonymus | 0, 1 C, F |
| Euonymus x 'Chollipo" | chollipo eunoymus | 0, F C, F |
| Euonymus fortunei | canadale gold euonymus | C, F |
| Euonymus loituner | emerald'n gold euonymus | F |
| | | C, F |
| | sunspot euonymus | |
| Euonymus japonica | silver king euonymus | F |
| | variegated evergreen euonymus | C, F |
| Euonymus kiatschovica | spreading euonymus | C, F |
| Euonymus vegetus | bigleaf wintercreeper | C, F |
| Euryops pectinatus | dwarf euryops | C, F |
| Fatshedera japonica | | C, F |
| Fatsia japonica | Japanese aralia | C, F |
| Felicia ameloides | blue marguerite | C, F |
| Forsythia intermedia | forsythia, border | C, F |
| Forsythia x 'Spring glory' | spring glory forsythia | C, F |
| Gardenia jasminoides | august beauty gardenia | C, F |
| | gardenia | C, F |
| | radican gardenia | C, F |
| Gaultheria shallon | salal/lemon leaf | C, F |
| Gelsemium sempervirens | Carolina jessamine | C, F |
| Genista pilosa | woadwaxen | C, F |
| Hibiscus rosa-sinensis | ross estey-hibiscus | C, F |
| Hibiscus syriacus | rose of sharon, red bird | C, F |
| | rose of sharon, red heart | F |
| | rose of sharon, woodbridge | C, F |
| | rose of sharon, aphrodite | -, |
| | rose of sharon, helene | |
| llox oquifolium | | F |
| llex aquifolium | Balkans holly | F |
| llov oguinormui | gold coast holly | |
| llex aquipernyi | san jose holly | C, F |
| llex attenuata | savannah holly | C, F |
| llex cornuta | burford holly | C, F |
| | dwarf burford holly | C, F |
| // | needle point holly | C, F |
| llex crenata | compacta-dwarf Japanese holly | C, F |
| llex crenata | convexa holly | _ C, F |
| | dwarf Chinese holly | C, F |
| : | green luster holly | C, F |
| | helleri-heller's Japanese holly | C, F |
| | hetzii's Japanese holly | C, F |
| | stokesii Japanese holly | C, F |
| llex glabra | compacta-compact inkberry holly | C, F |
| | nordica-inkberry holly | C, F |
| llex meserveae | blue boy holly | C, F |
| | blue girl holly | C, F |
| | China boy holly | |
| | China girl holly | |
| | ebony magic holly | F |
| llex vomitoria | nana-dwarf yaupon holly | C, F |
| | pendula-weeping yaupon holly | C, F |
| | yaupon holly | C, F |
| Illicium annisatum | mystery gardenia | C, F |
| Itea ilicifolia | henry garnet holly leaf sweetspire | C, F |

16/25

| Ixora collinea Juniperus chinensis |
|---|
| Juniperus conferta Juniperus horizontalis |
| Juniperus procumbens Juniperus prostrata Juniperus sabina |
| Juniperus scopulorum Juniperus squamata |
| Kalmia latifolia Lagerstroemia indica Lantana spp. Lavandula angustifolia Lavandula latifolia Lavandula officianalis Leptospermum scoparium Leucothoe axillaris Leucothoe fontanesiana Ligustrum japonicum |
| Ligustrum lucidum |

Ligustrum ovalifolium Ligustrum texanum

Ligustrum vicaryi

Ligustrum vulgare Livistona chinensis Lonicera fragrantissima Lonicera periclymenum

Lonicera sempervirens Loropetalum chinense Mahonia aquifolium compacta Mahonia bealei Mahonia repens Myrica cerifera Nandina domestica

| ixora hollywood juniper media-old gold juniper pfitzer juniper pfitzerana glauca-blue juniper pfitzerana-pfitzer juniper sea green juniper torulosa-hollywood juniper emerald sea shore juniper shore juniper bar harbor juniper blue chip juniper blue rug juniper dwarf andorra juniper huntington blue juniper plumosa-andorra juniper wiltonii-blue carpet juniper nana-dwarf Japaneses garden juniper prostrata juniper foemina-hicks juniper savin juniper tamariscifolia-tam juniper emerald green juniper blue star juniper laurel, mountain crepe myrtle lantana English lavander English lavander English spike lavander English spike lavander English spike lavander English spike lavander English spike lavander English lavander New Zealand tea tree leucothoe, coast leucothoe, drooping privet, Japanese wax ligustrum yellow tip ligustrum privet, glossy California privet | ССССССносссоссоссоссоссоссоссоссоссоссоссоссос |
|--|--|
| English lavander | C, F |
| | C, F |
| | |
| | |
| | |
| | |
| | F |
| howardi privet | C, F |
| wax leaf privet | C, F |
| privet, golden | F |
| vicary golden privet | F |
| lodense privet Chinese fountain palm | C, F F |
| winter honeysuckle | Ċ, F |
| flowering woodbine | C, F |
| serotina woodbine | C, F |
| trumpet honeysuckle | C, F |
| fringe flower | C, F |
| dwarf Oregon grape | C, F |
| leather leaf mahonia creeping mahonia | C, F C, F |
| wax myrtle | C, F |
| compacta-dwarf heavenly bamboo | 0, F C, F |
| | -, . |

| nei ninalis nii | harbour dwarf-heavenly bamboo heavenly bamboo (nandina) nana compacta-heavenly bamboo nana purpurea-heavenly bamboo woods dwarf-heavenly bamboo hardy red oleander oleander ruby lace oleander fortunes osmanthus Japanese spurge pigmy date palm fraser's photinia lily-of-the-valley mountain fire lily-of-the-valley | С, С |
|---|--|--|
| forestii | temple bells lily-of-the-valley valley rose lily-of-the-valley valley valentine lily-of-the-valley forest flame lily-of-the-valley mugo-mugho pine | C, F C, F C, F C, F C, F |
| а | green pittosporum | C, F |
| , | wheeler's dwarf pittosporum | C, F |
| nta | blue cape plumbago | F |
| sis | plumbago | C, F |
| rophyllus | yewpine | C, F |
| iana Waabarum | sweet pea shrub | C, F |
| blepharum | tassel fern | C, F |
| mis | cinquefoil | F |
| a | cinquefoil | C, F F |
| | gold drop pontentilla | C, F |
| | goldfinger potentilla red ace potentilla | C, F C, F |
| | sunset potentilla | C, F |
| | tangerine potentilla | 0, F C, F |
| | spring cinquefoil | 0, F C, F |
| а | dwarf pink flowering almond | C, F |
| neana | lolendei monrovia pyracantha | C, F |
| | monon pyracantha | F |
| | red elf hybrid pyrcantha | F |
| | rutgers hybrid pyracantha | C, F |
| | santa cruz pyracantha | C, F |
| | victory pyracantha | F |
| lica | charisma-monruce rhaphiolepis | C, F |
| | enchantress-moness rhaphiolepis | F |
| | rhaphiolepsis (India hawthorn) | C, F |
| | springtime-monme rhaphiolepis | F |
| ata | roundleaf rhaphiolepis | C, F |
| calendulaceum | cannon's double azalea | C, F |
| | flame azalea | F. |
| <i>'</i> | golden flare azalea | C, F |
| oomoulococoum | klondike azalea | C, F F |
| campylocarpum carolinianum x daurium | butterfly rhododendron PJM rhododendron | , С, F |
| carolinianum x daurium catawbiense | catawba album rhododendron | C, F |
| | catawba abdin mododendron | C, F C, F |
| | lord roberts rhododendron | C, F |
| | rocket rhododendron | C, F C, F |
| caucasium x ponticum | cunningham white rhododendron | C, F |
| exbury | cannon's double azalea | C, F |
| ondary | Carnon o GOUDIE azaiea | Ο, Ι |

Nerium oleander

Osmanthus fortune Pachysandra term Phoenix roeloeleni Photinia fraseri Pieris japonica

Pieris japonica x fo Pinus mugo Pittosporum tobira

Plumbago ariculat Plumbago capens Podocarpus macr Polygala dalmaisi Polystichum polyb Potentilla fragiforn Potentilla fruticosa

Potentilla verna Prunus gladulosa Pyracantha fortur

Rhaphiolepis indi

Rhaphiolepis ova Rhododendron ca

Rhododendron ca Rhododendron ca Rhododendron c

Rhododendron c Rhododendron exbury

| Rhododendron forrestii repens Rhododendron forrestii x griersonianum Rhododendron griffithianum Rhododendron hybrid spp. Rhododendron impeditum Rhododendron indica Rhododendron indica Rhododendron kaempferi | golden flare azalea klondike azalea gomer waterer rhododendron elizabeth rhododendron jean marie rhododendron America rhododendron English roseum rhododendron nova zembla rhododendron scintillation rhododendron rhododendron formosa azalea waucabusa azalea blue danube azalea | СССССССССССССССССССССССССССССССССССССС |
|---|--|--|
| Rhododendron kerume | coral bells azalea hino crimson azalea hino pink azalea mildred azalea snow azalea | C, F C, F C, F C, F C, F |
| Rhododendron maximum | rhodie max (rosebay) | C, F |
| Rhododendron mucronulatum | rhododendron | F |
| Rhododendron obtusum | hino-crimsom azalea | C, F |
| Rhododendron ponticum | chioniodes rhododendron | C, F |
| Rhododendron ponticum | daphinoides rhododendron | C, F |
| Rhododendron x 'purple gem' | purple gem rhododendron | C, F |
| Rhododendron racemosum | dwarf scarlet wonder rhododendron | C, F |
| | tribly rhododendron | C, F |
| | unique rhododendron | C, F |
| | vulcan rhododendron | C, F |
| Rhododendron sassthigiatim x | ramapo rhododendron | C, F |
| carolinianum | | |
| Rhododendron satuski | gumpo pink azalea | C, F |
| | higasa azalea | F |
| | reijn azalea | C, F |
| Rhododendron spp. hybrids | carror azalea | C, F |
| | fashion azalea | C, F |
| | gerard christina azalea | F |
| | girard roberta azalea | C, F |
| | golden flare exbury azalea | F |
| | helmut vogel azalea | F |
| | hershey red azalea | F |
| | hot shot azalea | C, F |
| | hume azalea | F |
| | inga azalea | F |
| | irene koster azalea | C, F |
| | president clay azalea | C, F |
| | tradition azalea | C, F |
| Rhus lancea | sumac, African | C, F |
| Rosa rugosa | ramanas rose | C, F |
| Rosmarinus officinalis | rosemary | F |
| Senecio cineraria | dusty-miller/silver ragweed | C, F |
| Skimmia japonica | Japanese skimmia | C, F |
| Skimmia revesiana | reeve's skimmia | C, F |
| Solanum rantonetii | Paraguay nightshade | C, F |
| Spiraea bumalda | anthony waterer spiraea | C, F |
| Spiraea x cinerea 'Grefsheim' | first snow spiraea | |
| Spiraea japonica | dolchia spiraea | C, F |
| · | Japanese alpine spiraea | C, F |
| | shirobana spiraea | C, F |
| Spiraea vanhouttei | bridal wreath | C, F |
| | | |

19/

| Scientific Name C | | |
|--|--|-------------|
| Groundcovers/Perennials | Recommended Treatment C = Containe F = Field | r Gro |
| Xylosma congestum x | ninuet weigela C, ylosma F ucca C, | |
| Viburnum x pragense v Weigela florida b | warf cranberry bushC,iburnumC,ristol ruby weigelaC,ava red weigelaC, | F F F |
| Viburnum setigerum te Viburnum tinus compactum s Viburnum trilobum ci | oublefile viburnumC,ea viburnumFpring bouquet viburnumFranberry bushC, | F |
| Viburnum judd (v. X juddii) vi Viburnum lantana w Viburnum opulus sterile co | burnum C, l ayfaring tree F ommon snowball viburnum F | |
| Viburnum bodnantense pi Viburnum carlesii K Viburnum davidii da | hristmas palmFnk dawn viburnumC, Ioreanspice viburnumC, Iavid viburnumC, IburnumF | F |
| gla litt nij py rh Thuja occidentalis Thuja orientalis au | nerald arborvitaeC, Fobosa-globe arborvitaeC, Fobosa-globe arborvitaeC, Fde giant-dwarf arborvitaeC, Fgra-dark American arborvitaeC, Fvramidalis arborvitaeC, Feingold arborvitaeC, Fchny arborvitaeFoodwardii arborvitaeC, Fureus nana-dwarf golden arborvitaeC, Finima glauca-dwarf arborvitaeC, F | |
| Syringa vulgaris lila Taxus cuspidata ye Tecomaria capensis ca | ninese lilac C, F ac, common F w, Japanese F ipe honeysuckle C, F rnstroemia, Japanese C, F | : |

Achillea millefolium Agapanthus africanus Agapanthus "Peter Pan" Alstroemeria aurea Ammophila breviligulata Antirrhinum majus Arctotheca calendula Argyranthemum frutescens Artemisia schmidtiana Asparagus retrofractus Asteriscus maritimus Astilbe Deutschland Asparagus retrofractus Asparagus variegata Aster novae-angliae Aster novi-belgii Begonia cordifolia Begonia semperflorens Bidens ferulifolia

hod: rown rown

| Common Mame | |
|--------------------------|--------------|
| common yarrow | C, F |
| lily of the nile | C, F C, F |
| Peruvian lily | C, F |
| beechgrass | C, F |
| snapdragon | C, F |
| cape weed | F |
| Paris daisy | C, F |
| angels' hair | C, F |
| fern | C, F |
| gold coin daisy | C, F |
| deutschland astilbe | C, F |
| | C, F |
| tree fern | C, F |
| New England aster | C, F |
| New York aster | C, F |
| heartleaf begonia | C, F |
| white ambassador begonia | C, F |
| peter's gold bidens | C, F |
| | |

C, F

C, F

C, F

C, F

C.F

C, F

C, F C, F

C, F

C, F

C, F C, F

C, F C, F

C, F

C, F

C.F

C. F

C.F

C, F

C, F C. F

C, F

C, F

C.F

C, F C, F

C, F C, F

C, F

C.F

C, F

C, F

C, F C, F

C, F

C, F

C, F

C, F

C, F

C, F

C, F

C, F

C, F

C, F

C, F

C, F

F

C, F C, F

C, F C, F

C, F

F

F C, F

F C. F

F

Brachycome x 'New amethyst' Callistepeus chinensis Carex spp. Carpobrotus edulis Catharanthus roseus Cerastium tomentosum Ceratostiama plumbaginoides Chrysanthemum morifolium Chrysanthemum sp. Clematis integrifolia caerulea Clivia miniata Coreopsis verticillata Cortaderia selloana Cuphea hyssopifolia Cyperus albostriatus Dahlia x 'Royal dahlietta pink' Delosperma alba Descampsia caespitosa Dianthus gratianopolitanus Dietes vegeta Drosanthemum floribundum Drosantheumum hispidum Ensete ventricosum Equisetum scirpoides Erianthus ravennae Erysimum "Bowles mauve" Euryops pectinatus Eustoma grandiflorum Festuca ovina glauca Fuchsia x 'Santa Claus' Gaillardia aristata Gaillardia grandiflora Gaura lindheimeri Gazania rigens leucolaena Gazania spp. Geranium incanum Geranium subcaulescens Hakonechloa macroaureola Hedera canariensis Hedera helix Helichrysum petiolatum Hemerocallis spp. Hesperaloe parviflora Heuchera americana Heuchera micrantha Hippeastrum hybrid Hosta 'Francee' Hosta lancifoila Hosta 'Patriot' Hymenoxys acaulis Hypericum spp. Impatiens wallerana Iris pumila Iris siberica Jasminum nitidum Lampranthus spectabilis Leptospermum scoparium Liatris spicata Limonium perezii

| swan river daisy new amethyst China aster sedge ice plant, largeleaf Madagascar periwinkle snow in the summer |
|--|
| dwarf plumbago florist's chrysanthemum chrysanthemum species |
| blue bell clematis kafir lily coreopsis, threadleaf |
| pampas grass false or Mexican heather |
| dwarf umbrella grass dwarf dahlia wendy pink white iceplant |
| descampsia crimson treasure cheddar pink |
| fortnight lily trailing rosea iceplant iceplant |
| red abyssinian banana dwarf horsetail hardy pampasgrass |
| wallflower dwarf euryops |
| pink lisianthus blue fescue santa claus fuchsia |
| blanket flower goblin blanket flower gaura |
| gazania, trailing gazania |
| cranesbill blackeyed magenta cranesbill golden hakonechloa |
| ivy, Algerian ivy, English white licorice plant |
| daylily red yucca |
| palace purple coral bells amaryllis |
| francee plantain lily albo-marginata hosta patríot plantain lily |
| angelita daisy St. Johnswort busy lizzie |
| yellow dwarf bearded iris blue siberian iris |
| angelwing jasmine trailing iceplant broom teatree/manuka |
| gay feather statice |

Liriope gigantea Liriope muscari

Liriope spicata Lobelia erinus Lobularia maritima Lonicera japonica Lysimachia punctata Mathiola incana Miscanthus sinensis Monarda didyma Moraea iridiodes Oenothera speciosa Ophiopogon japonicus

Osteospermum fruticosum Pachysandra terminalis Parthenocissus quinguefolia Pelargonium x hortorum Pelargonium peltatum Pennisetum alopecuroides Pennisetum setaceum Pentas lanceolata Penstemon x 'Apple blossom' Penstemon gentianoides Perovskia atriplicifolia Petunia-hybrids Phalaris arundinacea picta Ratibida columnifera Rudbeckia fulgida Rudbeckia hirta Ruellia brittoniana Salvia grahamii Salvia leucantha Sedum x 'Autumn joy' Sedum x 'Vera jameson' Targetes patula 'Little hero' Trachelospermum asiaticum Tulbaghia violacea Verbena peruviana Vinca major Vinca minor Vinca spp. Zinnia elegans

Non-Bearing Fruit and Nut Trees

white lily turf lilac beauty lilv turf majestic lily turf monroe white lily turf silvery sunproof lily turf variegated liriope lily turf big blue lily turf green/creeping lily turf lobelia sweet alvssum honeysuckle, Japanese dotted loosestrife stock eulalia grass bee balm African iris siskiyou evening primrose dwarf mondo grass mondo grass freeway daisy Japanese spurge Virginia creeper zonal geranium ivy geranium fountain grass chrimson fountaingrass star cluster apple blossom penstemon hartwig penstemon Russian sage garden petunias ribbon grass Mexican hat blackeyed susan blackeved susan dwarf katie ruellia graham's sage Mexican bush sage autumn joy stonecrop vera jameson stonecrop little hero marigold asian jasmine society garlic st. paul verbena periwinkle, bigleaf periwinkle, dwarf periwinkle dwarf zinnia

C, F C.F C, F C, F C, F F C, F C, F C, F C.F C.F C.F C, F C, F Ċ, F C, F C, F C, F C, F C, F C.F Č, F C, F C, F C, F C, F C, F C.F C, F C, F C, F C.F C, F C, F Ć, F C.F C, F C, F C, F C, F F F C, F

Non-bearing Vineyards¹

Recommended **Treatment Method:** C = Container Grown F = Field Grown

almond

Common Name

apple apricot F F F

| avocado |
|--|
| blackberry |
| blueberry |
| boysenberry |
| cherry, sour |
| cherry, sweet |
| currant |
| dewberry |
| elderberry |
| fig |
| filbert |
| gooseberry |
| grape, American |
| grape, European |
| grapefruit |
| kiwi |
| lemon |
| loganberry |
| macadamia nut |
| nectarine |
| olive |
| orange |
| peach |
| pear |
| pecan |
| pistachio |
| plum |
| pomegranate |
| prune |
| raspberry |
| walnut, black |
| walnut, English |
| ¹ Non-bearing fruit and nut trees and non-bearing |

'Non-bearing fruit and nut trees and non-bearing vineyards are defined as plants which will not bear fruit for at least one year after treatment.

F

F

F

F F

Ornamental Bulbs

Do not use this product in bulb production fields. For use in landscape settings only.

This product may be applied for control of susceptible annual weeds in ornamental bulbs, e.g., bulbous iris, daffodil (narcissus), hyacinth and tulip. Apply this product to the soil surface 2 to 4 weeks after planting, but prior to the emergence of annual weeds. This product may also be applied following bulb emergence but prior to flowering and after flowering. For fall planted bulbs, apply this product again in late winter or early spring to weed-free soil surfaces.

Special Use Precautions:

Do not apply to tulip plants that have emerged to a height greater than 3/4 inch. Do not apply to gladiolus prior to emergence or if corms are less than one inch in diameter. Do not apply to bulbs while they are flowering.

Shadehouse Areas

This product may be applied in open shadehouse-type structures where the natural flow of air is unimpeded. Do not apply in enclosed greenhouses or in enclosed shadehouse-type structures. Do not apply within three weeks prior to enclosing greenhouse or poly-type structures.

Non-Cropland

This product is recommended as a preemergence treatment for control of certain broadleaf weeds and annual grasses on non-cropland areas such as industrial sites, utility substations, highway guardrails, sign

posts, delineators, etc. Apply this product anytime prior to germination of target weeds. Areas to be treated should be free of established weeds or existing weeds should be controlled with postemergence herbicides.

Refer to the General Information section of this label for General Use Precautions and information on Application, Application Rates, and Weeds Controlled.

| | | | Spreader | Settings | | | |
|---------------------------------------|----------------------|----------------------|-----------------|-------------------|----------------|-----------------|----------------|
| | These | spreader se | ettings are not | intended to r | eplace calibr | ation. | |
| | PI | ease calibra | te your spread | er before ap | plying produc | zt. | |
| ; | XX lbs. treats X,XXX | | | | | | t. rate) |
| | XX lbs. treats X,XX | X sq. ft. at the | 150 lbs. produc | t/acre - LOW | RATE (3.5 lb | s./1,000 sq. ft | . rate) |
| | X lbs. treats X,XXX | | | | | | |
| | XX lbs. treats X,XX | X sq. ft. at the | 200 lbs. produc | t/acre - HIGH | RATE (4.5 lb | s./1,000 sq. ft | rate) |
| · · · · · · · · · · · · · · · · · · · | | 0001110 | | SPREADER SETTINGS | | | |
| SPREADER | GROUND | WIDTH OF COVERAGE | LIGHT | LOW | MEDIUM | HIGH | |
| | | SPEED CON | COVERAGE | 0.25 lbs. ai/A | 0.30 lbs. ai/A | 0.35 lbs. ai/A | 0.40 lbs. ai/A |
| aa | | X mph | XX ft/ | X | X | Х | X |
| bb | | X mph | XX ft | X | X | X | X |
| CC | | X mph | XX ft | X | X | X | X |

Note:. This list of spreaders and settings will vary dependent on market availability of spreaders. (this note will not appear on final label)

Note: These spreader settings were established using standard equipment available from the spreader manufacturer at swath widths and speeds typically used within the industry. It is recommended that all spreader equipment be calibrated at the time of application to achieve the desired application rate.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. To the extent consistent with applicable law manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

ò

25

Manufactured by: The Andersons Lawn Fertilizer Division, Inc., d/b/a Free Flow Fertilizer PO Box 119 Maumee, OH 43537

{website address} SGN XXX

| Date Printed | 04/13/10 |
|---------------|-----------|
| Date Approved | NEW |
| Supersedes | New |
| Label Changes | |
| Filename | 9198-XXX |
| Label code | APP041310 |