

U.S. ENVIRONMENTAL PROTECTION AGENCY

Office of Pesticide Programs Registration Division (7505P) 1200 Pennsylvania Ave., N.W.

Washington, D.C. 20460

NOTICE OF PESTICIDE:

X Registration Reregistration (under FIFRA, as amended)

EPA Reg. Number:	Date of Issuance
------------------	------------------

9198-260 11/16/21

Term of Issuance:

Conditional

Name of Pesticide Product:

The Andersons Fertilizer with 0.069% Bifenthrin Insecticide

Name and Address of Registrant (include ZIP Code):

Debbie Ziehr Compliance Supervisor P.O. Box 119 Maumee, OH 43537

Note: Changes in labeling differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above EPA registration number.

On the basis of information furnished by the registrant, the above named pesticide is hereby registered under the Federal Insecticide, Fungicide and Rodenticide Act.

Registration is in no way to be construed as an endorsement or recommendation of this product by the Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.

This product is conditionally registered in accordance with FIFRA section 3(c)(7)(A). You must comply with the following conditions:

1. Submit and/or cite all data required for registration/registration/registration review of your product under FIFRA when the Agency requires all registrants of similar products to submit such data.

Signature of Approving Official:	Date:
	11/16/21
Jacquelyn Herrick, Product Manager 03 Invertebrate-Vertebrate Branch 1, Registration Division (7505P)	

- 2. You are required to comply with the data requirements described in the DCI identified below:
 - a. Bifenthrin GDCI-128825-902
 - b. Bifenthrin GDCI-128825-1159
 - c. Bifenthrin GDCI-128825-1114

You must comply with all of the data requirements within the established deadlines. If you have questions about the Generic DCI listed above, you may contact the Chemical Review Manager in the Pesticide Reevaluation Division: http://iaspub.epa.gov/apex/pesticides/f?p=chemicalsearch:1

- 3. The data requirements for storage stability and corrosion characteristics (Guidelines 830.6317 and 830.6320) are not satisfied. A one year study is required to satisfy these data requirements. You have 18 months from the date of registration to provide these data.
- 4. Make the following label changes before you release the product for shipment:
 - Revise the EPA Registration Number to read, "EPA Reg. No. 9198-260."
- 5. Submit one copy of the final printed label for the record before you release the product for shipment.

Should you wish to add/retain a reference to the company's website on your label, then please be aware that the website becomes labeling under the Federal Insecticide Fungicide and Rodenticide Act and is subject to review by the Agency. If the website is false or misleading, the product would be misbranded and unlawful to sell or distribute under FIFRA section 12(a)(1)(E). 40 CFR 156.10(a)(5) list examples of statements EPA may consider false or misleading. In addition, regardless of whether a website is referenced on your product's label, claims made on the website may not substantially differ from those claims approved through the registration process. Therefore, should the Agency find or if it is brought to our attention that a website contains false or misleading statements or claims substantially differing from the EPA approved registration, the website will be referred to the EPA's Office of Enforcement and Compliance.

If you fail to satisfy these data requirements, EPA will consider appropriate regulatory action including, among other things, cancellation under FIFRA section 6(e). Your release for shipment of the product constitutes acceptance of these conditions. A stamped copy of the label is enclosed for your records. Please also note that the record for this product currently contains the following CSFs:

Basic CSF dated 02/15/2021

If you have any questions, please contact Jacquelyn Herrick by phone at (202) 566-2758, or via email at herrick.jacquelyn@epa.gov.

Enclosure

Bifenthrin GROUP 3A INSECTICIDE

The Andersons Fertilizer with 0.069% Bifenthrin Insecticide

{Braces denote notes to reviewer}

{Optional front panel claims}:

- Contains Fortify-N
- Fertilizer plus insecticide on dispersible granule technology
- May be used for lawn, landscape or perimeter pest control
- Targets surface feeding insects and pests (fleas, ticks, ants and other listed pests)
- Contains MUtech® slow release nitrogen
- Contains NS-54[™] coated slow release nitrogen



Dispersing Granule Technology

ACCEPTED

11/16/2021

Under the Federal Insecticide, Fungicide and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 2422 2022

^{*} 9198-260

For use to control ants (including imported fire ants), mole crickets and other listed pests on lawn in landscaped areas around residential, institutional, public, commercial and industrial buildings, parks, recreational areas and athletic fields. For outdoor use only

Active Ingredients

Bifenthrin + *	0.069%
Other Ingredients	99.931%
Total	100.000%

*Cis isomers 97% minimum, trans isomers 3% maximum FCAS No. 82657-04-6

EPA Reg. No. 9198-EAN
EPA Est. No. 9198-OH-1<u>M</u>, 9198-OH-2<u>B</u>, 9198-AL-001<u>A</u>, 9198-IN-3<u>S</u>
Underlined letter is first letter used in run code on bag

Net Weight XX lbs. (XX kg)

GUARANTEED ANALYSIS

Total Nitrogen (N)	X.XX%
{Note: Maximum Nitrogen 0-40%}	
Available Phosphate (P ₂ O ⁵)	X.XX%
{Note: Maximum Phosphate 0-30%}	
Soluble Potash (K ₂ O)	X.XX%
{Note: Maximum Potash 0-25%}	

Derived From: {placeholder – this is where the sources of the fertilizer nutrients will be listed that appear in the formulation.}

[For products being sold into states with requirement for metals analysis in fertilizers:]

Information regarding the contents and levels of metals in this product is available on the internet at www.aapfco.org/metals.html

KEEP OUT OF REACH OF CHILDREN CAUTION

SEE BACK PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

FIRST AID	
	Hold eye open and rinse slowly and gently with water for 15-20 minutes.
If in eyes	 Remove contacts, if present, after the first 5 minutes, then continue rinsing
	Call a poison control center or doctor for treatment advice
Have the pro	oduct container or label with you when calling a poison control center
or doctor or	going for treatment. You may also contact 1-800-757-8951 for
emergency	medical treatment information.
Note to Phy	ysician:
This product	t is a pyrethroid. If large amounts have been ingested, milk cream and

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. Causes moderate eye irritation. Harmful if swallowed. Avoid contact with eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco.

other digestible fats and oils may increase absorption and so should be avoided.

ENVIRONMENTAL HAZARDS

This product is extremely toxic to fish and aquatic invertebrates. Do not apply directly to water, to areas where surface water is present or to intertidal areas below the mean high water mark. Do not apply when weather conditions favor drift from treated areas. Drift and run-off from treated areas may be hazardous to aquatic organisms in neighboring areas. Do not contaminate water when disposing of equipment washwaters or rinsate. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help to ensure that wind or rain does not blow or wash pesticide off the treatment area. Sweeping any product that lands on a driveway, sidewalk, or street, back onto the treated area of the lawn or garden will help to prevent run-off of water bodies or drainage systems.

DIRECTIONS FOR USE

READ ALL DIRECTIONS PRIOR TO APPLICATION OF THE PRODUCT

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

Not for use on turf being grown for sale or other commercial use as sod, or for commercial seed production or for research purposes.

In New York State, this product may NOT be applied to any grass or turf areas within 100 feet of a water body (lake, pond, river, stream, wetland or drainage ditch). In New York State, make only a single repeat application of this product if there are signs of renewed insect activity, but not sooner than two weeks after the first application.

Florida Applications:

We recommend that you follow the Florida Green Industries BMP's at: http://www.flrules.org/Gateway/reference.asp?No=Ref-04706 We recommend that you follow the Florida Golf Course BMP's at: http://www.flrules.org/Gateway/reference.asp?No=Ref-04702

<u>Nitrogen Notice:</u> For those states with nitrogen application restrictions, including but not limited to, MD, NH, NJ and VA, do not apply more than X.XX (3.33 to 6.66) lbs. of this product per 1,000 sq. ft.

<u>Phosphate Notice:</u> This lawn/turf fertilizer contains phosphorus and is only for nonagricultural use on (i) turf during its first growing season, (ii) on turf areas being repaired or renovated, and (iii) on turf where a soil test performed within the last 3 years indicates a phosphorus deficiency. This fertilizer is not for the routine maintenance of turf.

<u>RESTRICTIONS</u>

Do not apply by air.

Do not exceed 13.3 lbs. of product per 1,000 sq. ft. in any given year (580 lbs./acre).

For applications at rates above 0.34 lb ai/A (170 lbs product/A), users must water the treated area immediately after application.

Do not allow the product to enter any drain during or after application.

Do not apply directly to impervious horizontal surfaces such as sidewalks, driveways and patios except as a spot or crack-and-crevise treatment. Spot treatments must not exceed two square feet in size (for example: 2 ft by 1 ft or 4 ft by 0.5 ft)

Do not apply or irrigate to the point of runoff.

Do not apply when the wind speed is greater than 15 mph.

Do not apply within 25 feet of aquatic habitats (such as, but not limited to, lakes, reservoirs, rivers, streams, marshes, ponds, estuaries, and commercial fish ponds.

Not for use on golf courses, sod farms, nurseries, commercial greenhouses, or grass grown for seed.

Do not make applications during rain.

Avoid making applications when rainfall is expected before the product has sufficient time to dry (minimum 4 hours).

Rainfall withing 24 hours after application may cause unintended runoff of pesticide application.

Do not allow children or pets to enter the treated area until dry.

Application Directions for Broadcast Treatments

PERIMETER APPLICATIONS: Apply to lawn (or turf) area in a uniform band 7 ft wide around and adjacent to structures to help prevent entry of insects into homes or buildings. Use at the rate of 3.33 lb. to 6.66 lb. per 1,000 sq. ft. depending on pest to be treated.

LAWN (OR TURF) APPLICATIONS: Broadcast this product with suitable application equipment which is properly calibrated to ensure uniform coverage over the treatment area. Apply 3.33 lb. to 6.66 lb. per 1,000 sq. ft. to control the following pests:

- To control Annual bluegrass weevil adults (Hyperodes sp.), Armyworms, Billbug adults, Black turfgrass ataenuis adults, Cutworms, Mealybugs and sod webworms, use at the rate of 3.33 lbs/1,000 sq. ft. Best results are obtained when two applications at half rates are made perpendicular to each other.
- To control Ants, Centipedes, Chiggers (Red bugs), Chinch bugs, Fire ants, Fleas, Imported fire ants, Leafhoppers, Millipedes, Mole crickets and Ticks, use at the rate of 6.66 lbs/1,000 sq. ft.. Best results are obtained when two applications at half rates are made perpendicular to each other.

Note: To improve overall control of Imported fire ant colonies, combine broadcast treatments with appropriate products approved for fire ant mound applications.

Spreader Settings

These spreader settings are not intended to replace calibration. Please calibrate your spreader prior to applying product.

50 lbs. treats 15,000 sq. ft. (0.34 acre) at 145 lbs. product/acre - LOW RATE (3.33 lbs/1,000 sq. ft.) 50 lbs. treats 7,500 sq. ft. (0.17 acre) at 290 lbs. product/acre - HIGH RATE (6.66 lbs/1,000 sq. ft.)

SPREADER	GROUND SPEED	WIDTH OF COVERAGE	LOW RATE 0.10 LB. ai/A	HIGH RATE 0.20 lb. ai/A
Aa	X mph	XX feet	X	Х
Bb	X mph	XX feet	Х	Х
Сс	X mph	XX feet	Х	Х

Note: This list of spreaders and settings will vary dependent on market availability of spreaders. (this note will not appear on final label)

Note: These spreader settings were established using standard equipment available from the spreader manufacturer at swath widths and speeds typically used within the industry. Calibrate all spreader equipment at the time of application to achieve the desired application rate.

Page 6 of 7

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal. Do not pour or dispose down-the-drain or sewer. Call your local solid waste agency for local disposal options.

PESTICIDE STORAGE: Keep out of reach of children and animals. Store in original container only. Store in cool, dry place and avoid excess heat.

PESTICIDE DISPOSAL: Wastes resulting from the use of the product may be disposed of on site or at an approved waste disposal facility.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Offer for recycling, if available. Completely empty bag into application equipment. Then dispose of empty bag in a sanitary landfill or by incineration, or, if allowed by State and local authorities, by burning. If burned, stay out of smoke.

IMPORTANT: READ BEFORE USE:

Read the entire Directions for Use and the Warranty Disclaimer and Limitation of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or Buyer accepts the following Warranty Disclaimer and Limitation of Liability:

WARRANTY DISCLAIMER and LIMITATION of LIABILITY:

Manufacturer warrants that this product conforms to the chemical description on the label and is reasonably fit for the purposes stated on the label when used in strict accordance with the directions. Manufacturer makes NO OTHER EXPRESS OR IMPLIED WARRANTY OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. To the extent consistent with applicable law, it is Manufacturer's intent to LIMIT ANY LIABILITY FOR SPECIAL, CONSEQUENTIAL OR INCIDENTAL ECONOMIC DAMAGES to refund of purchase price or replacement of product, at Buyer's choice. To the extent consistent with applicable law, Manufacturer DISCLAIMS ANY LIABILITY FOR COMPENSATORY OR OTHER DAMAGES ARISING OUT OF ANY USE CONTRARY TO LABEL DIRECTIONS. Use contrary to label directions is not permitted.

LEGAL RIGHTS:

THIS LIMITED WARRANTY GIVES YOU SPECIFIC LEGAL RIGHTS; YOU MAY HAVE OTHER RIGHTS THAT VARY FROM STATE/JURISDICTION TO STATE/JURISDICTION.

Manufactured by: The Andersons, Inc. PO Box 119 Maumee, OH 43537

Date Printed	11/16/2021
Date Approved	NEW
Supersedes	NEW
Label Changes	NEW
Filename	9198-EAN
Label code	11162021