


Reg # 720-010

411-1117

12/90

NOTIFICATION
LABEL NOT REVIEWED
PER PR NOTICE 00-9

DATE DEC 0 1990



FRESH &

3" TABLETS

JUMBO CHLORINATING TABLETS (Approximate weight of each tablet 7.0 oz.)

For use in swimming pool floaters and feeders (trichloro S triazinetrione only)


ACTIVE INGREDIENT Trichloro S Triazinetrione	99%
INERT INGREDIENTS	1%
AVAILABLE CHLORINE	90%

KEEP OUT OF REACH OF CHILDREN NET WT 8.75 LBS

DANGER: SEE FIRST AID AND OTHER PRECAUTIONS ON SIDE PANEL



NOV 23 1990



STATEMENT OF PRACTICAL TREATMENT (FIRST AID): IF SWALLOWED, promptly drink large quantity of water. DO NOT induce vomiting. Get medical attention. Avoid alcohol. Never give anything by mouth to an unconscious person. IF ON SKIN, immediately brush off excess chemical and flush with cold water for at least 15 minutes. Remove contaminated clothing. Wash clothing before reuse. If irritation persists, call a physician. IF IN EYES, flush with cold water for at least 15 minutes. Get medical attention. IF INHALED, remove person to fresh air. Call a physician. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS - Hazard to humans and domestic animals

DANGER:

HIGHLY CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE. CAUSES BURNS TO SKIN. IRRITATING TO NOSE AND THROAT. MAY BE FATAL IF SWALLOWED. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing dust or fumes. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARD - This product is toxic to fish. Do not discharge into lakes, streams, ponds, or public waters unless in accordance with NPDES Permit. For guidance, contact the regional office of EPA.

PHYSICAL OR CHEMICAL HAZARD - STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZAROUS CHLORINE-CONTAINING GASES. DECOMPOSES AT 400°F. to 480°F. WITH LIBERATION OF HARMFUL GASES. Mix only with water. Use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of fire, contamination or decomposition, do not reuse container. If possible, place container in open air or well ventilated area. Flood with large volumes of water, if necessary.

PRECAUTION - Chemical should not come in direct contact with surface of vinyl liner, fiberglass, acrylic, colored plaster or painted pools and spas. Danger, do not place in swimmer! Do not mix with other chemicals.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling. When starting up a new pool, superchlorinate to satisfy chlorine demand and to establish a chlorine residual of 1.0 ppm to 1.5 ppm available chlorine. To accomplish this, add 2 oz. FRESH & CLEAN Swimming Pool Sanitizer per 1,000 gallons of pool water. The next morning, add FRESH & CLEAN Cyanuric Acid to stabilize the pool according to directions given on the label. Test pool water frequently with a suitable test kit and maintain a chlorine residual of 1.0 ppm to 1.5 ppm at all times (as determined by daily or more frequent use of a chlorine test kit). Immerse one FRESH & CLEAN 3" Tablet (or more until residual is obtained) for each 5,000 to 10,000 gallons of pool water by means of feeder or float (but never directly into the pool, as discoloration of the pool liner or paint could occur). Variables such as water temperature, water flow rate, filter cycles, bather loads and methods of application will affect the dissolution speed of the tablet and therefore the rate of flow of chlorine solution into the pool. During summer and peak bather loads, superchlorinate at least twice monthly as directed above. Keep the pH between 7.2 and 7.5 as determined by a suitable test kit.

STORAGE AND DISPOSAL:

STORAGE - Store in original container and keep container tightly closed away from heat or open flame. Store in a cool, dry, well ventilated place. Do not allow water to get into container. Keep container off wet floors.

PRODUCT DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Repackaged by AQUA TRI
17872 Mitchell, Irvine, CA 92714

EPA Est. No. 9215-CA-1
EPA Reg. No. 9215-7