

FRESH &

SWIMMING POOL SANITIZER

GRANULATED, CONCENTRATED

ACTIVE INGREDIENT- Sodium Dichloro-S-Triazinetrione anhydrous	96%
INERT INGREDIENTS	4%
AVAILABLE CHLORINE	62%

KEEP OUT OF REACH OF CHILDREN NET WT. 10 LBS

DANGER: SEE FIRST AID AND OTHER PRECAUTIONS ON SIDE PANEL.



NOV 23 1990

NOTIFICATION
LABEL NOT FURNISHED
PER PR NOTIC. SA
DATE DEC 6 1991

2 of 2

FIRST AID (PRACTICAL TREATMENT): IF SWALLOWED, Promptly drink one or two large glasses of water. DO NOT induce vomiting. Get medical attention. Avoid alcohol. Never give anything by mouth to an unconscious person. IF ON SKIN, immediately brush off excess chemical and flush with cold water for at least 15 minutes. Remove contaminated clothing. Wash clothing before reuse. If irritation persists, call a physician. IF IN EYES, Flush with cold water for at least 15 minutes. Get medical attention. IF INHALED, remove person to fresh air. Call a physician. NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

PRECAUTIONARY STATEMENTS-Hazard to humans and domestic animals.

DANGER:

!HIGHLY CORROSIVE. CAUSES IRREVERSIBLE EYE DAMAGE. CAUSES BURNS TO SKIN. !IRRITATING TO NOSE AND THROAT. MAY BE FATAL IF SWALLOWED. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing dust or fumes. Remove and wash contaminated clothing before reuse.

ENVIRONMENTAL HAZARD - This pesticide is hazardous to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified in an NPDES permit. Do not discharge effluent containing this product into sewer systems without previously notifying the sewage treatment plant authority. For guidance, contact your state water board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARD - STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES. DECOMPOSES AT 400°F. to 480°F. WITH LIBERATION OF HARMFUL GASES.

Mix only with water. Use clean dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible generation of fire and explosion. In case of fire, contamination or decomposition, do not reuse container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR CONTROL OF BACTERIA AND ALGAE IN SWIMMING POOLS: Scatter directly over surface of pool. Each ounce of product will provide approximately 0.40 ppm of available chlorine in 10,000 gallons of water. **START UP** - In a clean pool with no visible algae, bring chlorine residual to 1 to 1.5 ppm as follows: 1. Add 3 oz. of FRESH & CLEAN Sanitizer for each 10,000 gal. of water. 2. Test for chlorine residual, using a suitable test kit. 3. If chlorine residual is below 1 ppm, continue to add FRESH & CLEAN Sanitizer. The day after your chlorine residual reaches 1 to 1.5 ppm, use FRESH & CLEAN Dyanuric Acid according to label directions to stabilize your pool. Adjust pH to the ideal range of 7.2 to 7.6.

REGULAR CARE - Add 3 oz. of FRESH & CLEAN Sanitizer for each 10,000 gallons every other day, or as needed to maintain your chlorine residual from 1 to 1.5 ppm. Frequency of application will depend on the number of people swimming, water temperature and other conditions. **ADDITIONAL POOL CARE RECOMMENDATIONS:** Maintain pH in the ideal range of 7.2 to 7.6. Test for pH at least once a week with a suitable test kit. **SUPERCHLORINATION** - Keep your water sparkling clean by adding 11 oz. of FRESH & CLEAN Sanitizer per 10,000 gallons of water, at least once every two weeks. Superchlorinate each week during excessive heat, when bathing loads are high, or when there is "chlorine" like smell to the water. Before swimming, allow the pool to stand until the chlorine residual drops to 3 ppm. If algae appears, treat your pool with Algae Kill following label directions. **HOW TO CALCULATE POOL CAPACITY** (in feet) Rectangular-average depth x average length x average width x 7.5. Circular-diameter x diameter x average depth x 5.9. Oval with straight sides-full width x full length x average depth x 6.7.

STORAGE AND DISPOSAL:

STORAGE - Store in original container and keep container tightly closed away from heat or open flame. Store in a cool, dry, well ventilated place. Do not allow water to get into container. Keep container off wet floors.

PRODUCT DISPOSAL - Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

PRECAUTION - CHEMICAL SHOULD NOT COME IN DIRECT CONTACT WITH SURFACE OF VINYL LINER, FIBERGLASS, ACRYLIC, COLORED PLASTER OR PAINTED POOLS AND SPAS. **DANGER** - DO NOT POUR IN SKIMMER! DO NOT MIX WITH OTHER CHEMICALS.

Repackaged by: AQUA TRI
17872 Mitchell Irvine, California 92714

EPA Est. No. 9215-CA-1
EPA Reg. No. 9215-6

