

PHI 2

9.15 8

1 of 3

FEB 01 1991

Mr. Tom Kincaid  
Corporate Headquarters  
AQUA-TRI  
17872 North Mitchell Avenue  
Irvine, CA 92714

Dear Mr. Kincaid:

Subject: ALL CLEAR Granular Swimming Pool and Spa Sanitizer  
EPA Registration No. 9215-6  
Your Amendment Dated September 26, 1990

A review was conducted of your amendment and the following comments apply:

1. Revised updated Confidential Statement of Formula agrees with the updated label and is acceptable.

Registrant is repackaging 96% Sodium Dichloro-s-Triazinetrione.

Last accepted label was accepted in error as 96% Sodium Dichloro-s-Triazinetrione anhydrous.

2. In the active ingredient letter "s" between words Dichloro and Triazinetrione should be in lower case.

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records. Five (5) copies of the finished labeling must be submitted before you release the product for shipment.

50929:1:Pringle:L32-06:KEVRIC:01/30/91:02/29/91:aw:EK:CL

CONCURRENCES

SYMBOL	<i>Handwritten initials</i>						
SURNAME	<i>Pringle</i>						
DATE	<i>1-31-91</i>						

-2-

If you have any further questions, please contact Ms. Barbara Pringle at (703) 557-0484.

Sincerely yours,

A handwritten signature in cursive script, appearing to read 'WCF', is positioned above the typed name.

Walter C. Francis  
Acting Product Manager (32)  
Antimicrobial Program Branch  
Registration Division (H7505C)

Enclosure

**FOR CONTROL OF BACTERIA AND ALGAE IN SWIMMING POOLS**

Scatter directly over surface of pool. Each ounce of product will provide approximately 0.40 ppm of available chlorine in 10,000 gallons of water.

**START UP** - In a clean pool with no visible algae bring chlorine residual up to 1.5 ppm as follows:

1. Add 3 oz. of All-Clear Sanitizer for each 10,000 gallons of water.
2. Test for chlorine residual using a suitable test kit.
3. For chlorine residual below 1 ppm, continue to add All-Clear Sanitizer. The day after, when chlorine residual reaches 1.5 ppm, use All-Clear Sanitizer. Allow 24 hours for chlorine to stabilize, then add 1/2 oz. of All-Clear Sanitizer per 10,000 gallons of water.

**REGULAR CARE** - Add 1/2 oz. of All-Clear Sanitizer for each 10,000 gallons of water every other day. Use test kit to maintain chlorine residual at 1.5 to 2.0 ppm. Chlorine residual will depend on the number of people swimming, water temperature, and other conditions.

**ADDITIONAL POOL CARE RECOMMENDATIONS**

Maintain proper pH level of 7.2 to 7.6. Test pH regularly and adjust with a suitable test kit.

**SUPERCHLORINATION** - This is a shock treatment to bring chlorine residual up to 10 ppm. Add 1/2 lb. of All-Clear Sanitizer per 10,000 gallons of water. Do not swim for 24 hours. Superchlorination is not recommended for pools with salt water. Before swimming, allow the pool to clear and the chlorine residual to drop to 3 ppm. A chlorine test kit is available for All-Clear Algae Killing and Algaecide.

**HOW TO CALCULATE POOL CAPACITY** (Depth in feet, Height in feet, Average Depth x Average Length x Average Width x 7.5 = Total Gallons) Diameter x Diameter x Average Depth x 3.14 = Total Gallons. With Straight Sides: Length x Width x Height x Average Depth x 7.5 = Total Gallons.

**STORAGE AND DISPOSAL**

**STORAGE** - Store in original container and keep container tightly closed away from heat or open flame. Store in a cool, dry, well-ventilated place. Do not allow water to get into container. Keep container off wet floors.

**PRODUCT DISPOSAL** - Residue wastes are acutely hazardous. Improper disposal of excess product may violate provisions of a Federal law. If there is a water spill, notify your local health department or contact your State Pesticide or Environmental Control Agency or the National Wildlife Enforcement Center (nearest EPA Regional Office) for guidance.

**CONTAINER DISPOSAL** - The empty container offers a recycling or reconditioning, or purchase and disposal in a sanitary and safe incineration or other widely approved method. For information, contact your local waste management authority or your nearest authorized recycling center.

**REGISTRATION INFORMATION** - All-Clear Sanitizer is registered with the Environmental Protection Agency under EPA Registration Number 100-100-0100. For more information, contact the EPA Office of Pesticide Registration, 400 Massachusetts Avenue, Washington, D.C. 20460.

Repackaged by  
AQUA-FR

17877 Moore  
10000 Alameda Drive

EPA Reg. No. 100-100-0100  
EPA Reg. No. 100-100-0100

# ALL-CLEAR

## GRANULAR SWIMMING POOL & SPA SANITIZER CONCENTRATED FOR SPAS AND POOLS

ACTIVE INGREDIENT -	
Sodium Dichloro-S-Triazinetrione .....	96%
INERT INGREDIENTS .....	4%
AVAILABLE CHLORINE .....	62%

KEEP OUT OF REACH OF CHILDREN

**DANGER:**

SEE FIRST AID AND OTHER PRECAUTIONS ON SIDE PANEL

NET WT 2 LBS

ACCEPTED with COMMENTS

FEB 01 1981

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended for this pesticide registration under EPA Reg. No. 100-100-0100.

**FIRST AID (PRACTICAL TR)**

drink one or two large glasses of water. Avoid alcohol. Never give attention. Avoid alcohol. Never give attention. **IF ON SKIN**, immediately wash with water for at least 15 minutes.

**IF IN EYES**, immediately flush with water for at least 15 minutes. **IF SWALLOWED**, do not induce vomiting. **IF ON SKIN**, immediately wash with water for at least 15 minutes. **IF SWALLOWED**, do not induce vomiting. **IF ON SKIN**, immediately wash with water for at least 15 minutes.

**PRECAUTIONARY STATEMENT**

**DOMESTIC ANIMALS**

**DANGER:**

HIGHLY CORROSIVE. CAUSES BURNS TO SKIN. IRRITATING TO EYES. **IF SWALLOWED**, Do not get on eyes. **IF ON SKIN**, Immediately wash with water for at least 15 minutes.

**ENVIRONMENTAL HAZARD**

Do not apply to water bodies. Do not apply to water bodies. Do not apply to water bodies. Do not apply to water bodies. Do not apply to water bodies.

**PHYSICAL OR CHEMICAL**

Water-soluble. Do not mix with other chemicals. Do not mix with other chemicals. Do not mix with other chemicals. Do not mix with other chemicals.

**DIRECTIONS FOR USE**

For control of bacteria and algae in swimming pools and spas. For control of bacteria and algae in swimming pools and spas. For control of bacteria and algae in swimming pools and spas.

**FOR CONTROL OF BACTERIA AND ALGAE**

1. Before bathing, test water for chlorine residual. Add chlorine as needed. 2. Add All-Clear Sanitizer to the water between 10:00 and 12:00 PM. 3. Test for chlorine residual every other day.

4. For superchlorination, add 1/2 lb. of All-Clear Sanitizer per 10,000 gallons of water. Do not swim for 24 hours. 5. For algae control, add 1/2 oz. of All-Clear Algae Killing and Algaecide per 10,000 gallons of water.

6. For pH adjustment, use a suitable test kit. 7. For calcium hardness adjustment, use a suitable test kit. 8. For total alkalinity adjustment, use a suitable test kit.

9. For water temperature, use a suitable thermometer. 10. For water level, use a suitable float valve. 11. For pool cleaning, use a suitable vacuum and brush.

12. For pool maintenance, use a suitable pool cover. 13. For pool safety, use a suitable pool fence. 14. For pool insurance, contact your insurance agent.

15. For pool repair, contact your pool contractor. 16. For pool replacement, contact your pool contractor. 17. For pool removal, contact your pool contractor.

18. For pool installation, contact your pool contractor. 19. For pool financing, contact your pool contractor. 20. For pool maintenance, contact your pool contractor.