

# SEPA United States Environmental Protection Office of Pesticide Programs

INVIRON

ASHINGTON, D.C. 20460

MAR 15 2010

**ECTION AGEN** 

Dean C. Allred President Aqua Tri 17872 Mitchell, Suite 250 Irvine, CA 92614-6034

# FILE CORY

Subject: Fresh & Clean Swimming Pool Sanitizer EPA Registration No. 9215-8 Application Date: January 28, 2010 Receipt Date: February 18, 2010

**UNITED STATE** 

Dear Mr. Allred:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

## **Proposed Notification:**

Addition of the following registered trademarks: •

"Fresh &Clean®" logo Words "Fresh & Clean®" "All Clear®" "Aqua Tri®"

### **General Comments:**

Based on a review of the material submitted, the following comment applies:

The notification application is acceptable and a copy has been inserted in your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at Henson.Wanda@epa.gov or call (703) 308-6345.

Sincerely.

Wanda Y. Henson Acting Product Manager (32) **Regulatory Management Branch II** Antimicrobials Division (7510P)

Please read instructions on n	everse before complet	ting form.	Form App	roved, OMB No. 20	070-0060	Print Form	
€PA	Environmental Washin	ited States Protectio ngton, DC 204	n Agency	Amendr × Other	tion	OPP Identifier Number	
	······································	Applicatio	n for Pesticide - Sec	tion I			
1. Company/Product Number 9215-8			2. EPA Product Manager Wanda Y. Henson		3. Pr	3. Proposed Classification	
<b>4. Company/Product (Name)</b> Fresh & Clean <sup>®</sup> Swimming Pool Sanitizer			PM# 32			None Restricted	
5. Name and Address of Applicant (Include ZIP Code) Aqua Tri 17872 Mitchell, Suite 250 Irvine, Ca. 92614-6034 Check if this is a new address			6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No Product Name				
ليونيون المراجعين مستخدمة المراجعين الم			Section - II	•			
Resubmission in response Notification - Explain I Explanation: Use eddition Change the Fresh & Clean mark.	below. nal page(s) if necessar	y. (For section	Cther - Ex	Application. plain below.	to use the	e registration trade	
1. Material This Product Will	Be Packaged In:		Section - III	······································			
Child-Resistant Packaging Yes* No * Certification must be submitted	Unit Packaging Yes X No If "Yes" No. per Unit Packaging wgt. No. per		Water Soluble Packaging Yes X No If "Yes" No. per Package wgt contain		2. Type of Container Metal Plastic Glass Paper Other (Specify) <u>FIBER_DRUM</u>		
3. Location of Net Contents I	Information enteiner	4. Size(s) Ret 5, 10, 25, & 3		X On Labe	Decation of Label Directions On Label On Label On Labeling accompanying product		
6. Manner in Which Label is Affixed to Product Lithograph Stenciled Stenciled							
			Section - IV		······································		
1. Contact Point <i>(Complete</i>	items directly below f	or identificatio	n of individual to be contacted	l, if necessary, to pr	ocess this	application.)	
Name Dean C. Allred			) and a set			<b>Gelephone No. (Include Area Code)</b> (949)474-7707	
	y knowingly false or n		tion all attachments thereto are tro ement may be punishable by f	-	•	6. Data Application Received (Stamped)	
2. Signature Deant. acher			3. Title President				
Typed Name Dean C. Allred			<b>5. Date</b> Jan 28, 2010				



Corporate Headquarters 17872 Mitchell P. O. Box 17148 Irvine, California 92623-7148 949-474-7707

January 28, 2009

Document Processing Desk (NOTIF) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency 1200 Pennsylvania Ave., N.W. Washington, DC 20460-0001

Attention: Tom Luminello

Subject: Fresh & Clean<sub>®</sub> Logo Fresh & Clean<sub>®</sub> Swimming Pool Sanitizer EPA Registration Number 9215-8


We enclose form 8570-1 as a notification to change the Fresh & Clean<sub>@</sub> logo, and the words Fresh & Clean<sub>@</sub>, All Clear<sub>@</sub> and Aqua Tri<sub>@</sub> to use the registered trademark logo. Two copies of the label are also enclosed with the notification.</sub>

Sincerely,

. alle

Dean C. Allred President





#### FIRST AID

If swallowed: Call a poison control center immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison

control center or a doctor. Do not give anything by mouth to an unconscious person. It in eyes: Hold eyelids open and rinse slowly with water for 15 to 20 minutes. Remove contact lenses if present after 5 minutes then continue rinsing eye. Call poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor.

If inhaled: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the poison control Hot Line at 1-800-222-1222 for emergency medical treatment advice.

PRECAUTIONARY STATEMENTS-Hazard to humans and domestic animals. DANGER:

CORROSIVE CAUSES IRREVERSIBLE EYE DAMAGE, MAY BE FATAL IF INHALED, HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN, DO NOT GET IN EYES, ON SKIN OR ON CLOTHING. DO NOT BREATHE DUST, VAPOR OR SPRAY MIST. Wear goggles, lace shield or safety glasses. Wash throroughly with soap and water after handling. Remove contaminated clothing and wash before reuse.

ENVIRÖNMENTÄL HAZARDS: This pesticide is toxic to fish and aquatic organisms. PHYSICAL OR CHEMICAL HAZARD - STRONG OXIDIZING AGENT. WILL BURN WITH THE EVOLUTION OF CHLORINE AND EQUALLY TOXIC GASES. CONTACT WITH WATER SLOWLY LIBERATES IRRITATING AND HAZARDOUS CHLORINE-CONTAINING GASES. DECOMPOSES AT 400°F. to 400°F. WITH LIBERATION OF HARMFUL GASES. Mic only with water use clean, dry utensils. Do not add this product to any dispensing device containing remnants of any other product. Such use may cause a violent reaction leading to fire or explosion. Contamination of the addition of the azid of the other of the container. If possible isolate container in open air or well ventilated area. Flood with large volumes of water, if necessary. Do not allow chemical to come in direct contact with the timer or painted surface of pool as discoloration can occur. Do not pour into the skimmer. Do not mix with other chemicals.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labelling. FOR CONTROL OF BACTERIA AND ALGAE (OUTDOORS) IN SPAS:

 Before bathing, test water pH, chlorine residual and alkalinity using a suitable test kit. Adjust chlorine residual to 3 ppm. Reentry into treated swimming pools/spas is prohibited above levels of 3 ppm of chlorine. After bathing superchlorinate to 6 ppm (1 level tablespoon per 500 gallons of water). Use a chlorine stabilizer, especially outdoors, to prolong chlorine residual. Maintain pH of water between 7.2 and 7.6 and total alkalinity between 125 and 175 ppm.

2. One tenth oz. (1/2 tsp.) per 500 gal. of water gives 1 ppm and 1 level tbsp. gives 6 ppm. of chlorine. To use, broadcast granules into water with jets running.

 With 4 bathers in a 500 gal. spa, a 2 ppm chlorine residual can drop below the minimum 1 ppm in 15 to 20 minutes. Less water or more bathers will accelerate loss. Test often and keep chlorine residual above 1 ppm.

4. Weekly, superchlorinate water to 5 or 6 ppm (see 2 above). Do not bathe until chlorine drops to 3 ppm. Draining and cleaning of spa is recommended whenever the water becomes difficult to manage or chlorine stabilizer goes over 100 ppm, as measured with a suitable cyanuric acid test kit. Avoid use of products such as body lotions that consume chlorine.

FOR CONTROL OF BACTERIA AND ALGAE IN SWIMMING POOLS: Scatter directly over surface of pool. Each ounce of product will provide approximately 0.40 ppm of available chlorine in 10.000 gallons of water.

START UP - In a clean pool with no visible algae, bring chlorine residual to 1 to 1.5 ppm as follows:

1. Add 3 oz. of FRESH & CLEAN, Sanitizer for each 10,000 gallons of water

2. Test for chlorine residual, using a suitable test kit.

Er test too known to known yang a structure start. 3. If chlorine residual is below 1 ppm, continue to add FRESH & CLEAN, Sanitizer. The day after your chlorine residual reaches 1 to 1.5 ppm, use FRESH,& CLEAN, Cyanuric Acid according to label directions to stabilize your pool. Addust pH to the ideal range of 7.2 to 7.6.

REGULAR CARE - Add 3 oc. J RESN & CLEAN, Sanitzer for each 10,000 gallons every other day, or as needed to maintain your chlorine residual from 1 to 1.5 ppm. Frequency of application will depend on the number of people swimming, water temperature and other conditions. ADDITIONAL POOL CARE RECOMMENDATIONS - Maintain pH in the ideal range of 7.2 to 7.6.

Test for pH at least once a week with a suitable test kit. SUPERCH URINATION - Keep your vater sparking clean by adding 11 oz. FRESH & CLEAN, Sanitizer per 10,000 gallons of water, at least once every two weeks. Superchlorinate each week during excessive heat, when bathing loads are high, or when thest is a "chlorine" like small to the water. Belore swimming, allow the pool to stand until the chlorine residual drops to 3 ppm. Reentry into treated swimming, pools/spa is prohibited above levels of 3 ppm of chlorine. It algae appears, treat your pool with ALL CLEAR, Magae Kill following table directions.

### STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container, lightly closed away from heat or open flame. Store in a cool, dry, well ventilated place. Keep container off wet floors. PESTICIDE DISPOSAL: Do not put spilled product, filled or partially filled containers in the trash. Dispose of waste material according to label use directions otherwise call 1-800. CLEANUP for guidance from your local solid waste agency.

CONTAINER HANDLING: Nonrefiliable container. Do not reuse or refill this container. Triple nise container promptly after emptying. Triple nise as follows: Empty the remaining contents into application equipment or mix tank. Fill the container 1/4 full with water and recap. Shake for ten seconds. Pour insate into application equipment or a mix tank or store nisate for later use or disposal. Drain for 10 seconds after the flow begins to drip.Repeat this procedure two more times. Offer for recycling if available, or place in trash.

EPA Est. No. 9215-CA-1 EPA Reg. No. 9215-8 17872 Mit

Repackaged by AQUA TRI 17872 Mitchell, Irvine, CA 92614-6034



Children can fall into bucket and drown. Keep children away from bucket with even a small amount of liguld.

Niños pueden caer dentro de la cubeta y ahogarse. Mantenga la cubeta fuera del alcance de niños, aunque contenga poca cantidad de líquido.