

9215-9

02-19-2010

1/6

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



Office of Pesticide Programs

FEB 19 2010

Dean C. Allred
President
Aqua Tri
17872 Mitchell
P.O. Box 17148
Irvine, CA 92623-7148

FILE COPY

Subject: All Clear 3 Granular Swimming Pool & Spa Sanitizer
EPA Registration No. 9215-9
Application Dated: January 27, 2010
Receipt Dated: February 3, 2010

Dear Mr. Allred:

This acknowledges receipt of your notification, submitted under the provision of PR Notice 98-10, FIFRA section 3(c)9.

Proposed Notification:

- Company name change from "Aqua Tri" to "Aqua Tri®"

General Comments:

Based on a review of the material submitted, the following comments apply:

The notification application is acceptable and a copy has been inserted into your file for future reference.

Should you have any questions or comments concerning this letter, please contact me at Henson.Wanda@epa.gov or call (703) 308-6345.

Sincerely,

Wanda Henson
Product Reviewer 32
Regulatory Management Branch II
Antimicrobials Division (7510P)



United States
Environmental Protection Agency
Washington, DC 20460

<input type="checkbox"/>	Registration
<input type="checkbox"/>	Amendment
<input checked="" type="checkbox"/>	Other

OPP Identifier Number

Application for Pesticide - Section I

1. Company/Product Number 9215-9	2. EPA Product Manager Tom Luminello	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) All Clear3 Granular Swimming Pool and Spa Sanitizer	PM# 32	
5. Name and Address of Applicant (Include ZIP Code) Aqua Tri 17872 Mitchell N., Suite 250 Irvine, Ca. 92614-6034 <input type="checkbox"/> Check if this is a new address	6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____	

Section - II

<input type="checkbox"/> Amendment - Explain below.	<input type="checkbox"/> Final printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification - Explain below.	<input type="checkbox"/> Other - Explain below.

Explanation: Use additional page(s) if necessary. (For section I and Section II.)
To change the name Aqua Tri to a ® registered name.

Section - III

1. Material This Product Will Be Packaged In:				2. Type of Container	
Child-Resistant Packaging <input checked="" type="checkbox"/> Yes* <input type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No		<input type="checkbox"/> Metal	<input checked="" type="checkbox"/> Plastic
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per container	If "Yes" Package wgt	<input type="checkbox"/> Glass	<input type="checkbox"/> Paper
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container	4. Size(s) Retail Container 1, 2, 5, 10, 16, 35, 50, 300	5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product			
6. Manner in Which Label is Affixed to Product <input checked="" type="checkbox"/> Lithograph Paper glued Stenciled			<input checked="" type="checkbox"/> Other Silk Screened		

Section - IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application.)		
Name Dean C. Allred	Title President	Telephone No. (Include Area Code) (949)474-7707
2. Signature 		6. Date of Application Received (Stamped)
3. Title President		
4. Typed Name Dean C. Allred		
5. Date Jan 27, 2010		



Corporate Headquarters
17872 Mitchell
P. O. Box 17148
Irvine, California 92623-7148
949-474-7707

CERTIFICATION STATEMENT
CHILD RESISTANT PACKAGING "CRP"

ALL CLEAR 3_® GRANULAR SWIMMING POOL & SPA SANITIZER

E. P. A. REG. NO. 09215-9

REGISTRANT: AQUA TRI
P.O. BOX 17148
IRVINE, CA 92623-7148

January 27, 2010

"I certify that the packaging used for this product meets with the standards of 40 CFR 157.32, including the revised standards in 16 CFR 1700.15 (b), when tested by the revised testing procedures in 16 CFR 1700.20, as published in 60 FR 37710 (July 21, 1995)"

Dean C. Allred, President

There are three packages for this product;

An ASTM Type 1-A cap from Van Blarcom Safe Cap 1 which is a 53 mm with a continuous thread closure. The container is a blow molded 7" X 2.25" OD polyethylene bottle with a 53 mm continuous thread finish.

An ASTM Type 1-B cap from REXAM which is a 63 mm and a 110 mm polypropylene Squeeze-Lok CRC closure which is a reclosable continuous thread closure requiring localized squeeze force while turning, the force must be applied to a designated location on the closure skirt. The containers are blow molded 7.5" X 3.25" OD, 8" X 5" X 5" square, 9.5" X 6.5" X 6.5" square, and 11" X 7" X 7" square polyethylene bottles with continuous thread finish.

An ASTM Type 1-D 3.5, 5 and 6.5 gallon tapered side wall, plastic, open head pail, with a plastic, continuously threaded pail lid. The lid contains a lever closure. The package is opened by holding down the lever on the pail lid while unscrewing the lid counter clockwise and lifting it off the pail. When closed the lever fits into a groove on the inside of the pail neck so the lid can not be unscrewed. The M&M LIFELATCH closure is used. Both pail and closure is a matched unit from M&M Industries.

NOTIFICATION
Date Reviewed: 2/19/10
Reviewed By: W. Johnson

ALL CLEAR 3

GRANULAR SWIMMING POOL & SPA SANITIZER 56

TO CONTROL BACTERIA AND ALGAE IN POOLS AND SPAS

ACTIVE INGREDIENT		
Sodium Dichloro-s-triazine-trione dihydrate	99.0%
INERT INGREDIENTS	1.0%
		<hr/> 100.0%

Available Chlorine 55%

KEEP OUT OF REACH OF CHILDREN

DANGER

SEE OTHER PRECAUTIONS AND FIRST AID ON BACK PANEL

NET WT 50 LBS

EPA Est. No. 9215-CA-1

EPA Reg. No. 9215-9

Repackaged by AQUA TRI[®], 17872 Mitchell, Irvine, CA 92614-6034

The full environmental hazard statement is required only on sizes 50 pounds and over.
1, 2, 5, 10, 16, 25, 35, 50, and 300 pounds.



FIRST AID

If swallowed: Call a poison control center immediately for treatment advice. Have the person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or a doctor. Do not give anything by mouth to an unconscious person.

If in eyes: Hold eyelids open and rinse slowly with water for 15 to 20 minutes. Remove contact lenses if present after 5 minutes then continue rinsing eye. Call poison control center or doctor for treatment advice.

If on skin or clothing: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 to 20 minutes. Call a poison control center or doctor for treatment advice.

If inhaled: Move person to fresh air. If person is not breathing call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment. You may also contact the poison control Hot Line at 1-800-222-1222 for emergency medical treatment advice.

PRECAUTIONARY STATEMENTS - Hazard to humans and domestic animals.

DANGER: HIGHLY CORROSIVE. Causes irreversible eye damage and skin burns. Harmful if swallowed, irritating to nose and throat. Do not get in eyes, on skin or clothing. Wear protective eye wear (goggles or safety glasses). Wear protective clothing and rubber gloves when handling this product. Avoid breathing dust and fumes. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms.

PHYSICAL OR CHEMICAL HAZARD - Strong oxidizing agent. Contact with water slowly liberates irritating and hazardous chlorine containing gases. Decomposes at temperatures above 464 F with liberation of harmful gases. When ignited, will burn with evolution of chlorine and equally toxic gases. Never add water to this product. Always add product to large quantities of water. Use clean, dry utensils. **Do not add this product to any dispensing device containing remnants of any other product.** Such use may cause a violent reaction leading to fire or explosion. Contamination with moisture, organic matter, or other chemicals may start a chemical reaction with generation of heat, liberation of hazardous gases, and possible fire and explosion. **Do not allow chemical to come in direct contact with the liner or painted surface of the pool as discoloration can occur. Do not pour into the pool skimmer. Do not mix with other chemicals.**

IN CASE OF FIRE OR SMOKE: Call the fire department. Do not attempt to extinguish the fire without a self contained breathing apparatus. (SCBA). Do not let the fire burn. Isolate the burning material, if possible to the open air or a well ventilated area and flood with large quantities of water. Do not use ABC or other dry chemical extinguishers since there is a potential for a violent reaction.

IN CASE OF CONTAMINATION OR DECOMPOSITION: Do not reseal the container. Follow disposal instructions on label.

DIRECTIONS FOR USE - It is a violation of Federal law to use this product in a manner inconsistent with its labelling.

FOR CONTROL OF BACTERIA AND ALGAE (OUTDOORS) IN SPAS:

1. Before bathing, test water pH, chlorine residual and alkalinity using a

suitable test kit. Adjust chlorine residual to 3 ppm. Reentry into treated swimming pools/spas is prohibited above levels of 3 ppm of chlorine. After bathing superchlorinate to 6 ppm (1 1/2) tablespoon per 450 gallons of water. Maintain pH of water between 7.2 and 7.6 and total alkalinity between 125 and 175 ppm.

2. One tenth oz. (8/10 tsp.) per 450 gal. of water gives 1 ppm of chlorine. To use, broadcast granules into water with jets running.

3. With 4 bathers in a 500 gal. spa, a 2 ppm chlorine residual can drop below the minimum 1 ppm in 15 to 20 minutes. Less water or more bathers will accelerate loss. Test often and keep chlorine residual above 1 ppm.

4. Weekly, superchlorinate water to 5 or 6 ppm (see 2 above). Do not bathe until chlorine drops to 3 ppm. Draining and cleaning of spa is recommended whenever the water becomes difficult to manage or chlorine stabilizer goes over 100 ppm, as measured with a suitable cyanuric acid test kit. Avoid use of products such as body lotions that consume chlorine.

FOR CONTROL OF BACTERIA AND ALGAE IN SWIMMING POOLS:

Scatter directly over surface of pool. Each ounce of product will provide approximately 0.35 ppm of available chlorine in 10,000 gallons of water.

START UP- In a clean pool with no visible algae, bring chlorine residual to 1 to 1.5 ppm as follows:

1. Add 3 oz. of ALL CLEAR 3₀ Sanitizer 56 for each 10,000 gallons of water.

2. Test for chlorine residual, using a suitable test kit.

3. If chlorine residual is below 1 ppm, continue to add ALL CLEAR 3₀ Sanitizer 56. Adjust pH to the ideal range of 7.2 to 7.6.

REGULAR CARE - Add 3 oz. of ALL CLEAR 3₀ Sanitizer 56 for each 10,000 gallons of water every other day, or as needed to maintain your chlorine residual from 1 to 1.5 ppm. Frequency of application will depend on the number of people swimming, water temperature and other conditions.

ADDITIONAL POOL CARE RECOMMENDATIONS - Maintain pH in the ideal range of 7.2 to 7.6. Test for pH at least once a week with a suitable test kit.

SUPERCHLORINATION - Keep your water sparkling clean by adding 12-13 oz. ALL CLEAR 3₀ Sanitizer 56 per 10,000 gallons of water, at least once every two weeks. Superchlorinate each week during excessive heat, when bathing loads are high, or when there is a "chlorine" like smell to the water. Before swimming, allow the pool to stand until the chlorine residual drops to 3 ppm. Reentry into treated swimming pools/spa is prohibited above levels of 3 ppm of chlorine. If algae appears, treat your pool with ALL CLEAR₀ Algae Kill following label directions.

STORAGE AND DISPOSAL:

Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE STORAGE: Store in original container, tightly closed away from heat or open flame. Store in a cool, dry, well ventilated place. Keep container off wet floors.

PESTICIDE DISPOSAL: Do not put spilled product, filled or partially filled containers in the trash. Dispose of waste material according to label use directions otherwise call 1-800-CLEANUP for guidance from your local solid waste agency.

CONTAINER HANDLING: Nonrefillable container. Do not reuse or refill this container. Triple rinse container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or mix tank. Fill the container 1/4 full with water and recap. Shake for ten seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat this procedure two or more times. **Offer for recycling if available, or place in trash.**

