BEST AVAILABLE COPY

E.P.A. REGISTRATION NO. 8032-10 5 2 3 2 × 18 1/4 = 5

CAPTURE

EFA ERL NO. RC32---

CLEANER-DISINFECTANT-DEODORANT

THE HIGH-EFFICIENCY CLEANER THAT IS

STAPHYLOCIDAL — PSEUDOMONACIDAL — FUNGICIDAL*

ACTIVE INGRELIENTS: n-Alkyl (60% C₁₄, 30% C₁₆, 5% C₁₂, 5% C₁₈)


Dimethyl Benzyl Ammonium Chlorides - 0.72%, n-Alkyl (68% C₁₂, 32% C₁₄) Dimethyl Ethylbenzyl Ammonium Chlorides - 0.72%

INERT INGREDIENTS:.....98.56%

DANGER - KEEP OUT OF REACH OF CHILDREN
See First Aid statement and precoutions on right panel.
NET CONTENTS

FEDERAL INTERNATIONAL CHEMICALS

1191 SOUTH WHEELING ROAD - WHEELING, ILLINOIS 90000



Recommended for use on precleaned, hard, inanimate, nonporous surfaces.

DESCRIPTION: A high-efficiency cleaner with bactericidal and and fungicidal* properties designed for use in hard-surface cleaning, disinfecting and deodorizing.

USES: To clean, disinfect and deodorize housekeeping and food handling surfaces in industrial, institutional and hospital areas.

Excellent solubility in hot or cold water. Contains biodegradable detergent. Dilute as directed by use of standard liquid measuring cup or jug pump. Do not mix with other cleaners.

*Fungicidal Property: Proven effective against Trichophyton interdigitale (Athlete's Foot) NCDC B-1343 at a 1:25 dilution with water when tested according to the Fungicidal Test Method given in the Official Methods of Analysis of the A.O.A.C., 11th Edition.

This organism is frequently found on locker room or shower room floors.



STORAGE AND DISPOSAL

- Store away from heat.
- Do not transfer to another container.
- Do not reuse empty container.
- Do not contaminate water, food, or feed by storage or disposal.

PESTICIDE DISPOSAL

- Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL

- Plastic: Triple rinse (or equivalent).
Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfall, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Gallons or smaller: Do not reuse empty container. Rinse empty container thoroughly and discard in trash.

- Metal: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

ACCEPTED

JUN 1 2 1985

U for the Foder of Lisecher d. Fungicine, and Rodenticide Act, as amended, for the pesticide registered under 933-10 EPA Reg. No.

DEST AVAILABLE COPY RIGHT PANEL GENERAL CLASSIFICATIO

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

GENERAL DIRECTIONS

To clean, disinfect, and deodorize floors, walls, tables, drinking fountains, sinks, refrigerators, stoves, restroom fixtures, telephone booths, kennels, and garbage cans:

- Remove gross filth and heavy soil with a solution of 10-15 oz of product per gallon of water. Thoroughly clean area prior to application of product.
- 2. To disinfect and deodorize, apply a solution of 5 oz of product per gallon of water with a cloth, sponge, mop, or mechanical spray device, making sure all surfaces are wetted thoroughly. Allow surfaces to remain wet for 10 minutes. Wipe off or let air dry.

DIRECTIONS FOR FOCO HANDLING SURFACES

To disinfect precledied food contact and food handling surfaces such as carts, chopping b ocks, conveyor belts, cookers, coolers, cutting tools, display cases grinders, hooks, mixers, processing tables, slicers, or scales:

- Remove gross filth and heavy soil by a pre-flush, pre-scrape, and when necessary, pre-soak treatment. To treat surfaces, thoroughly pre-clean and follow by a potable water rinse prior to application of product.
- To disinfect and deodorize, apply a solution of 5 oz of product per gallon of water with a cloth, sponge, mop, or mechanical spray device, making sure all surfaces are wetted thoroughly. Allow surfaces to remain wet for 10 minutes. Rinse well with potable water after treatment.

DANGER - KEEP OUT OF REACH OF CHILDREN. Corrosive, Causes eye damage and skin Irritation. Do not get In eyes, on skin or on clothing. Protect eyes and skin when handling. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYSICIAN: I: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

ONLY FOR SALE TO. USE, AND STORAGE BY SERVICE PERSONS

ACCEPTED

JUN 1 2 1935

Under the Period Period Period Act. Under the Pari as armended, for the pesticide requirement under 2 32-10