NEUTRAL FRAGRANCE

CLEANER -- DISINFECTANT - DEODORANY FOR PROFESSIONAL AND INDUSTRIAL USE ONLY

A SYNTHETIC DETERGENT-DISINFECTANT WITH BACTERICIDAL, FUNGICIDAL AND MILDEWSTATIC PROPERTIES FOR BROAD SPECTRUM KILL OF MICRO-ORGANISMS BOTH GRAM POSITIVE AND GRAM NEGATIVE INSURES OUTSTANDING CLEANING DISINFECTING IN ONE OPERATION AN EFFECTIVE DEODORIZER FOR SURFACES CONTAMINATED BY ORGANIC PUTREFACTION

ACTIVE INGREDIENTS:	INERT INGREDIENTS:91.5%	
Methyldodecylbenzyl trimethyl ammonium chlorides 3.2%	Water, nonyl phenoxy polyethoxy ethanol, tetrasodium	
Potassium carbonate 1.5%	ethylenediaminetetraacetate, essential oil and color.	
N-alkyl (50%C ₁₂ 30%C ₁₄ 17%C ₁₆ 3%C ₁₈) dimethyl	TOTAL INGREDIENTS 100.0%	
N-alkyl (50%C ₁₂ , 30%C ₁₄ , 17%C ₁₆ , 3%C ₁₈) dimethyl ethylbenzyl ammonium chlorides	Phenol Coefficients (A.O.A.C.) Use Dilution Test (A.O.A.C.)	
N-alkyl (60%-C ₁₄ , 30%C ₁₆ , 5%C ₁₂ , 5%C ₁₈) dimethyl benzyl ammonium chlorides	Salmonella typhosa 26 Salmonella choleraesuis 1:64 Staphylococcus aureus 1:64	
Methyldodecylxylylene bis (trimethyl ammonium chloride) 0.8% TOTAL ACTIVE 8.5%	A.O.A.C. tests run in conformance with A.O.A.C. Eleventh Edition.	

Noncorrosive, nonflammable and nonvolatile in use dilutions. Excellent solubility in hot, cold, soft, or hard water. Contains biodegradable detergent. Dilute as directed by use of a standard liquid measuring cup or jug pump. Do not mix with other cleaners. Rinse empty Cleaner-Disinfectant container thoroughly with water and discard it.

DIRECTIONS

- 1. To clean, disinfect and deodorize walls, floors, tables, drinking fountains, sinks, refrigerators, stoves, restroom fixtures, telephone booths, kennels and garbage cans: Wash with solution containing 2 ounces of Cleaner-Disinfectant per gallon of water.
- 2. For light duty cleaning and sanitizing use 1 ounce of Cleaner-Disinfectant per gallon of water.
- 3. To clean and disinfect such articles as combs, brushes, razors, scissors, instruments and rubber goods: Wipe articles, clean and soak for ten minutes in a solution containing 1 ounce of Cleaner-Disinfectant per quart of water.
- 4. To disinfect fabrics such as sheets, linens, aprons and uniforms: Soak in solution containing 2 ounces of Cleaner-Disinfectant per

gallon of water.

- 5. To clean grease laden or grossly contaminated surfaces use 4 to 6 ounces of Cleaner-Disinfectant per gallon of water.
- 6. To control mold and render mildewstatic action on walls, ceilings and surfaces of tile, metal, porcelain and glass: Wash with solution containing 2 cunces of Cleaner-Disinfectant per gallon of water. For continued mildewproofing, repeat application every 6 to 7 weeks or as found necessary.
- 7. To fog an unoccupied room as an adjunct either preceding or following regular cleaning and disinfecting procedures us a dilution of 1:16 or 8 ounces Cleaner-Disinfectant per gation of water per average size room. Allow minimum of 2 hours after rogging has stopped before entering room.

WARNING - KEEP OUT OF REACH OF CHILDREN


nis product may cause skin irritation or damage to the eyes. Harmful if swallowed, Do not get in eyes or on skin. Do not take internally, in case of contact with eyes, flood repeatedly with water and call physician. Avoid contamination of food.

Net Contents

FEDERAL INTERNATIONAL CHEMICALS • 2451 S. Ashland Ave. • Chicago, III. 60608

D-2678





A synthetic detergent-disinfectant with bactericidal, fungicidal and virucidal properties for broad spectrum kill of micro-organisms both gram positive and gram negative, insures outstanding cleaning and disinfecting in one operation. Is an effective deodorizer for surfaces contaminated by organic putrefaction. Safe for use on electrically conductive floors.

Excellent solubility in hot, cold, soft, or hard water. Contains biodegradable detergent. Dilute as directed by use of a standard liquid measuring cup or jug pump. Do not mix with other cleaners. Rinse empty Cleaner-Disinfectant container thoroughly with water and discard it.

Proven effective for hospital use by the following tests:

1 10 10 11 01 10 10 10 10 10 10 10 10 10			
A.O.A.C.** (Use Dilution Tes	t Dilution	Adapted** (Virucidal Test)*	* Dilution
Method) Staphylococcus		Influenza Type A2, Hong	
aureus #6538	1:64	Kong Strain-Asian Flu	1:64
Pseudomonas aeruginosa		Herpes Simplex	1:64
PRD-10, #15442	1:64	Vaccinia	1:64
Salmonella choleraesuis		Adenovirus Type 2	1:64
#10708	1:64	• •	
		A.O.A.C.** (Phenol Coefficients)	
A.O.A.C.** (Fungicide Test)		Salmonella typhosa 27	
Trichophyton interdigitale		Staphylococcus aureus — 4	42
#640	1:64		

**Above A.O.A.C. tests run in conformance with A.O.A.C. Eleventh Edition 1970.

HOSPITAL USE DIRECTIONS:

1. To clean, disinfect and deodorize walls, floors and other similar non-porous surfaces, use 2 oz. of Cleaner-Disinfectant per gallon of water.

2. To clean, disinfect and deodorize cement block, scarred furniture and other similar porous and heavily contaminated surfaces, use 2 oz. of Cleaner-Disinfectant per gallon of water with special attention given to thorough cleaning.

3. To fog an unoccupied room, as an adjunct either preceding or following regular cleaning and disinfecting procedures use a dilution of 1:16 or 8 oz. Cleaner-Disinfectant per gallon of water per average size room. Allow minimum of 2 hours after fogging has stopped before entering room.

E.P.A. REGISTRATION NO. 9232-13 EPA Est. No. 9232-1L-1

CONQUEST 11

NEUTRAL FRAGRANCE CLEANER-DISINFECTANT-DEODORANT

PSEUDOMONACIDAL-STAPHYLOCIDAL-BACTERICIDAL-FUNGICIDAL-VIRUCIDAL*

ACTIVE INGREDIENTS: n-Alkyl (Myristyl 60%, Palmityl 30%, Lauryl 5%, Stearyl 5%) Dimethyl Benzyl Ammonium Chlorides 2.25%, n-Alkyl (Lauryl 68%, Myristyl 32%) Dimethyl Ethylbenzyl Ammonium Chlorides 2.25%, Sodium Carbonate 3.00%, Tetrasodium Ethylenediamine Tetraacetate 1%.

WARNING: KEEP OUT OF REACH OF CHILDREN

See First Aid Statement and other precautions on right panel.

NET CONTENTS

FEDERAL INTERNATIONAL CHEMICALS

1191 SOUTH WHEELING ROAD - WHEELING, ILLINOIS 60090

ACCEPTED

OCT 23 1973

UNDER Time

... ... SECTICIDE

m h rc d sl

G

2.

3.

4.

M

5.

Ci Hi

Fi wi cc ge Ci