E.P.A. REGISTRATION NO. 9232-13 EPA Est. No. 9232-1L-1

CONQUEST

NEUTRAL FRAGRANCE CLEANER-DISINFECTANT-DEODORANT

PSEUDOMONACIDAL-STAPHYLOCIDAL-BACTERICIDAL-FUNGICIDAL-VIRUCIDAL*

ACTIVE INGREDIENTS: n-Alkyl (Myristyl 60%, Palmityl 30%, Lauryl 5%, Stearyl 5%) Dimethyl Benzyl Ammonium Chlorides 2.25%, n-Alkyl (Lauryl 68%, Myristyl 32%) Dimethyl Ethylbenzyl Ammonium Chlorides 2.25%, Sodium Carbonate 3.00%, Tetrasodium Ethylenediamine Tetraacetate 1%.

WARNING: KEEP OUT OF REACH OF CHILDREN

See First Aid Statement and other precautions on right panel.

NET CONTENTS

FEDERAL INTERNATIONAL CHEMICALS

1191 SOUTH WHEELING ROAD - WHEELING, ILLINOIS 60090

Essential in all institutional and industrial areas such as hospitals, hotels and motels, animal hospitals, industrial plants, schools and clubs and nursing homes. Specifically: bathrooms, cages and runways, damp areas, examination rooms, for fabric disinfection, general floor and wall maintenance, kitchen and dining facilities, laboratories, locker rooms, personnel lockers, rest rooms, shower room, for spot cleaning, swimming pool facilities, universal equipment and waste receptacles.

GENERAL USE DIRECTIONS:

- 1. To clean, disinfect and deodorize walls, floors, tables, drinking fountains, sinks, refrigerators, stoves, restroom fixtures, telephone booths, kennels and garbage cans: Wash with solution containing 2 oz. of Cleaner-Disinfectant per gallon of water. When used on food contact surfaces, follow application with potable water rinse and drain completely before reuse.
- plication with potable water rinse and drain completely before reuse.

 2. For light duty cleaning and sanitizing use 1 oz. of Cleaner-Disinfectant per gallon of water. When used on food contact surfaces, follow application with potable water rinse and drain completely before reuse.

 3. To clean and disinfect such articles as combs, brushes, razors, scissors,
- 3. To clean and disinfect such articles as combs, brushes, razors, scissors, instruments and rubber goods: Wipe articles, clean and soak for ten minutes in a solution containing 1 oz. of Cleaner-Disinfectant per quart of water.
- 4. To disinfect fabrics such as sheets, linens, aprons and uniforms: Soak in solution containing 2 oz. Cleaner-Disinfectant per gallon of water.
- 5. To clean grease laden or grossly contaminated surfaces use 4 to 6 oz. of Cleaner-Disinfectant per gallon of water.

WARNING: KEEP OUT OF REACH OF CHILDREN.

Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

30064-10-75



A synthetic detergent-disinfectant with bactericidal, fungicidal and virucidal properties for broad spectrum kill of micro-organisms both gram positive and gram negative, insures outstanding cleaning and disinfecting in one operation. Is an effective deodorizer for surfaces contaminated by organic putrefaction. Safe for use on electrically conductive floors.

Excellent solubility in hot, cold, soft, or hard water. Contains biodegradable detergent. Dilute as directed by use of a standard liquid measuring cup or jug pump. Do not mix with other cleaners. Rinse empty Cleaner-Disinfectant container thoroughly with water and discard it.

Proven effective for hospital use by the following tests:

A.O.A.C.** (Use Dilution Test Dilution		Adapted** (Virucidal Test)*	Dilution
Method) Staphylococcus		Influenza Type A2, Hong	
aureus #6538	1:64	Kong Strain-Asian Flu	1:64
Pseudomonas aeruginosa		Herpes Simplex	1:64
PRD-10, #15442	1:64	Vaccinia	1:64
Salmonella choleraesuis		Adenovirus Type 2	1:64
#10708	1:64	•	
	A.O.A.C.** (Phenol Coefficients)		
A.O.A.C.** (Fungicide Test)		Salmonella typhosa 27	
Trichophyton interdigitale		Staphylococcus aureus — 4	2
#640	1 :64	• •	
**Above A.O.A.C. tests run	in conform	ance with A.O.A.C. Eleventh	Edition
1970.			

HOSPITAL USE DIRECTIONS:

- 1. To clean, disinfect and deodorize walls, floors and other similar non-porous surfaces, use 2 oz. of Cleaner-Disinfectant per gallon of water.
- 2. To clean, disinfect and deodorize cement block, scarred furniture and other similar porous and heavily contaminated surfaces, use 2 oz. of Cleaner-Disinfectant per gallon of water with special attention given to thorough cleaning.
- 3. To fog an unoccupied room, as an adjunct either preceding or following regular cleaning and disinfecting procedures use a dilution of 1:16 or 8 oz. Cleaner-Disinfectant per gallon of water per average size room. Allow minimum of 2 hours after fogging has stopped before entering room.

UNDER THE PEDERAL INSECTICIDE
PUNCICIDE AND RODENTICIDE ACT
POR ECOMOMIC POISON REGISTER
ED UNDER NO.

ACCEPTED

E.P.A. REGISTRATION NO. 9232-14 EPA Est. No. 9232-1L-1

CONQUEST II

CITRUS FRAGRANCE CLEANER-DISINFECTANT-DEODORANT

PSEUDOMONACIDAL-STAPHYLOCIDAL-BACTERICIDAL-FUNGICIDAL-VIRUCIDAL*

ACTIVE INGREDIENTS: n-Alkyl (Myristyl 60%, Palmityl 30%, Lauryl 5%, Stearyl 5%) Dimethyl Benzyl Ammonium Chlorides 2.25%, n-Alkyl (Lauryl 68%, Myristyl 32%) Dimethyl Ethylbenzyl Ammonium Chlorides 2.25%, Sodium Carbonate 3.00%, Tetrasodium Ethylenediamine Tetraacetate 1%.

WARNING: KEEP OUT OF REACH OF CHILDREN

See First Aid Statement and other precautions on right panel.

NET CONTENTS

FEDERAL INTERNATIONAL CHEMICALS

1191 SOUTH WHEELING ROAD - WHEELING, ILLINOIS 60090





UMBER THE PEDERAL DISECTICIDE FUNGICIDE AND RODENTICIDE ACT FOR ECOMOMIC POISON REGISTER

E.P.A. REGISTRATION NO. 9232-14 EPA Est. No. 9232-IL-1

CONQUEST II

CITRUS FRAGRANCE CLEANER-DISINFECTANT-DEODORANT

PSEUDOMONACIDAL-STAPHYLOCIDAL-BACTERICIDAL-**FUNGICIDAL-VIRUCIDAL***

ACTIVE INGREDIENTS: n-Alkyl (Myristyl 60%, Palmityl 30%, Lauryl 5%, Stearyl 5%) Dimethyl Benzyl Ammonium Chlorides 2.25%, n-Alkyl (Lauryl 68%, Myristyl 32%) Dimethyl Ethylbenzyl Ammonium Chlorides 2.25%, Sodium Carbonate 3.00%, Tetrasodium Ethylenediamine Tetraacetate 1%.

INERT INGREDIENTS:

WARNING: KEEP OUT OF REACH OF CHILDREN

See First Aid Statement and other precautions on right panel.

NET CONTENTS

FEDERAL INTERNATIONAL CHEMICALS

1191 SOUTH WHEELING ROAD - WHEELING, ILLINOIS 60090

Essential in all institutional and industrial areas such as hospitals, hotels and motels, animal hospitals, industrial plants, schools and clubs and nursing homes. Specifically: bathrooms, cages and runways, damp areas, examination rooms, for fabric disinfection, general floor and wall maintenance, kitchen and dining facilities, laboratories, locker rooms, personnel lockers, rest rooms, shower room, for spot cleaning, swimming pool facilities, universal equipment and waste receptacles.

GENERAL USE DIRECTIONS:

1. To clean, disinfect and deodorize walls, floors, tables, drinking fountains, sinks, refrigerators, stoves, restroom fixtures, telephone booths, kennels and garbage cans: Wash with solution containing 2 oz. of Cleaner-Disinfectant per gallon of water. When used on food contact surfaces, follow ap-

plication with potable water rinse and drain completely before reuse.

2. For light duty cleaning and sanitizing use 1 oz. of Cleaner-Disinfectant per gallon of water. When used on food contact surfaces, follow application

with potable water rinse and drain completely before reuse.

3. To clean and disinfect such articles as combs, brushes, razors, scissors, instruments and rubber goods: Wipe articles, clean and soak for ten minutes in a solution containing 1 oz. of Cleaner-Disinfectant per quart of water.

4. To disinfect fabrics such as sheets, linens, aprons and uniforms: Soak in

solution containing 2 oz. Cleaner-Disinfectant per gallon of water.

5. To clean grease laden or grossly contaminated surfaces use 4 to 6 oz. of Cleaner-Disinfectant per gallon of water.

WARNING: KEEP OUT OF REACH OF CHILDREN.

Causes eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

FIRST AID: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician.

30065-10-75