

10 11 12 -78  
10 11 12 -79

1 2 3 4 5 6 7 8 9 10 11 12

CHARLSON & EDWARDS - CIGERO, IL  
JT 12923

**GENERAL USES, FOOD PROCESSING EQUIPMENT AND DAIRIES:** Apply solution with mop or cloth on pre-cleaned, non-porous environmental surfaces, or on non-porous environmental surfaces that are not visibly dirty when the surfaces are allowed to remain wet for 10 minutes, and the diluted use solution is applied for a single use treatment in sanitizing and disinfecting inanimate hard surfaces, floors and walls. Use in schools, homes, locker rooms, garbage pails, sink tops, corridors, offices, classrooms and shower stalls.

Sanitize with 1 ounce Disinfectant-Deodorant to 5 gallons water. For sanitization of previously cleaned food processing equipment, dairy equipment such as tanks, lines, pails and milk cans and food utensils, dilute 1 ounce Disinfectant-Deodorant per 4 gallons of water (200 ppm active quaternary). At this level, no potable water rinse is required. Follow recommendations of local Health Board.

**HOSPITALS - FOR ROOM FOGGING:** To minimize the danger of cross contamination from environmental surfaces, apply solution of Disinfectant-Deodorant as a fog as described below, before applying standard routine terminal cleaning and disinfecting practices.

- 1) Remove all human, animal and plant life from room.
  - 2) Open closet doors and drawers.
  - 3) Set up 34" revolving platform in center of room.
  - 4) Mount fogging device delivering spray at 3 rpm.
  - 5) Fill sprayer reservoir with 1 1/2 ounces Disinfectant-Deodorant to 1 gallon water to produce 1150 ppm active ingredients.
  - 6) Set sprayer mechanism to deliver 1 gallon of solution.
  - 7) Fog for 15 minutes for an average 2100 cu. ft. room. For different room sizes vary spray time proportionately to insure complete wetting of exposed surfaces.
  - 8) Wait 2 hours before entering room after treatment.
  - 9) Rinse fogging equipment thoroughly with clear water following use.
- For floors, walls and other hard surfaces. In nursing homes, institutions, as well as sink tops, garbage pails, telephones and rest rooms, use Disinfectant-Deodorant at 3 1/2 ounces per 5 gallons of water. Apply with cloth, mop or sponge. At this level Disinfectant-Deodorant will be effective against Pseudomonas

# FED - SAN

A CONCENTRATED

## SANITIZER-DISINFECTANT-FUNGICIDE

FOR FURTHER DILUTION WITH WATER IN USE

**ACTIVE INGREDIENTS:** n-Alkyl (60% C14, 30% C16, 5% C12, 5% methyl Benzyl Ammonium Chloride 5%, n-Alkyl (68% C12, 32% C14 Ethylbenzyl Ammonium Chloride 5%.

**INERT INGREDIENTS:** .....

**DANGER:** KEEP OUT OF REACH OF CHILDREN

See First Aid Statement and other precautions on left panel

NET CONTENTS

**FEDERAL INTERNATIONAL CHEMICAL**

1191 South Wheeling Road - Wheeling, Illinois 60090

# FED - SAN

## A CONCENTRATED

### ANTIZER-DISINFECTANT-FUNGICIDE

FOR FURTHER DILUTION WITH WATER IN USE

VE INGREDIENTS: n-Alkyl (60% C<sub>14</sub>, 30% C<sub>16</sub>, 5% C<sub>12</sub>, 5% C<sub>18</sub>) Di-  
Benzyl Ammonium Chloride 5%, n-Alkyl (68% C<sub>12</sub>, 32% C<sub>14</sub>) Dimethyl  
Benzyl Ammonium Chloride 5%.

INGREDIENTS: ..... 90%

### DANGER: KEEP OUT OF REACH OF CHILDREN

See First Aid Statement and other precautions on left panel.

NET CONTENTS

## ERAL INTERNATIONAL CHEMICALS

1191 South Wheeling Road - Wheeling, Illinois 60090

aeruginosa PRD-10. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

In critical areas of hospitals, which may include inhalation therapy and/or pulmonary diagnostic equipment use at 3 1/2 ounces per 5 gallons. This product has not been tested for effectiveness against Mycobacterium tuberculosis and must not be relied upon when tuberculocidal activity is intended by the user.

RESTAURANT AND BAR RINSE: Dishes, glassware, silverware, cooking utensils - wash with soap or synthetic detergent, rinse thoroughly and immerse in a sanitizing solution containing 1 ounce Disinfectant-Deodorant to 4 gallons water. At this level no potable water rinse is required.

### PRECAUTIONARY STATEMENTS-HAZARDS TO HUMANS

**DANGER:** KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Rubber gloves and eye protection are required to protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with water for at least 15 minutes. For eyes: CALL PHYSICIAN. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a PHYSICIAN.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Rinse empty container thoroughly with water and discard.

**STORAGE AND DISPOSAL:** STORAGE: Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. DISPOSAL: Container: Triple rinse or equivalent and dispose of in an incinerator or landfill approved for pesticide container, or bury in a safe place.

E.P.A. Registration No. 9232-17 - E.P.A. Est. No. 9232-IL-1

30071-1079

ACC

29 A

UNDER THE I  
FUNGICIDE AL  
FOR ECONOMIC  
ED UNDER NO

**FUNGICIDE**

USE  
5% C18) Di-  
C14) Dimethyl

..... 90%

CHILDREN  
panel.

**MICALS**

60090

aeruginosa PRD-10. For heavily soiled or contaminated areas, a pre-cleaning step is recommended.

In critical areas of hospitals, which may include inhalation therapy and/or pulmonary diagnostic equipment use at 3 1/2 ounces per 5 gallons. This product has not been tested for effectiveness against Mycobacterium tuberculosis and must not be relied upon when tuberculocidal activity is intended by the user.

**RESTAURANT AND BAR RINSE:** Dishes, glassware, silverware, cooking utensils - wash with soap or synthetic detergent, rinse thoroughly and immerse in a sanitizing solution containing 1 ounce Disinfectant-Deodorant to 4 gallons water. At this level no potable water rinse is required.

**PRECAUTIONARY STATEMENTS-HAZARDS TO HUMANS**

**DANGER:** KEEP OUT OF REACH OF CHILDREN. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Rubber gloves and eye protection are required to protect eyes and skin when handling concentrate. Harmful if swallowed. Avoid contamination of food.

**FIRST AID:** In case of contact, immediately flush eyes or skin with water for at least 15 minutes. For eyes: CALL PHYSICIAN. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a PHYSICIAN.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed. Rinse empty container thoroughly with water and discard.

**STORAGE AND DISPOSAL:** **STORAGE:** Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited. Do not reuse empty container. **DISPOSAL:** Container: Triple rinse or equivalent and dispose of in an incinerator or landfill approved for pesticide container, or bury in a safe place. E.P.A. Registration No. 9232-17 - E.P.A. Est. No. 9232-IL-1 30071-1079

ACCEPTED  
29 APR 1980  
UNDER THE FEDERAL INSECTICIDE  
FUNGICIDE AND RODENTICIDE ACT  
FOR ECONOMIC POISON REGISTERED  
ED UNDER NO. 9232-17

106