

BEST AVAILABLE COPY

This product was formulated to aid in reducing the areas contaminated in hospitals, schools, institutions, and industry. It has bactericidal, fungicidal, and virucidal properties that make it effective against a broad spectrum of microorganisms both Gram positive and Gram negative. As a one step disinfectant cleaner, it will deodorize those odors caused by bacterial growth and inhibit the growth of mold and mildew when used as directed.

PRECAUTIONARY STATEMENTS

Hazards to Humans and domestic animals

DANGER: Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed or absorbed through skin. Avoid contamination of food.

(Statement of Practical Treatment)

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse.

If swallowed, drink promptly a large quantity of milk, egg whites, potato solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

NOTE TO PHYCIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against respiratory distress, respiratory depression, and absorption may be needed.

STORAGE AND DISPOSAL

- Do not contaminate water, food, or feed by storage or disposal.
- Open dumping is prohibited.
- Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixtures, or residues is a violation of Federal Law. These wastes cannot be disposed of by one pouring in label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures. Before use or loss. Do not reuse empty container. Rinse thoroughly and discard in trash.

GENERAL: Consult Federal, State, or local disposal authorities for approved alternative procedures.

EPA REGISTRATION NO. 8232-20 EPA EST NO. 9232 IL-1

FOUR FOLD 256

NEUTRAL FRAGRANCE  
DISINFECTANT-CLEANER-SANITIZER-FUNGICIDE  
MILDEWSTAT-VIRUCIDE\*-DEODORIZER

Effective in hard water up to 400 ppm hardness (calculated as CaCO<sub>3</sub>) in the presence of 5% serum contamination

ACTIVE INGREDIENTS	
Octyl Dodecyl dimethyl ammonium chloride	8.518%
Dioctyl dimethyl ammonium chloride	3.755%
Didecyl dimethyl ammonium chloride	3.755%
Alkyl (C <sub>14</sub> 50%, C <sub>12</sub> 40%, C <sub>16</sub> 10%) dimethyl benzyl ammonium chloride	8.840%
INERT INGREDIENTS	78.300%
	100.000%

DANGER: KEEP OUT OF REACH OF CHILDREN  
(SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

NET CONTENTS:

FEDERAL INTERNATIONAL CHEMICALS

1191 SOUTH WHEELING ROAD  
WHEELING, IL 60090

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is recommended for use in hospitals, hotels, motels, industrial plants, schools, animal hospitals, and nursing homes. Specific areas for use are floors, walls, restrooms, examination rooms, cages and rooms, kitchens and dining areas, laboratories, locker rooms, shower rooms, swimming pool facilities, exercise facilities, and waste receptacles.

It is bactericidal, fungicidal, moldstatatic, and virucidal when used in water up to 400 ppm hardness and in the presence of 5% horse serum contamination.

Proven effective for hospital use by the following tests:

A.O.A.C. Use Dilution Test (at 1/4 ounce per gallon of water)

<i>Pseudomonas aeruginosa</i>	<i>Enterobacter aerogenes</i>
<i>Staphylococcus aureus</i>	<i>Salmonella choleraesuis</i>
<i>Salmonella choleraesuis</i>	<i>Streptococcus lactis</i>
<i>Escherichia coli</i>	<i>Shigella dysenteriae</i>
<i>Streptococcus pyogenes</i>	<i>Salmonella typhi</i>
<i>Klebsiella pneumoniae</i>	<i>Serratia marcescens</i>
	<i>Brevibacterium caseinophilum</i>

A.O.A.C. Fungicidal Test (at 1/4 ounce per gallon of water)

*Trichophyton mentagrophytes* (athlete's foot fungus)

\*Virucidal Performance on Influenza (Environmental Surfaces) (at 1/4 ounce per gallon of water)  
Influenza A/Brazil Virus

DIRECTIONS FOR USE

GENERAL: Solution should be applied to hard, non porous surfaces with a cloth, mop, or mechanical spray device in order to thoroughly wet the surfaces. Surfaces must remain wet for the periods of time indicated below.

For heavily soiled areas a preliminary cleaning step is required. Prepare a fresh solution daily or when the solution becomes visibly dirty.

SPECIFIC: 1. Disinfection: Add 1/4 ounce of product to 1 gallon of water. Treated surfaces must remain wet for 10 minutes.

2. Sanitizing: To sanitize porous and non porous, non food contact surfaces, add 1/4 ounce of product to 5 1/2 gallons of water. Treated surfaces must remain wet for 60 seconds.

3. Mold and Mildew Control: To inhibit growth, apply a solution of 1/4 ounce per gallon of water. Allow solution to dry on surface and repeat when growth returns.

FOR SALE, FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY

30342 003

ACCEPTED  
MAY 06 1985  
FEDERAL INTERNATIONAL CHEMICALS  
EPA Reg. No. 8232-20