

BEST AVAILABLE COPY

E.P.A. REGISTRATION NO. 9232-23 E.P.A. EST. NO. 9232-IL-1

FOUR FOLD 128

NEUTRAL FRAGRANCE DISINFECTANT-CLEANER-SANITIZER-FUNGICIDE MILDEWSTAT-VIRUCIDE*-DEODORIZER

Effective in hard water up to 400 ppm hardness (calculated as CaCO₃) in the presence of 5% serum contamination

ACTIVE INGREDIENTS	
Ocyl 6-cy dimethyl ammonium chloride	3.255%
Dioctyl dimethyl ammonium chloride	1.628%
Dioctyl dimethyl ammonium chloride	1.628%
Alkyl (C ₁₄ 50%, C ₁₂ 40%, C ₁₀ 10%) dimethyl benzyl ammonium chloride	4.340%
INERT INGREDIENTS	
	99.149%
	100.00%

DANGER: KEEP OUT OF REACH OF CHILDREN
(SEE LEFT PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS)

NET CONTENTS:

FEDERAL INTERNATIONAL CHEMICALS

1191 SOUTH WHEELING ROAD
WHEELING, IL 60090

This product was formulated to aid in reducing the cross-contamination in hospitals, schools, institutions, and industry. It has bactericidal, fungicidal, and virucidal properties that make it effective against a broad spectrum of microorganisms both Gram positive and Gram negative. As a rapid disinfectant cleaner, it will deodorize those odors caused by bacterial growth and inhibit growth of mold and mildew when used as directed.

CAUTIONARY STATEMENTS

Hazardous to Humans and domestic animals

ANGER: Keep out of reach of children. Corrosive. Causes severe eye and skin damage. Do not get in eyes, on skin, or on clothing. Wear goggles or face shield and rubber gloves when adding. Harmful or fatal if swallowed or absorbed through skin. Avoid contamination of food.

Statement of Practical Treatment

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. If eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or if these are available, drink large quantities of water. Avoid alcohol. Call a physician immediately. **ITC TO PHYRECLAM:** Probable mucosal damage may contraindicate the use of gastric lavage. Beware against circulatory shock, respiratory depression, and convulsion may be needed.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

Do not reuse empty container.

PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide spray mixtures, or residue is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative of the nearest EPA Regional Office for advice.

CONTAINER DISPOSAL: Triple rinse (or equivalent). Then offer for recycling or reconditioning, puncture and dispose of in a sanitary landfill, or by other approved state and local procedures. Also size or less. Do not reuse empty container. Rinse thoroughly and discard in trash.

GENERAL: Consult Federal, State, or local disposal authorities for approved alternative procedures.

It is a violation of Federal Law to use this product in a manner inconsistent with its labeling. This product is recommended for use in hospitals, hotels, motels, industrial plants, schools, animal hospitals, and nursing homes. Specific areas for use are floors, walls, restrooms, examination rooms, cages and nurseries, kitchens and dining areas, laboratories, locker rooms, shower rooms, swimming pool facilities, exercise facilities, and waste receptacles. It is bactericidal, fungicidal, mildewstatic, and virucidal when used in water up to 400 ppm hardness and in the presence of 5% horse serum contamination. Proven effective for hospital use by the following tests:

A.O.A.C. Use Dilution Test (at 1 ounce per gallon of water)	
<i>Pseudomonas aeruginosa</i>	<i>Enterobacter aerogenes</i>
<i>Staphylococcus aureus</i>	<i>Salmonella glaberrima</i>
<i>Stenococcus chlorinae</i>	<i>Streptococcus faecalis</i>
<i>Escherichia coli</i>	<i>Shigella dysenteriae</i>
<i>Streptococcus pyogenes</i>	<i>Salmonella typhi</i>
<i>Deinobacterium</i>	<i>Serratia marcescens</i>

A.O.A.C. Fungicidal Test (at 1 ounce per gallon of water)
Trichophyton mentagrophytes (athlete's foot fungus)

*Virucidal Performance on Influenza Environmental Surfaces. (at 1 ounce per gallon of water)
Influenza A/Brazil Virus

DIRECTIONS FOR USE

GENERAL: Solutions should be applied to hard, non-porous surfaces with a cloth, mop, or mechanical spray device in order to thoroughly wet the surfaces. Surfaces must remain wet for the periods of time indicated below. For heavily soiled areas a preliminary cleaning step is required. Prepare a fresh solution daily or when one solution becomes visibly dirty.

- SPECIFIC:**
1. Disinfection: Add 1 ounce of product to 1 gallon of water. Treated surfaces must remain wet for 10 minutes.
 2. Sanitizing: To sanitize porous and non-porous, non-food contact surfaces, add 1 ounce of product to 5 1/2 gallons of water. Treated surfaces must remain wet for 10 seconds.
 3. Mold and Mildew Control: To inhibit growth, apply a solution of 1 ounce per gallon of water. Allow solution to dry on surface and repeat when growth returns.

FOR SALE, FOR USE AND STORAGE BY MAINTENANCE PERSONNEL ONLY

70546-200

ACCEPTED
MAY 06 1985
Under the Federal Insecticide,
Fungicide, and Rodenticide Act,
as amended, for the pesticide
registered under 9232-23
EPA Reg. No.

COMPANY
NUMBER 43410-

PRODUCT
SERIAL NO. 26

LABEL
APPROVAL
DATE 5-29-85