

FRONT PANEL

EPA EST. NO. 9232-IL (or NJ,
CA, FL)

EPA REG NO. 9232-

BACTERICIDAL	QUAT III General Type			STAPHYLOCIDAL
STREPTOCOCCICIDAL	DETERGENT Cleans	CLEANER Sanitizes	DISINFECTANT Deodorizes	SALMONELLACIDAL

ACTIVE INGREDIENTS:

n-Alkyl (60%C ₁₂ , 30%C ₁₆ , 5%C ₁₈) dimethyl benzyl ammonium chlorides.....	1.60%
n-Alkyl (68%C ₁₂ , 32%C ₁₄) dimethyl ethylbenzyl ammonium chlorides....	1.60%
INERT INGREDIENTS.....	96.80%
TOTAL	100.00%


KEEP OUT OF REACH OF CHILDREN
WARNING

See other panel for additional precautionary
and first aid statements

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICE PERSONS

FEDERAL INTERNATIONAL CHEMICALS
1191 South Wheeling Road
Wheeling, IL 60090

NET CONTENTS:



BACK PANEL

A MULTIPURPOSE PRODUCT THAT CLEANS, DISINFECTS, SANITIZES, AND DEODORIZES. DESIGNED FOR USE IN HOTELS, MOTELS, OFFICE BUILDINGS, SCHOOLS, FOOD INDUSTRIES, FACTORIES, INSTITUTIONS, HOMES, RESTAURANTS AND PUBLIC REST ROOMS. THIS PRODUCT IS BROAD SPECTRUM IN ITS MICROBIOLOGICAL ACTIVITY AND IS EFFECTIVE AGAINST GRAM POSITIVE AND GRAM NEGATIVE BACTERIA INCLUDING *S. AUREUS*, *S. TYPHOSA*, AND *PSEUDOMONAS AERUGINOSA* AND FUNGICIDAL AGAINST PATHOGENIC FUNGI. IT IS ESPECIALLY ADAPTED TO ELIMINATE BACTERIAL ODORS AND MANY NON-BACTERIAL ODORS.

DIRECTIONS

FOR CLEANING, DISINFECTING AND DEODORIZING FLOORS, WALLS, CABINETS, SINKS, BATH TUBS, SHOWER ROOMS, URINALS, TOILETS, REFRIGERATORS, STOVES, GARBAGE CANS, BATHROOM AREAS, BASEMENTS, RUBBER GOODS, BRUSHES, SCISSORS AND RAZORS. Use 2 ounces of product per gallon of water. Solution must remain in contact with surface for 10 minutes. For best results apply with a cloth, mop, or brush, wetting all surfaces thoroughly. Allow solution to air dry. IF A PSEUDOMONACIDAL PRODUCT IS REQUIRED use 3 ounces per gallon of water.

FOR TOILET BOWLS, remove bowl water before disinfecting and swab entire bowl with use dilution.

If heavy soil or organic matter is present, a pre-cleaning step is required.

FOR REGULAR CLEANING AND SANITIZING use 1 ounce per gallon of water.

FOR FOOD UTENSILS AND EQUIPMENT OR OTHER FOOD CONTACT ITEMS, use 1 ounce per gallon of water. Allow to remain in contact with solution for at least 60 seconds. Rinse thoroughly with potable water before reusing. Prepare a fresh solution daily or more frequently as soil becomes apparent.

PRECAUTIONARY STATEMENTS

Hazard to Humans and Domestic Animals

WARNING

Keep Out of Reach of Children. Causes Eye and Skin Irritation. Do not get in eyes, on skin, or on clothing. Harmful if Swallowed.

STATEMENT OF PRACTICAL TREATMENT

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed, drink milk, egg whites, gelatin solution or if these are not available, drink large quantities of water. Call a physician.

NOTE TO PHYSICIAN

Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.