

BEST AVAILABLE COPY

- d) Place the misuse statement - It is a violation of Federal law ... directly under the heading - DIRECTIONS FOR USE.
 - e) Include full label text. The copy submitted has text cut off on the right panel.
- 2) Submit one copy of your revised, final printed label before you release the product for shipment.

This formula change and amended label supersedes and replace all previously accepted items under this registration. The new product name shown in the subject is acceptable and our records have been revised.

A stamped copy of the draft label is enclosed.

Sincerely yours,

Richard F. Mountfort *RFM*
 Product Manager (23)
 Fungicide-Herbicide Branch
 Registration Division (TS-767C)

Enclosure

BEST AVAILABLE COPY

**READY TO USE - NO DILUTION REQUIRED
WORKS QUICKLY - WITHIN HOURS
EFFECTIVE LONG-LASTING CONTROL**

GENERAL INFORMATION:

UNITED 85 is a liquid total weed killer and semi-soil steri-
ant. It should be applied undiluted, as a spray, on non-
cropland areas where bare ground is desired. The com-
pleteness and duration of vegetation control will depend
upon amounts of **UNITED 85** applied, the porosity of the
soil, and the amount of rainfall during the growing season.

UNITED 85 may be applied at any time during the year,
providing the ground is not frozen. Best results are ob-
tained if **UNITED 85** is applied after the predominant veg-
etation to be controlled has emerged, usually in late
spring, or early summer. However, **UNITED 85** is effec-
tive in controlling unwanted vegetation when applied any
time during the growing season.

EQUIPMENT:

UNITED 85 can be applied with standard spray equip-
ment. Before application, calibrate the equipment to in-
sure uniform coverage of the area to be treated. Measure
out the proper amount and apply. For treating small
areas, a tank type hand sprayer, or sprinkling can may be
used.

NO DILUTION OR AGITATION IS REQUIRED.

STORAGE AND DISPOSAL:

Do not contaminate water, food or feed by storage or dis-
posal.

STORAGE: Do not store this formulation at temperatures
below 32°F.

PESTICIDE DISPOSAL: Pesticide, spray mixture or
rinse water that cannot be used according to label instruc-
tions must be disposed of according to Federal, State or
Local procedures.

CONTAINER DISPOSAL: For Containers One Gallon
and Under: Do not use empty container. Wrap container
and place in trash collection.

For Containers Over One Gallon: Triple rinse (or equiva-
lent). Then offer for recycling or reconditioning, or
puncture and dispose of in a sanitary landfill, or by other
approved State and Local procedures.

E.P.A. Reg. No. 9250-15 E.P.A. Est. No. 9250-IL-01

**FOR INDUSTRIAL & INSTITUTIONAL USE ONLY
NOT INTENDED FOR CONSUMER HOUSEHOLD USE**



WEED AND BRUSH KILLER



ACTIVE INGREDIENTS:	
Petroleum oil	97.77%
2,4-Dichlorophenoxyacetic acid isooctyl ester	1.10%
Bromacil (5-bromo-3-(sec-butyl)-6-methyluracil)	.61%
INERT INGREDIENTS:	
	52%
	100.00%

*2,4 Dichlorophenoxyacetic acid equivalent 0.73%

WARNING:

KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed or absorbed through skin.

Causes skin irritation.

CAUTION:

HARMFUL IF SWALLOWED OR ABSORBED THROUGH SKIN.

CAUSES SKIN IRRITATIONS.

DO NOT BREATHE THE VAPOR OR SPRAY MIST.

DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING.

WASH THOROUGHLY AFTER HANDLING.

In case of contact, wash skin with soap and water.

FOR EYES - Immediately flush with large amounts of water

for at least 15 minutes - get medical attention.

REMOVE AND WASH CONTAMINATED CLOTHING BEFORE RE-USE.

**DO NOT INDUCE VOMITING IF TAKEN INTERNALLY.
SEND FOR PHYSICIAN.**

To Re-order Call Toll Free 800-323-2594

Manufactured & Sold By:

UNITED LABORATORIES, INC.

Addison, IL60101

Atlanta-Dallas-Denver-Philadelphia-Per

To control most we
non-cropland areas,
industrial sites, fence
industrial buildings, etc.
1,000 square feet (4

For annual weeds
oats, crabgrass, foxtail
sedge, lambsquarters
lons of **UNITED 85** p
per acre).

For perennial weeds
Canada bluegrass,
and goldenrod, app
1,000 square feet (8

For hard-to-kill per
Johnson grass, salt
housetail, apply 3 p
square feet (120 to 2

It is a violation of F
manner inconsiste

Do not permit UNIT
herbaceous plants.
the roots of desirab
spray mists of UNIT
Coarse sprays are le

Thoroughly clean sp
cal cleaner (such as
ment for other purp
equipment for other

Do not store UNIT
licides or fungicides
susceptible plants in

ENVIRO

This product is toxic
wildlife in treated are
streams or ponds. D
favor drift from area
specified on this lab

NET CONTENTS

STORAGE + DISPOSAL

16210

