

UNITED

LABORATORIES

BATCH # :

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING

DO NOT BREATHE THE VAPOR OR SPRAY MIST. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. IN CASE OF CONTACT, WASH SKIN WITH SOAP AND WATER. FOR EYES — IMMEDIATELY FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES — GET MEDICAL ATTENTION. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE RE-USE. DO NOT INDUCE VOMITING IF TAKEN INTERNALLY. SEND FOR PHYSICIAN.

When mixing, loading, or applying this product or repairing or cleaning equipment used with this product, wear eye protection (face shield or safety glasses), chemical-resistant gloves, long-sleeved shirt, long pants, socks and shoes. For aerial applicators in enclosed cockpits and applicators applying this product from a tractor that has a completely enclosed cab, eye protection is not required.

Wash hands, face and arms with soap and water as soon as possible after mixing, loading, or applying this product. Wash hands, face and arms with soap and water before eating, smoking, or drinking. Wash hands and arms before using toilet. After work, remove all clothing and shower using soap and water. Do not reuse clothing worn during the previous day's mixing and loading or application of this product without cleaning first. Clothing must be kept and washed separately from other household laundry. Remove saturated clothing as soon as possible and shower.

A mechanical system (probe and pump) must be used for transferring the contents of this container. If the contents of a non refillable pesticide container are emptied, the probe must be rinsed before removal.

ENVIRONMENTAL HAZARDS

Do not store UNITED 85 near fertilizer, seeds, insecticides or fungicides. Vapors from this product may injure susceptible plants in the immediate vicinity. This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed.

This product is toxic to aquatic invertebrates. Drift or runoff may adversely affect aquatic invertebrates and nontarget plants. For terrestrial uses, do not apply directly to water, or to areas where surface water is present or interdial areas below the mean high water mark. Do not contaminate water when disposing of equipment washwaters.

Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label. Most cases of groundwater contamination involving phenoxy herbicides such as 2, 4 - D have been associated with mixing/loading and disposal sites. Caution should be exercised when handling 2, 4 - D pesticides at such sites to prevent contamination of groundwater supplies. Use of closed systems for mixing or transferring this pesticide will reduce the probability of spills. Placement of the mixing/loading equipment on an impervious pad to contain spills will help prevent groundwater contamination.

Printed in U.S.A.

794

EPA Reg. No. 9250-15

EPA Est. No. 9250-IL-01

NET INTENDED FOR CONSUMER HOUSEHOLD USE.

NET CONTENTS:

BEST COPY AVAILABLE

WEED AND BRUSH KILLER

UNITED 85

ACTIVE INGREDIENTS:

2,4-Dichlorophenoxyacetic acid isooctyl ester 1.00%
Bromacil (5-bromo-3-sebutyl-6-methyluracil) 2.61%

†INERT INGREDIENTS: 98.39%
..... 100.00%

*2,4-Dichlorophenoxyacetic acid equivalent 0.70%
†Contains Petroleum Oil

KEEP OUT OF REACH OF CHILDREN.

WARNING

Harmful if swallowed or absorbed through skin.
Causes skin irritation.

Read precautionary statements on side panel.

PRECAUCION AL USARIO: Si usted no puede leer ingles, pregunte a alguien que le traduzca esta etiqueta para usted entes de uso.

Call Toll Free: 1-800-323-2594

Manufactured and Sold By:

UNITED LABORATORIES, INC.

Main Plant: St. Charles, IL 60174

ATLANTA•DALLAS•DENVER•JACKSONVILLE•PHILADELPHIA•RENO•TORONTO

STORAGE AND DISPOSAL

Combustible liquid. Store away from heat or open flame. Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Do not store this formulation at temperatures below 32°F (0°C).

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law and may contaminate groundwater. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL INFORMATION

UNITED 85 is a liquid total weed killer and semi-soil sterilant. It should be applied undiluted, as a spray, on non-cropland areas where bare ground is desired. The completeness and duration of vegetation control will depend upon amounts of UNITED 85 applied, the porosity of the soil, and the amount of rainfall during the growing season. UNITED 85 may be applied at any time during the year, providing the ground is not frozen. Best results are obtained if UNITED 85 is applied after the predominant vegetation to be controlled has emerged, usually in late spring, or early summer. However, UNITED 85 is effective in controlling unwanted vegetation when applied any time during the growing season.

EQUIPMENT

UNITED 85 can be applied with standard spray equipment. Before application, calibrate the equipment to insure uniform coverage of the area to be treated. Measure out the proper amount and apply. For treating small areas, a tank type hand sprayer, or sprinkling can may be used. NO DILUTION OR AGITATION IS REQUIRED.

DIRECTIONS FOR USE

WARNING: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

To control most weeds for an extended period of time on non-cropland areas, such as parking lots, loading ramps, industrial sites, fence rows, railroad sidings and around industrial buildings, apply 1 to 4 gallons (3.79 to 15.1 l) of UNITED 85 per 1,000 square feet (92.9 sq. m.) 40 to 160 gallons per acre (151.4 to 605.7 l per .4 ha). For annual weeds and grasses such as ryegrass, wild oats, crabgrass, foxtail, ragweed, cheatgrass, broomsedge, lambsquarter and turkey mullein, apply 1 to 2 gallons of UNITED 85 per 1,000 square feet (92.9 sq. m) 40 to 80 gallons per acre (151.4-302.8 l per .4 ha). For perennial weeds and grasses such as smooth brome, Canada bluegrass, purple top, quackgrass, dog fennel and goldenrod, apply 2 to 4 gallons (7.6 to 15.1 l) of UNITED 85 per 1,000 square feet (92.9 sq. m) 80 to 160 gallons per acre (302.8 - 605.7 l per .4 ha). For hard-to-kill perennial weeds and grasses such as Johnson grass, saltgrass, bouncing bat, bracken fern and horsetail, apply 3 to 5 gallon (11.4 to 19 l) of UNITED 85 per 1,000 square feet (92.9 sq m) 120 to 200 gallons per acre (454.3 to 757.1 l per .5 ha).

WARNING

Do not permit UNITED 85 to contact desirable woody or herbaceous plants, and do not apply to areas into which the roots of desirable plants may extend. Do not permit spray mists of UNITED 85 to drift onto desirable plants. Coarse sprays are less likely to drift. Thoroughly clean spray equipment with a suitable chemical cleaner (such as UNITED 366) before using this equipment for other purposes, or do not use the same spray equipment for other products.

- For terrestrial uses, do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark.

**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS (AND DOMESTIC ANIMALS)**

WARNING
DO NOT BREATHE THE VAPOR OR SPRAY MIST. DO NOT GET IN EYES, ON SKIN, OR ON CLOTHING. WASH THOROUGHLY AFTER HANDLING. IN CASE OF CONTACT, WASH SKIN WITH SOAP AND WATER. FOR EYES — IMMEDIATELY FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES — GET MEDICAL ATTENTION. REMOVE AND WASH CONTAMINATED CLOTHING BEFORE RE-USE. DO NOT INDUCE VOMITING IF TAKEN INTERNALLY. SEND FOR PHYSICIAN.

WARNING: It is a violation of Federal Law to use this product in a manner inconsistent with its labeling.

ENVIRONMENTAL HAZARDS

Do not store UNITED 85 near fertilizer, seeds, insecticides or fungicides. Vapors from this product may injure susceptible plants in the immediate vicinity. This product is toxic to fish and wildlife. Birds and other wildlife in treated areas may be killed. Do not apply to water or wetlands. Do not apply when weather conditions favor drift from areas treated. Apply this product only as specified on this label.

STORAGE AND DISPOSAL

Combustible liquid. Store away from heat or open flame. Do not contaminate water, food or feed by storage or disposal. **STORAGE:** Do not store this formulation at temperatures below 32°F (0°C).

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or dilute is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Triple rinse or equivalent. Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities.

GENERAL INFORMATION

UNITED 85 is a liquid total weed killer and semi-soil sterilant. It should be applied undiluted, as a spray, on non-cropland areas where bare ground is desired. The completeness and duration of vegetation control will depend upon amounts of UNITED 85 applied, the porosity of the soil, and the amount of rainfall during the growing season. UNITED 85 may be applied at any time during the year, providing the ground is not frozen. Best results are obtained if UNITED 85 is applied after the predominant vegetation to be controlled has emerged, usually in late spring, or early summer. However, UNITED 85 is effective in controlling unwanted vegetation when applied any time during the growing season.

Printed in U.S.A. 193

EPA Reg. No. 9230-15 EPA Est. No. 6250-IL-01

NOT INTENDED FOR CONSUMER HOUSEHOLD USE.

NET CONTENTS:

UNITED

LABORATORIES

WEED AND BRUSH KILLER

UNITED 85

ACTIVE INGREDIENTS:

Petroleum oil97.87%
2,4-Dichlorophenoxyacetic acid isooctyl ester*1.00%
Bromacil (5-bromo-3-secbutyl-6-methyluracil)61%
INERT INGREDIENTS:52%
.....100.00%

*2,4-Dichlorophenoxyacetic acid equivalent 0.70%

WARNING: KEEP OUT OF REACH OF CHILDREN.

Harmful if swallowed or absorbed through skin.

Causes skin irritation.

Read precautionary statements on side panel.

*Si usted no puede leer Ingles, pregunte a
algun que lea esta etiqueta para usted.*

Call Toll Free: 1-800-323-2594

Manufactured and Sold By:

UNITED LABORATORIES, INC.

Main Plant: St. Charles, IL 60174

DALLAS-DENVER-JACKSONVILLE-PHILADELPHIA-RENO-TORONTO

BATCH #:

EQUIPMENT

UNITED 85 can be applied with standard spray equipment. Before application, calibrate the equipment to insure uniform coverage of the area to be treated. Measure out the proper amount and apply. For treating small areas, a tank type hand sprayer, or sprinkling can may be used. NO DILUTION OR AGITATION IS REQUIRED.

DIRECTIONS FOR USE

To control most weeds for an extended period of time on non-cropland areas, such as parking lots, loading ramps, industrial sites, fence rows, railroad sidings and around industrial buildings, apply 1 to 4 gallons (3.79 to 15.1 l) of UNITED 85 per 1,000 square feet (92.9 sq. m.) 40 to 160 gallons per acre (151.4 to 605.7 l per .4 ha). For annual weeds and grasses such as ryegrass, wild oats, crabgrass, foxtail, ragweed, cheatgrass, broomsedge, lambsquarter and turkey mullein, apply 1 to 2 gallons of UNITED 85 per 1,000 square feet (92.9 sq. m) 40 to 80 gallons per acre (151.4-302.8 l per .4 ha). For perennial weeds and grasses such as smooth brome, Canada bluegrass, purple top, quackgrass, dog fennel and goldenrod, apply 2 to 4 gallons (7.6 to 15.1 l) of UNITED 85 per 1,000 square feet (92.9 sq. m) 80 to 160 gallons per acre (302.8 - 605.7 l per .4 ha). For hard-to-kill perennial weeds and grasses such as Johnson grass, saltgrass, bouncing bat, bracken fern and horsetail, apply 3 to 5 gallon (11.4 to 19 l) of UNITED 85 per 1,000 square feet (92.9 sq m) 120 to 200 gallons per acre (454.3 to 757.1 l per .5 ha).

This product can only be used to formulate pesticide products. If the labeling contains the following information and/or revised use directions.

When mixing, loading, or applying this product or repairing or cleaning equipment used with this product, wear eye protection (face shield or safety glasses), chemical-resistant gloves, long-sleeved shirt, long pants, socks and shoes. For aerial applicators in enclosed cockpits and applicators applying this product from a tractor that has a completely enclosed cab, eye protection is not required.

Wash hands, face and arms with soap and water as soon as possible after mixing, loading, or applying this product. Wash hands, face and arms with soap and water before eating, smoking, or drinking. Wash hands and arms before using toilet. After work, remove all clothing and shower using soap and water. Do not reuse clothing worn during the previous day's mixing and loading or application of this product without cleaning first. Clothing must be kept and washed separately from other household laundry. Remove saturated clothing as soon as possible and shower.

A mechanical system (probe and pump) must be used for transferring the contents of this container. If the contents of a non-refillable pesticide container are emptied, the probe must be rinsed before removal.

WARNING

Do not permit UNITED 85 to contact desirable woody or herbaceous plants, and do not apply to areas into which the roots of desirable plants may extend. Do not permit spray mists of UNITED 85 to drift onto desirable plants. Coarse sprays are less likely to drift. Thoroughly clean spray equipment with a suitable chemical cleaner (such as UNITED 366) before using this equipment for other purposes, or do not use the same spray equipment for other products.

BEST COPY AVAILABLE