#### PRECAUTIONARY STATEMENTS

E

#### HAZARDS TO HUMANS AND **DOMESTIC ANIMALS**

#### WARNING

Harmful if swallowed. Avoid contact with skin or clothing Causes eye irritation. Do not get in eyes. Wash after handling. Avoid breathing vapor. Do not spray on humans or pets. Do not spray where food or drink is exposed or being consumed

#### **ENVIRONMENTAL HAZARDS**

Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes. When used on ships do not wash or flush freshly sprayed surfaces into adjacent waters

#### FIRST AID

if swallowed, induce vomiting by sticking finger in back of throat or by administration of syrup of ipecac, get medical attention. If in eyes, flush with water for 15 minutes and see a physician. For skin, wash with plenty of soap and water. If irritation develops, get medical attention

#### PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE, POUR, SPILL OR STORE NEAR HEAT OR OPEN FLAME FLASH POINT MINIMUM 140 F

DIRECTIONS FOR USE GENERAL CLASSIFICAT

It is a violation of federal law to use this a inconsistent with its labeling

10N29 JUN 1979 as amended, for the posticide seknu beseisiper EPA Reg. No.

#### STORAGE AND DISPOSAL

Store at temperatures above 32°F. Do not reuse empty container, Wrap container and put in trash collection

> EPA Reg. No. 9250-26 EPA Est. 9250-IL01

Do not use in edible product areas of food processing plants. restaurants, or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed in the home cover or remove exposed foods. Avoid contamination of cooking utensils and food preparation surfaces E-28615-P

NOT INTENDED FOR CONSUMER HOUSEHOLD USE

FOR INDUSTRIAL & INSTITUTIONAL USE ONLY



## 2% TRANSPARENT **EMULSION\*\* CONCENTRATE**



### A SYNTHETIC PYRETHRO!D

**DUAL ACTION INSECT KILLER** ACCEPTER S AS CONTACT AND RESIDUAL SPRAY KILLS ROACHES UP TO 4 WEEKS

ACTIVE INGREDIENTS:

resmethrin ( ,5-(phenylmethyl)-3formyl, methyl 2,2-dimethyl-3-(2-methyl-1-propenyl)cyclopropanecarboxylate....2.000% 

\*Cis/trans isomers ratio:  $\max_{i=0}$  30% (•) as and  $\frac{100,0000}{100}$ min. 70% (\*) trans.

(U.S. Patent Llos, 3,465,007 and 3,542,928

" Penick's SBP-1382 (R) brand of resmethrin insecticide. Penick Corp. 1050 Wall St. West, Lyndhorst, M.J. 07071

Contains 0.17 pounds 5BP-1382 per gallon

# KEEP OUT OF REACH OF CHILDREN

HAVE CLEAN WATER SUPPLY AT HAND IN CASE OF AN EYE EMERGENCY WHEN GILUTING THIS CONCENTRATE SEE S'DE PANEL FOR ADDITIONAL PRECAUTIONARY STATEMENTS

To Re-Order Call Tall Free 800-323-2594 Menofacti red & Sold Bz:

#### UNITED LABORATORIES, "IC.

Accison, II., 60101 Attenta-Gattax-Degrees-Plansycholphics Berin DIRECTIONS FOR USE

DILUTION INSTRUCTIONS
For an emulsion containing Dianis UNITED 381, diffute

Concentrate Fluid Ounces To Volume Below Will' Water 8 fluid ounces 16 fluid ounces 32 fluid ounces gailthn ง นัส เดก 23

MIX WELL BEFORE USING APPLICATIONS

INSTRUCTIONS FOR CONTACT AND RESUUAL SPRAYS ...

FOR INDOOR USE to non-food areas of food handling establishments commercial, industrial office residential, public, inStititional and storage buildings, homes, hotels, ship cabins and hospitals, in hospitals patients should be removed prior to treatment Afec for use in buses automobiles and non-lood areas of trucks becars and ship cargo holds. Bo not use on efectrical equipment or on surfaces that can be harmed or stained by water- Also for use indoors in dog wenne's and horse stables. In horse stables, not for สีกุริกิติลัยดาการ horses will be used for food.

CONTACT SPRAY - KILLS AND REDUCES THEE CATIONS: COCKROSCHES ERICKETS, SILVERFISH, ANTS. Apply as a confact spray Fallisptay tank with UNITED 381 0 35% Transparent Eumalation Spray formulation Keep spray nozzle about 8 to 12 inches from surface to be treated Adjust pressure and nozzle to deliver a coarse wet spray. Wher possible spray directly on pests to reduce infestations. Spray thoroughly into hiding places such as cracks, crevices, moist areas openings around pipes and sinks, under refrigerators and othe appliances, baseboards, and storage areas. Apply spray until area is moist, but not to the point of run-off. Spray directly on insects where possible Repeat as necessary

ARTS: To kill ants. Spray trails, nests and points of entry withir buildings and homes. Spray on ants where possible. Repeat as necessary

FLEAS: Aids in the control of fleas on pet bedding and in horse stalls Ho'd spray nozzle about 18 inches from areas to be treated. Direc spray on resting areas and floor around these areas. Apply sprauntil area is moist. Treat pet bedding the same way. Also spray entir inside surface of dog houses. Repeat as necessary. Do not allow petto contact treated areas until spray has dried. Remove or cove animal feed before spraying. Also, treat dogs, cats and horses with a registered flea control product before they re-enter the treated area RESIDUAL SPRAY: Aids in the control of COCKROACHES CRICKETS SILVERFISH, ANTS, Kills for up to 4 weeks. Spray baseboards, crack and crevices, around door and window frames, and other hidin places such as closets, in back of and under appliances, sinks an cupboards in kitchens and bathrooms. In basements, spray hidin places in cracks and crevices, lower walls and dark places. Apply a a coarse wet spray in a 4 to 6 inch band until area is thoroughly wi but not to the point of run-off. Repeat as necessary

WARRANTY STATEMENT

commendations for use of this product are based upon test believed to be reliable. The use of this product being beyond th control of the manufacturer, no quarantee, expressed or implied. made as to the effects of such or the results to be obtained if not use in accordance with directions or established safe practice. The buyi must assume all responsibility, including injury or damage, resulting from its misuse as such, or in combination with other materials

Not Contents		