


<p align="center">U.S. ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (WH-567) WASHINGTON, D.C. 20460</p> <p>NOTICE OF PESTICIDE: <input checked="" type="checkbox"/> REGISTRATION <input type="checkbox"/> REREGISTRATION <i>(Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</i></p>	<table border="1" style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%; padding: 2px;">EPA REGISTRATION NO. 9250-35</td> <td style="width: 50%; padding: 2px;">DATE OF ISSUANCE January 16, 1986</td> </tr> <tr> <td colspan="2" style="padding: 2px;">TERM OF ISSUANCE</td> </tr> <tr> <td colspan="2" style="padding: 2px;">NAME OF PESTICIDE PRODUCT (nited, 337</td> </tr> </table>	EPA REGISTRATION NO. 9250-35	DATE OF ISSUANCE January 16, 1986	TERM OF ISSUANCE		NAME OF PESTICIDE PRODUCT (nited, 337	
EPA REGISTRATION NO. 9250-35	DATE OF ISSUANCE January 16, 1986						
TERM OF ISSUANCE							
NAME OF PESTICIDE PRODUCT (nited, 337							
<p>NAME AND ADDRESS OF REGISTRANT (Include ZIP code)</p> <p>United Laboratories 155 South Route 53 Addison, IL. 60101</p>							
<p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an indorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>This product is conditionally registered in accordance with section 3(c)(7)(A) provided that you:</p> <ol style="list-style-type: none"> 1. Submit and/or file all data required for registration of your product under FIFRA section 3(c)(5) and the data required for registration of similar products to submit with this. 2. Add the phrase "EPA Registration No. 9250-35" to your label when you release the product for shipment. 3. Submit five copies of your final printed labeling, before you release the product for shipment. Refer to the 4-79 enclosure for a further description of final printed labeling. <p>If these conditions are not complied with, the registration will be subject to cancellation in accordance with FIFRA section 3(c). Your return for shipment of the product contributions are made on this condition.</p> <p>A stamped copy of the label will be returned for your records.</p> <div style="text-align: center; margin-top: 20px;">  J. E. Carter Director Registration Division U.S. Environmental Protection Agency </div>							
<p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p>							
SIGNATURE OF APPROVING OFFICIAL	DATE						

ACCEPTED
with COMMENTS
in EPA Letter Dated:

UNITED 337

JAN 16 1986

Under the Federal Insecticide,
Fungicide, and Rodenticide Act
as amended, for the pesticide
registered under EPA Reg. No.

9250-35

ACTIVE INGREDIENT:

Poly(oxyethylene (dimethyliminio) ethylene-
[dimethyliminio] ethylene dichloride] 10.0 %

INERT INGREDIENT 90.0 %

This product contains 0.85 lb. of active ingredient per gallon and weighs
8.4 lb. per gallon.

KEEP OUT OF REACH OF CHILDREN

CAUTION

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION: Harmful if swallowed. Avoid breathing vapors. Avoid contact with skin, eyes, or clothing.

FIRST AID: If swallowed, drink promptly a large quantity of milk, egg whites, gelatin solution, or, if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Permits may be required for discharges containing this pesticide into lakes, streams, ponds, or public water. For guidance, contact the regional office of the Environmental Protection Agency.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

United 337 is used to control bacteria, fungi, and molds on surfaces and fungi in recirculating commercial and industrial air wash systems. To its use, systems must be cleaned to remove slime, and other deposits. An initial slug addition of United 337 fluid ounces of United 337 per 1000 gallons of water to provide a concentration of 48 parts per million of United 337 is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

United 337 is used in the system, is recommended. Repeat initial slug additions of 1.53 United 337 per 1000 parts per million of United 337 employed every 2 to 5 days, or as needed. The frequency of addition depends upon the relative amount of bleedoff and the severity of the bacterial problem. Slug additions may be made in the surface collection trays of the airwash system.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

STORAGE: Do not stack more than four drums high. Leaking drums should be disposed of. Spills should be absorbed in sawdust or sand. Container should be closed when not in use.

PESTICIDE DISPOSAL: Wastes resulting from the use of this product should be disposed of by incineration or by other procedures approved by state and local authorities.

CONTAINER DISPOSAL:

1. **PLASTIC:** Triple rinse for equivalent. Then offer for recycling, if available, or by other procedures approved by state and local authorities.

2. **METAL:** Triple rinse for equivalent. Then offer for recycling, if available, or by other procedures approved by state and local authorities.

Manufactured by
United Laboratories

155 South Route 53

Addison, IL 60101

EPA REG. NO. 7250-35 EPA REG. NO. 7250-35

NET CONTENTS 1.53