

Berrien Chlordane Liquid 72 is a water emulsifiable and oil miscible concentrate containing 72% chlordane by weight or 8 lbs. per gallon. This product is a contact and stomach poison with residual action and is designed for use in conventional sprayers or in low gallonage sprayers, for application by ground equipment or airplane.

**DIRECTIONS**

**BEANS, CELERY, ONIONS, PEPPERS and TOMATOES** - Against Serpentine Leaf Miner, Thrips, Strink Bugs, Climbing or Surface Cutworms, Armyworms, Flea Beetles, Cucumber Beetles, and Colorado Potato Beetles, use 1 to 1 1/2 pints per 100 gals. water. Repeat every 7 to 10 days or as needed. Do not use on green onions (Shallots). Do not use on Celery after plants begin to bunch.

**SOIL BORNE INSECTS** - Against such insects as certain Wireworms, White Grubs, Mole Crickets and Southern Corn Rootworm Larvae that attack Corn, Irish Potatoes, Tomatoes, both in seed beds and in the fields. Before planting use 2 1/2 pints per acre on light sandy soils or

4 pints per acre on black soils as a broadcast spray in sufficient water for coverage and work into the top 3 or 4 inches of soil immediately. Against Mole Crickets alone, apply 2 to 4 pints per acre to soil as broadcast spray before planting, or between rows of the crop. Flooding is not essential if soil is moist and warm.

This product will kill fish and wildlife. Keep out of any body of water. Birds feeding on treated areas may be killed. Apply this product only as specified on this label.

**HOUSEHOLD INSECTS**: Against Roaches, Water Bugs, Ants, Silverfish and Brown Dog Ticks, use one tablespoonful per quart of water, 3 fluid ounces per gallon of water, or 1 pint per six gallons. Stir while mixing. Apply as coarse wet spray or with a paint brush on a "spot" basis to cracks, surfaces, or other areas where these insects have been seen resting, running or hiding. Repeat only as necessary for effective control. Do not apply to finished surfaces or to other materials that might be damaged by a waterbase spray.

NET CONTENTS 1 PINT  
**BERRIEN**  
**CHLORDANE LIQUID 72**  
 ACTIVE INGREDIENTS: BY WT.

Technical Chlordane 72.00%  
 (Equivalent to 43.2% Octa-chloro-4, 7-methanotetrahydroindane and 28.8% related compounds)

INERT INGREDIENTS: 28.00%  
 Total 100.00%

Contains 8 pounds Chlordane Per Gallon

**CAUTION**

**Keep Out of Reach of Children**

See side panel for additional cautions

Manufactured By

**BERRIEN PRODUCTS CO., Inc.**

Nashville, Georgia

U.S.D.A. REG. NO. 9275-2

**CAUTION**

Do not use on food crops after the edible parts begin to form. Do not feed forage crops treated with this product to dairy animals or animals being finished for slaughter.

**WARNING**


Contact with skin may cause toxic symptoms. Avoid inhalation and skin contact. In case of spillage or skin wash immediately with soap and water. Avoid contamination of feed and feed stuffs. Do not use on household pet animals. Harmful if swallowed.

**ANTIDOTE**

**EXTERNAL** - In case of spillage on skin, wash thoroughly with soap and water.

**INTERNAL** - Give one to two teaspoonful of table salt (Sodium Chloride) in glass of warm water and repeat until vomit fluid is clear. Call a physician at once.

Rinse spray equipment, containers and dispose of liquid wastes in non-crop fields located away from feed supplies.



9275-2