This product fulfills the criteria of appendix F of the Grade "A" pasteurized milk ordinance 1965 recommendations of the U.S. Public Health Services.

DIRECTIONS:

The strength of chlorine type bactericides and disinfectants is dissipated by contact with organic substances or soil. Therefore, all equipment and utensils should be thoroughly cleaned before sanitizing.

To Sanitize Equipment·

Immerse or circulate solution of 1/2 oz. (level scoop) in 3 gallons of water; this solution supplies 100 ppm available chlorine.

In all cases, allow solution to remain in contact for at least two minutes.

To Disinfect Equipment:

Preclean surfaces, apply solution of 1/2 oz. (level scoop) per gallon of water.

Follow with a potable rinse prior to use of equipment.

frontier

E.P.A. Reg. No. 9282-1

BACTERICIDE-SANITIZER-DISINFECTANT

B.S.D.

FOR FOOD AND DAIRY PROCESSING EQUIPMENT

WARNING: KEEP OUT OF REACH OF CHILDREN

See Right Side Panel for Additional Information

Active Ingredient

Sodium Dichloro-s-triazinetrione (Available Chlorine 8 6%)	14 5%
Inert Ingredients	85 5%

Manufactured By: **FRONTIER CHEMICALS**
2700 Wagner Place Maryland Heights, Missouri 63043

NET CONTENTS:

DIRECTIONS, Continued

Treated food contact surfaces must be rinsed with potable water prior to reuse.

KEEP CONTAINER CLOSED STORE IN A COOL, DRY PLACE.

WARNING: KEEP OUT OF REACH OF CHILDREN. Harmful if swallowed. Irritating to eyes and skin. Strong oxidizing agent. Keep from contact with clothing and combustible materials.

FIRST AID: Contact — In case of contact immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes see a physician. **Ingestion** — If swallowed drink promptly a large quantity of fluids Call a physician immediately.

Remove and wash contaminated clothing promptly. Do not store near combustible materials. When container is empty, rinse thoroughly with water and discard.

For Institutional & Industrial Use Only

EPA Est No. 9282-MO-1

417351M