

# Disense Blue

DISINFECTANT - DEODORIZER - SANITIZER

For schools motels hospitals nursing homes office and food service facilities

EPA R. ; N 4282 10

### **ACTIVE INGREDIENTS**

n-Alkyl (60%C<sub>14</sub>, 30%C<sub>16</sub>, 5%C<sub>12</sub>; 5%C<sub>18</sub>) dimethyl benzyl ammonium chloride n-Alkyl (68%C<sub>12</sub>, 32%C<sub>14</sub>) dimethyl ethylbenzyl ammonium chloride 4.5% Sodium Carbonate 500 Tetrasodium ethylenediaminetetraacetate 2.0% INERT INGREDIENTS

# DANGER: KEEP OUT OF REACH OF CHILDREN.

See antidote statement and other precautions on side panel.

Manufactured By: FRONTIER CHEMICALS
2700 Wagner Place Maryland Heights, Missouri 63043

- **■** GERMICIDAL
- **STAPHYLOCIDAL**
- **FUNGICIDAL**
- PSEUDOMONACIDAL

**DIRECTIONS:** Use sponge, mop or cloth to apply one of the following solutions:

For all general disinfection of walls, floors, woodwork, furniture and similar environmental surfaces including applications for control of athlete's foot organism. Pseudomonas and the Asian Influenza Type II Virus, use 1 ounce per gallon of water.

Forsanitization of food equipment and utensils preclean surfaces then apply a dilution of 1 1/4 ounces concentrate in 4 gallons of water. Use enough solution to wet surfaces thoroughly and let it stand several minutes to insure complete disinfection. This solution contains 200 ppm of quaternary. Follow use of cleaner with a potable water rinse before reuse of equipment and utensils.

311571M

**NET CONTENTS:** 

A.O.A.C. Use-Dilution Test OCT 2 5 1973

10 minutes — 20°C.

S. aureus

S. choleraesuis

Ps. aeruginosa

T. interdigitale

UNDER THE 128 ERAL INSECTICIDE JUNGICIDE 1 AND 8 RODEN TICIDE ACT POR ECONOMIC SPOISON RECISTER

A.O.A.C. Fungicidal Test UNDER NO.7282-TO ATTACHED COMMENTS.

### A.O.A.C. Detergent Sanitizer Test

"This product fulfills the criteria of Appendix F of the Grade" A Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service in water up to 250 ppm of hardness calculated as Ca Co3 when tested by the A.O.A.C. Germicidal and Detergent Sanitizers - Official Method."

### DANGER: KEEP OUT OF REACH

OF CHILDREN. Harmful or fatal if swallowed. Concentrate corrosive; causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of foodstuffs. Rinse empty container thoroughly with water and discard it.

FIRST AID: Contact — Flush eyes or skin with copious amounts of water for at least 15 minutes. For eyes see a physician. Remove and wash contaminated clothing before reuse. Ingestion — promptly drink a large quantity of milk, eggwhites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immediately.

For Institutional & Industrial Use Only



frontie



DISINFECTANT — DEODORIZER — SANITIZER

For schools, motels, hospitals, nursing homes, office and food service facilities EPA Req No 9282 11

### **ACTIVE INGREDIENTS**

n-Alkyl (60%C<sub>14</sub>, 30%C<sub>16</sub>, 5%C<sub>12</sub>: 5%C<sub>18</sub>) dimethyl benzyl ammonium chloride 4.5% 4.5% n-Alkyl (68%C<sub>12</sub>, 32%C<sub>14</sub>) dimethyl ethylbenzyl ammonium chloride 4.0% **Sodium Carbonate** 2.0% Tetrasodium ethylenediaminetetraacetate 85.0%

**INERT INGREDIENTS** 

## DANGER: KEEP OUT OF REACH OF CHILDREN.

See antidote statement and other precautions on side panel.

Manufactured By: FRONTIER CHEMICALS 2700 Wagner Place Maryland Heights, Missouri 63043

**NET CONTENTS:** 

GEF

STA

FUN

PSE

DIREC or cloth solutions For all g floors, v environn plication organisn Influenza per gallo **Forsani** utensils a dilutic in 4 ga solution let it s complete contains low use rinse b utensils