

Disensec Pinks

ISINFECTANT — DEODORIZER — SANITIZER

schools motels, hospitals nursing homes, office and food service facilities

EPA Req No 9282 11

ACTIVE INGREDIENTS

CIDE

ACT

n-Alkyl (60%C₁₄, 30%C₁₆, 5%C₁₂; 5%C₁₈) dimethyl benzyl ammonium chloride
n-Alkyl (68%C₁₂, 32%C₁₄) dimethyl ethylbenzyl ammonium chloride
4.5%
Sodium Carbonate
4.0%

Tetrasodium ethylenediaminetetraacetate
NERT INGREDIENTS

2.0% 85.0%

DANGER: KEEP OUT OF REACH OF CHILDREN.

See antidote statement and other precautions on side panel.

Manufactured By: FRONTIER CHEMICALS
2700 Wagner Place Maryland Heights, Missouri 63043

- GERMICIDAL
- **STAPHYLOCIDAL**
- **FUNGICIDAL**
- PSEUDOMONACIDAL

DIRECTIONS: Use sponge, mop or cloth to apply one of the following solutions:

For all general disinfection of walls, floors, woodwork, furniture and similar environmental surfaces including applications for control of athlete's foot organism. Pseudomonas and the Asian Influenza Type II Virus, use 1 ounce per gallon of water.

Forsanitization of food equipment and utensils preclean surfaces then apply a dilution of 1 1/4 ounces concentrate in 4 gallons of water. Use enough solution to wet surfaces thoroughly and let it stand several minutes to insure complete disinfection. This solution contains 200 ppm of quaternary. Follow use of cleaner with a potable water rinse before reuse of equipment and utensils.

311541M

NET CONTENTS:



A.O.A.C. Use-Dilution Test 10 minutes — 20°C.

1:128

UNDER THE PEDERAL INSECTICIDE

A.O.A.C. Fungicidal Tes

S. choleraesuis

Ps. aeruginosa

S. aureus

T. interdigitale

TO APPACIANTE SOMME

A.O.A.C. Detergent Sanitizer Test

"This product fulfills the criteria of Appendix F of the Grade" A Pasteurized Milk Ordinance 1965 Recommendations of the U.S. Public Health Service in water up to 250 ppm of hardness calculated as Ca Co3 when tested by the A.O.A.C. Germicidal and Detergent Sanitizers - Official Method."

DANGER: KEEP OUT OF REACH


OF CHILDREN. Harmful or fatal if swallowed. Concentrate corrosive; causes eye damage and skin irritation. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Avoid contamination of foodstuffs. Rinse empty container thoroughly with water and discard it.

FIRST AID: Contact -Flush eyes or skin with copious amounts of water for at least 15 minutes. For eyes see a physician. Remove and wash contaminated clothing before reuse. Ingestion — promptly drink a large quantity of milk, eggwhites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician immed-

For Institutional & Industrial Use Only



frontie





DISINFECTANT — DEODORIZER — SANITIZER

For schools, motels, hospitals, nursing homes, office and food service facilities EPA Reg No 9282-12

ACTIVE INGREDIENTS

n-Alkyl (60%C₁₄, 30%C₁₆, 5%C₁₂; 5%C₁₈) dimethyl benzyl ammonium chloride 4.5% n-Alkyl (68%C₁₂, 32%C₁₄) dimethyl ethylbenzyl ammonium chloride 4.5% Sodium Carbonate 4.0% Tetrasodium ethylenediaminetetraacetate 2.0% **INERT INGREDIENTS** 85.0%

DANGER: KEEP OUT OF REACH OF CHILDREN

See antidote statement and other precautions on side panel.

Manufactured By: FRONTIER CHEMICALS 2700 Wagner Place Maryland Heights, Missouri 63043

NET CONTENTS: