

RIEDEL'S FUNGICIDE-MITICIDE 'SUPERCOSAN'

DIRECTIONS FOR USE

Measure needed amount into bucket of water, stir to make thin slurry. Add to tank when part full, and before other materials--add wetting agent last to avoid foaming!!!
DO NOT COMBINE WITH SPRAY OILS OR USE WITHIN 14 DAYS OF USE OF OIL IN A SPRAY.

ACCEPTED

JUN 2 1967

UNDER THE FEDERAL REGISTRATION ACT
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 9288-1 SUBJECT
TO ATTACHED COMMENTS.

ACTIVE INGREDIENT

Micronized Sulfur -- 80%
Inert Ingredients -- 20%
100%

Net Contents--- 56 lbs

CROP TO CONTROL

Amount per
100 gal.

REMARKS

Apples Brown rot, Mildew, Scab, Blister 2-6 lbs
Pears Mites, Silver Mites, Red Spider spp.

Apply at pre-Bloom, Bloom, and Petal-fall.
Add to cover sprays thru the season.
DO NOT APPLY TO D'Anjou Pears.

Almonds
Cherries Brown rot, Mildew, Leaf spot, Silver 2-6 lbs
Plums Mites, Flat Mites, Red Spider spp.
Prunes

Apply at Bloom or early Petal-fall, repeat as necessary, usually 10-14 days, or after a period of wet weather.

Peaches Brown rot, Mildew, Scab, Silver 2-6 lbs
Nectarines Mites, Red Spider spp.

Same as above.

Citrus Brown rot, Mildew, Septoria leaf spot, Flat Mite, Silver Mites, Red Spider spp. 2-6 lbs

Apply in any spray during season NOT CONTAINING OIL, or following OIL by 14 DAYS!!!

Grapes Powdery Mildew, Bunch rot, Bud Mite 4-6 lbs
Blister Mites, Red Spider spp. 2-4 lbs

Apply in late dormant, or with Cut-worm spr Early shoot period, and thru season on 14 day schedule, or with pesticides.

Strawberries-- Mildew, Cottony mold, Leaf spot, Red Spider spp. 3-5 lbs

Start in early-leaf stage; repeat applications, with or without pesticides until fruit forms: then after picking. (~~See attached sheet from U.S.A.~~)

Beans, Peas- Mildew, Cottony mold, Septoria 3-5 lbs per
Cole Crops- leaf-spot, Silver mites, Red acre in 15-50
Peppers Spider spp. gal of water
Potatoes by aircraft or
Tomatoes ground-rig.

Start in early-leaf stage. Repeat application every 10-14 days, with or without pesticides, or immediately after rain.

CAUTION

KEEP OUT OF REACH OF CHILDREN

DO NOT USE ON SULFUR SENSITIVE PLANTS
SULFUR MAY BURN WHEN TEMPERATURE IS EXCESSIVELY HIGH.
"USDA Reg. No. 9288-1"

KEEP DRY

Best copy available

9288-1

06/02/1967

25

1/1

BEST DOCUMENT AVAILABLE