

Net Wt. 80 lb. Bags USDA Reg. No. 9301-1

TILGHMAN'S

Fertilizer-Pesticide Mixture

5-10-10 WITH NEMAGON

Fertilizer Guaranteed Analysis

NITROGEN	5.00%
AVAIL. PHOSPHORIC ACID	10.00%
POTASH K ₂ O AVAILABLE	10.00%

Pesticide Active Ingredients

1,2-Dibromo-3-Chloropropane	1.14% (1)
Other Halogenated C ₃ Compounds	0.06% (1)
Inert Ingredients	98.80%
Total	100.00%

(1) Equivalent to 1.2% wt. Nemagon soil fumigant

CAUTION: KEEP OUT OF REACH OF CHILDREN. DO NOT USE this product for any purpose other than herein named.

DIRECTIONS FOR USE

The 5-10-10 fertilizer mixture with Nemagon is for the control of nematodes in cantaloupes, cucumbers, watermelons and tomatoes. The mixture should be applied **ONLY** when the temperature of the soil is above 50 F. Use on watermelons limited to Eastern Shore of Maryland.

FOR CANTALOUPE & CUCUMBERS:

The fertilizer - Nemagon mixture should be applied in the row at the rate of 500 pounds per acre (57.4 pounds of fertilizer - Nemagon mixture to 1,000 linear feet of row) at the time of planting. Use a bean planter or similar equipment. Apply the mixture on each side of the row at a distance of 6 inches and at a depth of 6 inches.

FOR WATERMELONS: Apply as for cantaloupes and cucumbers. This will result in one-half the dosage for cantaloupes and cucumbers since the watermelon rows are twice as far apart as the cantaloupe and cucumber rows. The rate of application for the fertilizer - Nemagon mixture on watermelons should be 250-300 pounds per acre. (The 250 pound rate is equivalent to 57.4 pounds of the fertilizer - Nemagon mixture to 1,000 linear feet of the row. The 300 pound rate is equivalent to 68.8 pounds to 1,000 linear feet of row)

FOR TOMATOES: Apply the fertilizer - Nemagon mixture at the rate of 500 pounds per acre on each side of the row and at a depth of 6 inches as soon as possible after setting. (57.4 pounds of fertilizer - Nemagon mixture to 1,000 linear feet of row) -- (5 foot row spacing)

WARNING!

HARMFUL IF INHALED. MAY BURN SKIN. CAUSES IRRITATION OF EYES, NOSE AND THROAT. MAY BE ABSORBED THROUGH SKIN.

Do not breathe vapor. Use in well ventilated area. Do not get in eyes. Avoid contact with skin or clothing. Harmful if swallowed. Wash thoroughly with soap and water after handling and before eating or smoking. In case of contact with skin, wash with soap and water. Flush eyes with plenty of water for at least 15 minutes and get medical attention. Wash clothing and air shoes thoroughly before re-use. Keep children, pets and unprotected persons from treated areas until danger of fumes is subsided.

