


ENCAP PRODUCTS COMPANY
 P. O. BOX 278
 MT. PROSPECT, ILLINOIS 60056
 E.P.C. 1974 E.P.A. REG. NO. 9307-4 AA

TRY OUR GREEN GARDE • MICRONIZED IRON™

PAT. APPLIED FOR



pop-in® pre-measured
 water soluble packets

**TOMATO &
 VEGETABLE
 SPRAY**

Just drop into water




INSECTICIDE • FUNGICIDE

the quick and economical way
 to prepare and use garden sprays
 no mix • no measure • no mess

CAUTION! KEEP OUT OF REACH OF CHILDREN

pop-in PRE-MEASURED, WATER SOLUBLE PACKETS • FAST AND EASY TO USE

FOR COMPRESSED AIR, KNAPSACK, SLIDE
 OR POWER SPRAYERS





PACKED IN CONVENIENT PLASTIC TRAY

Spray ingredients are sealed in a water soluble film packet that completely dissolves in water. You do not tear open the film. Just drop the entire packet into water in the spray tank. The film begins to dissolve immediately. You use no spoons and your hands do not touch the ingredients. You get exact measurements—1 packet makes 1 gallon of spray.


HERE'S ALL YOU DO

Put 2 inches of water into sprayer (warm water dissolves film faster). Drop in 1 packet for each gallon of water. Allow 1 or 2 minutes for the film to start dissolving. As you add water, stir vigorously or use jet force of garden hose to disperse ingredients. For compressed air sprayers: shake before and during use to prevent settling. Simply open tank 2 or 3 times.



pop-in

TOMATO & VEGETABLE SPRAY



FOR BEST RESULTS

Apply early—as soon as leaves appear and before insects and diseases appear. Repeat once a week as a preventative spray throughout growing season—more often if plant growth is rapid or infestation severe.

Spray when temperature is low—air is still—early morning, late evening. Re-spray after heavy rain.

Spray under leaves first, then entire plant. Drenching to point-of-runoff is unnecessary and wasteful.

Do not apply when temperature is above 85°F.

Do not spray Beans within 4 days of harvest; Cabbage within 7 days of harvest; Cauliflower, Broccoli, Carrots, Kohlrabi, Brussels Sprouts within 3 days of harvest.

For Corn Earworm—spray every 2 to 3 days after silks appear until dry.

Shake tank occasionally to keep spray material from settling.

CAUTION Harmful if inhaled or swallowed. May cause irritation to nose and throat. Avoid breathing of spray mist. Avoid contact with skin. Wash thoroughly after using. Avoid storage near food or food products. Avoid spraying watermelons in Florida.

This product is toxic to fish. Keep out of lakes, streams, ponds or other bodies of water. Do not contaminate water by cleaning of equipment or disposal of wastes. This product is toxic to bees exposed directly or to residues. Consult your local cooperative Agricultural Extension Service.


EFFECTIVE FORMULATION

ACTIVE INGREDIENTS	CARBARYL (1-(1-naphthyl)-N-methylcarbamate)	21.26%
	MANEB (manganese ethylene bisdithiocarbamate)	16.34
		62.40
INERT INGREDIENTS		100.00%

*SEVIN® Union Carbide Corp.
**DITHANE® M-22 SPECIAL with 2-mercaptobenzothiazole, Rohm & Haas Co.

NOTICE

This product is guaranteed to conform to the ingredient statement stated on the label. Encap products are made to exacting standards to give you the best results possible. Since use of this material is beyond manufacturer's control, manufacturer is not responsible for uses and conditions beyond the recommendations of the label.



CONTROLS ALL THESE


CODE

B	Beets (Snap & Leaf)	BC	Armyworm	C	Alfalfa Leaf Miner
C	Cabbage, Cauliflower, Broccoli	B	Bean Leaf Beetle	BC	Apple Anthracnose
E	Eggplant, Pepper	C	Cabbage Caterpillar	BC	Apple Scab
L	Leaves, Cucumbers, Squash	E	Colorado Potato Beetle	BC	Apple & Pear Blight
P	Pumpkin	BC	Corn Earworm	E	Apple & Pear Blight
S	Sweet Corn	B	Cucumber Beetle	E	Apple & Pear Blight
T	Tomato	E	European Corn Borer	E	Apple & Pear Blight
		E	Fall Armyworm	E	Apple & Pear Blight
		BC	Fine Flea	E	Apple & Pear Blight

INSECTS

DISEASES

CONTROLS INSECTS AND FUNGUS DISEASES OF TOMATOES AND GARDEN VEGETABLES. An effective formulation for the control of chewing insects that eat leaves, stems and fruits, sucking insects that suck juices from the plant, and fungus and other key diseases. Use regularly to help assure healthy growth, greater yield and better quality produce.



CAUTION:

KEEP OUT OF REACH OF CHILDREN

POP-IN® TOMATO & VEGETABLE
SPRAY

ACTIVE INGREDIENTS

CARBARYL* (1-naphthyl N-methylcarbamate)	21.26%
MANEB** (manganese ethylene bisdithiocarbamate)	16.34

INERT INGREDIENTS	62.40
	100.00%

*SEVIN® Union Carbide Corp

**DITHANE® M-22 SPECIAL with zinc Rohm & Haas Co

CAUTION: Harmful if inhaled or swallowed. May cause irritation to nose and throat. Avoid breathing of spray mist. Avoid contact with skin. Wash thoroughly after using • Avoid storage near food or food products • Avoid spraying watermelons in Florida.

This product is toxic to fish. Keep out of lakes, streams, ponds or other bodies of water. Do not contaminate water by cleaning of equipment or disposal of wastes • This product is toxic to bees exposed directly or to residues. Consult your local cooperative Agricultural Extension Service.

Please refer to outer carton for directions for acceptable uses, cautions and limitations.

E.P.A. REG. NO. 9307-4 AA

ENCAP PRODUCTS COMPANY
P.O. BOX 278
MT. PROSPECT, ILLINOIS 60056

CAUTION:

KEEP OUT OF REACH OF CHILDREN

POP-IN® TOMATO & VEGETABLE
SPRAY

ACTIVE INGREDIENTS

CARBARYL* (1-naphthyl N-methylcarbamate)	21.26%
MANEB** (manganese ethylene bisdithiocarbamate)	16.34

INERT INGREDIENTS	62.40
	100.00%

*SEVIN® Union Carbide Corp

**DITHANE® M-22 SPECIAL with zinc Rohm & Haas Co

CAUTION: Harmful if inhaled or swallowed. May cause irritation to nose and throat. Avoid breathing of spray mist. Avoid contact with skin. Wash thoroughly after using • Avoid storage near food or food products • Avoid spraying watermelons in Florida.

This product is toxic to fish. Keep out of lakes, streams, ponds or other bodies of water. Do not contaminate water by cleaning of equipment or disposal of wastes • This product is toxic to bees exposed directly or to residues. Consult your local cooperative Agricultural Extension Service.

Please refer to outer carton for directions for acceptable uses, cautions and limitations.

E.P.A. REG. NO. 9307-4 AA

ENCAP PRODUCTS COMPANY
P.O. BOX 278
MT. PROSPECT, ILLINOIS 60056

CAUTION:

KEEP OUT OF REACH OF CHILDREN

POP-IN® TOMATO & VEGETABLE
SPRAY

ACTIVE INGREDIENTS

CARBARYL* (1-naphthyl N-methylcarbamate)	21.26%
MANEB** (manganese ethylene bisdithiocarbamate)	16.34

INERT INGREDIENTS	62.40
	100.00%

*SEVIN® Union Carbide Corp

**DITHANE® M-22 SPECIAL with zinc Rohm & Haas Co

CAUTION: Harmful if inhaled or swallowed. May cause irritation to nose and throat. Avoid breathing of spray mist. Avoid contact with skin. Wash thoroughly after using • Avoid storage near food or food products • Avoid spraying watermelons in Florida.

This product is toxic to fish. Keep out of lakes, streams, ponds or other bodies of water. Do not contaminate water by cleaning of equipment or disposal of wastes • This product is toxic to bees exposed directly or to residues. Consult your local cooperative Agricultural Extension Service.

Please refer to outer carton for directions for acceptable uses, cautions and limitations.

E.P.A. REG. NO. 9307-4 AA

ENCAP PRODUCTS COMPANY
P.O. BOX 278
MT. PROSPECT, ILLINOIS 60056

