

ACCEPTED

JUL 19 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
UNDER NO. 9313-1

DIRECTIONS

Use ROSE 404 in a good sprayer adjusted to deliver a fine mist. Where applicable, ROSE 404 may be used in a thermal type fogger. Regulate dosage in accordance with equipment manufacturers directions for the particular type of applicator employed. Application should be sufficient to fill the enclosure with the fog, mist or vapor. Treat infested areas thoroughly and whenever possible, keep doors and windows closed for 10 minutes after spraying.

Flying Insects: For control of flies, mosquitoes, gnats, wasps, and hornets, direct the spray or fog toward the upper portions of the room and saturate the atmosphere with the mist or fog, using 1.5 ounces to each 1000 cubic feet of space.

Crawling Insects: To control roaches, silverfish, crickets, and spiders, spray infested areas thoroughly and direct the liquid behind baseboards, moldings, cabinets, shelves, sinks, door and window frames, and pipes, toward drains and dark corners, and into cracks, crevices, recesses and similar hiding places. Repeated treatments are necessary for control of these crawling insects.

Against ant infestations, treat shelves, cabinets and storage areas, spray ant runs, trails, baseboards, thresholds and other places of entry, and treat nests liberally.

In controlling fleas and Brown Dog ticks in buildings, direct the application toward the lower wall portions, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed.

To control bedbugs effectively, apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks and lock joints. Treat walls, baseboards, moldings, floors, closets and bedroom furniture, picture frames, with particular attention to protected bedbug hiding and breeding places.

ROSE

ROSE 404

READY TO USE

INSECTICIDE

CONTAINS "DUAL SYNERGIST"

ROSE 404 is an effective, fast-acting insecticide for the control of roaches, ants and the other listed injurious and annoying insects found in homes, institutions and buildings. It can be used around food, food products and utensils as directed, but should not be applied directly to food or foodstuffs. ROSE 404 is highly useful for insect control in institutions, public buildings, hospitals, hotels, clubs, restaurants, stores, markets, and theaters.

ROSE 404 insecticide kills by contact:

- | | | | |
|---------------|---------------|----------------|-----------------|
| Roaches | Cadelles | Meal Worms | Grain Mites |
| Silverfish | Flies | Spider Beetles | Cheese Mites |
| Crickets | Mosquitoes | Wasps | Carpet Beetles |
| Spiders | → Shippers | Hornets | Fleas |
| Ants | Grain Moths | Clothes Moths | Brown Dog Ticks |
| Flour Beetles | Gnats | Bedbugs | in Buildings |
| Weevils | Grain Beetles | Meal Moths | |

Active Ingredients

Pyrethrins	0.075%
N-Octyl bicycloheptene dicarboximide	0.250%
Piperonyl Butoxide, Technical*	0.150%
Aliphatic Petroleum Solvent	99.525%
	<hr/>
	100.000%

*Equivalent to 0.12% of (butylcarbityl) (6-propylpiperonyl) ether and to 0.03% of related compounds.

USDA Reg. No. 9313-1

CAUTION KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, avoid contact with skin. Do not breathe mist, fog, or vapor. Remove Pets, Birds and Fish Bowls from room before spraying. Do not spray near or toward an open flame. Use the product as a space spray in food processing plants only when plant is not in operation. Foods should be removed or covered during treatment. All food processing surfaces should be covered or thoroughly cleaned before using. Do not reuse empty container. Wash thoroughly with water and detergent. Discard in a safe place. Empty drum should be returned to a drum reconditioner.

Manufactured by:

Rose Chemical Products, Inc.
Columbus, Ohio 43223

For most effective control of clothes moths and carpet beetles, remove infested articles from storage, brush thoroughly and, if possible, air several hours in direct sunlight. Apply spray liberally in empty chests, closets, bureaus and storages, directing the liquid into cracks, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to the seams to avoid the possibility of staining. Treat both sides of rugs, carpets and pads, and all exposed and accessible surfaces of overstuffed furniture. Do not overspray if products are made of rubber or are rubber coated, to prevent expansion or swelling. Repeat treatment monthly for articles not stored in moth-tight containers.

Restaurant and institutional pantries and food storages frequently become infested with various stored food pests including flour beetles, weevils, cadelles, grain beetles, meal worms, spider beetles, meal moths, skippers, grain and cheese mites. To avoid sources of reinfestation, wormy flour, grain and cereals should be destroyed before treatment. Spray thoroughly all surfaces of shelves, bins, cupboards, cabinets, pantries, lockers and similar storages, with particular attention to cracks, niches, crevices and other hiding places. Cover all foodstuffs prior to treatment. Do not spray directly on foodstuffs. All food processing surfaces should be covered or thoroughly cleaned before using.

Lab Control No. _____

Net Contents

Gals.

ACCEPTED

JUL 19 1967

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTER-
ED UNDER NO. 9313-1

DIRECTIONS

Use ROSE 404 in a good sprayer adjusted to deliver a fine mist. Where applicable, ROSE 404 may be used in a thermal type fogger. Regulate dosage in accordance with equipment manufacturers directions for the particular type of applicator employed. Application should be sufficient to fill the enclosure with the fog, mist or vapor. Treat infested areas thoroughly and whenever possible, keep doors and windows closed for 10 minutes after spraying.

Flying Insects: For control of flies, mosquitoes, gnats, wasps, and hornets, direct the spray or fog toward the upper portions of the room and saturate the atmosphere with the mist or fog, using 1.5 ounces to each 1000 cubic feet of space

Crawling Insects: To control roaches, silverfish, crickets, and spiders, spray infested areas thoroughly and direct the liquid behind baseboards, moldings, cabinets, shelves, sinks, door and window frames, and pipes, toward drains and dark corners, and into cracks, crevices, recessed and similar hiding places. Repeated treatments are necessary for control of these crawling insects

Against ant infestations, treat shelves, cabinets and storage areas, spray ant runs, trails, baseboards, thresholds and other places of entry, and treat nests liberally

In controlling fleas and Brown Dog ticks in buildings, direct the application toward the lower wall portions, baseboards, rugs, carpets and floors of infested areas. Animal quarters, kennels and bedding should also be sprayed

To control bedbugs effectively, apply liberally to top, ends, sides and bottom of mattresses, spraying thoroughly all tufts, seams and folds. Spray springs and frame, directing the liquid into all cracks and lock joints. Treat walls, baseboards, moldings, floors, closets and bedroom furniture, picture frames, with particular attention to pro-

ROSE
other
It can
applic
institu
theatre


ROSE
Roach
Silver
Crick
Spider
Ants
Flour
Weev

Activ

For most effective control of clothes moths and carpet beetles, remove infested articles from storage, brush thoroughly and, if possible, air several hours in direct sunlight. Apply spray liberally in empty chests, closets, bureaus and storages, directing the liquid into cracks, joints and crevices. After airing, infested articles may be treated by holding the spray nozzle at least 3 feet away from the fabric and applying the liquid lightly to the seams to avoid the possibility of staining. Treat both sides of rugs, carpets and pads, and all exposed and accessible surfaces of overstuffed furniture. Do not overspray if products are made of rubber or are rubber coated, to prevent expansion or swelling. Repeat treatment monthly for articles not stored in moth-tight containers.

Restaurant and institutional pantries and food storages frequently become infested with various stored food pests including flour beetles, weevils, cadelles, grain beetles, meal worms, spider beetles, meal moths, skippers, grain and cheese mites. To avoid sources of reinfestation, wormy flour, grain and cereals should be destroyed before treatment. Spray thoroughly all surfaces of shelves, bins, cupboards, cabinets, pantries, lockers and similar storages, with particular attention to cracks, niches, crevices and other hiding places. Cover all foodstuffs prior to treatment. Do not spray directly on foodstuffs. All food processing surfaces should be covered or thoroughly cleaned before using

* Equ
of re



CHARDON X-TOX 404

READY TO USE

INSECTICIDE

CONTAINS "DUAL SYNERGIST"

CHARDON X-TOX 404 is an effective, fast-acting insecticide for the control of roaches, ants and other listed injurious and annoying insects found in homes, institutions and buildings. It can be used around food, food products and utensils as directed, but should not be applied directly to food or foodstuffs. CHARDON X-TOX 404 is highly useful for insect control in institutions, public buildings, hospitals, hotels, clubs, restaurants, stores, markets, and theaters.

CHARDON X-TOX 404 insecticide kills by contact:

Roaches	Cadellies	Meal Moths	Chain Mites
Silverfish	Flies	Spider Beetles	Cheese Mites
Crickets	Mosquitoes	Wasp	Carpet Beetles
Spiders	→ Shippers	Horn	Bees
Ants	Grain Moths	Clothes Moths	Brown Dog Ticks
Flour Beetles	Gnats	Bedbugs	In Buildings
Weevils	Grain Beetles	Meal Moths	

Active Ingredients	
Pyrethrins	0.075%
N-Octyl bicycloheptene dicarboximide	0.250%
Piperonyl Butoxide, Technical*	0.150%
Aliphatic Petroleum Solvent	99.525%
	<u>100.000%</u>

* Equivalent to 0.12% of (butylcarbityl) (6-piperonyl ether and butyl) of related compounds.

USDA Reg. No. 9313-1

CAUTION KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed, avoid contact with skin. Do not breathe dust, fog, or vapors. Remove Pets, Birds and Fish Bowls from room before spraying. Do not spray near open flame. Use the product as a space spray in only when plant is not in operation. Foods should be removed or covered before treatment. All food processing surfaces should be thoroughly covered or thoroughly cleaned before using. Do not reuse empty container. Wash thoroughly with water and detergent. Empty drum should be returned to a drum conditioner.

Manufactured by

Chardon Laboratories, Inc.

For most effective control of larvae and carpet beetles remove infested material, if possible, and brush thoroughly with a stiff brush for 24 hours in direct sunlight. Apply insecticide to empty chests, closets, drawers, etc., directing the liquid into cracks and crevices. After airing infested material, wash by holding the spray nozzle 12 to 18 inches from the fabric and spraying the liquid into the seams to avoid discoloration. Treat both sides of fabric. Do not spray on oil exposed and processed materials. Do not spray on rubber or on rubber lined surfaces. Do not spray on articles not stored in a dry place.

Restaurants and public buildings should spray frequently. For control of stored food pests, spray directly on cadellies, grain moths, weevils, flour beetles and mites. To avoid discoloration of fabrics, spray on the reverse side. To control carpet beetles, spray on the reverse side. To control chain mites, spray on the reverse side. To control cheese mites, spray on the reverse side. To control carpet beetles, spray on the reverse side. To control chain mites, spray on the reverse side. To control cheese mites, spray on the reverse side. To control carpet beetles, spray on the reverse side.

Chardon Laboratories, Inc.

Net Content