

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED Drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician or Poison Control Center immediately.

IF IN EYES Flush with plenty of water for at least 15 minutes. Call a physician.

IF ON SKIN Flush with plenty of water for at least 15 minutes. Get medical attention. Remove and wash all contaminated clothing before reuse.

NOTE TO PHYSICIAN Probable mucosal damage may contraindicate the use of gas tracheostomy. Measures against circulatory shock, respiratory depression and convulsions may be needed.

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS DANGER

Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful if swallowed. Wash thoroughly with soap and water after handling.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge into lakes, streams, ponds or public water unless in accordance with an NPDES Permit. Do not contaminate water by cleaning of equipment or by disposing of wastes.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with labeling.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL. OPEN DUMPING IS PROHIBITED. DO NOT REUSE EMPTY CONTAINER.

STORAGE Store only in original container. Keep container closed when not in use. Store in a secure place. Isolate leaking containers. Recover spilled product with a mop or wet pick up vacuum. Flush area with plenty of water and recover solution.

PESTICIDE DISPOSAL Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL *Metal containers.* Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. *Plastic containers.* Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS.

ACCEPTED
OCT 25 1984
Under the Federal Insecticide Fungicide and Rodenticide Act, amended for the pesticide registered under EPA Reg. No. 1333



SINCE 1926
DISINFECTANT SANITIZER DEODORIZER
Bactericidal Virucidal* Fungicidal**

ACTIVE INGREDIENTS
- Aqueous solution of 14.10% C16, 5.8% C12, 5.8% C14, dimethyl benzyl ammonium chloride
- Aqueous solution of 12.1% C14, 14.0% dimethyl benzyl ammonium chlorides
INERT INGREDIENTS
TOTAL

KEEP OUT OF REACH OF CHILDREN DANGER
SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND FOR STATEMENT OF PRACTICAL TREATMENT

Mfg by ROSE CHEMICAL PRODUCTS, INC
545 Stimmel Road, Columbus, Ohio 43223
EPA Reg. No. 93339 EPA Est. No. 93339001
NET CONTENTS _____ (GALIS) Lab Control No _____

ONLY FOR SALE TO, USE, AND STORAGE BY SERVICEPERSONS.

ACCEPTED

OCT 25 1984

SINCE 1926

ROSE
DECIDE

Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, for the pesticide registered under EPA Reg. No. 33-3

DISINFECTANT SANITIZER - DEODORIZER
Bactericidal Virucidal* Fungicidal**

ACTIVE INGREDIENTS

• A.K. 160N (14.10% Cl ₂ , 5% O ₂ , 5% O ₃)	5.0%
• 1-methyl benzyl ammonium chloride	5.0%
• A.K. 168N (12% 1,3,4-dimethyl	90.0%
ammonium chloride	
INERT INGREDIENTS	100.0%

KEEP OUT OF REACH OF CHILDREN
DANGER
SEE SIDE PANELS FOR ADDITIONAL PRECAUTIONARY STATEMENTS AND FOR STATEMENT OF PRACTICAL TREATMENT

Mfg by ROSE CHEMICAL PRODUCTS, INC
545 Stimmel Road Columbus, Ohio 43223
EPA Reg. No. 3333 EPA Est. No. 9313 OH 1

NET CONTENTS _____ GAL(S) Lab Control No. _____

DIRECTIONS

Sanitization of glassware, silverware, dishes and cooking utensils. Clean with a suitable detergent, rinse thoroughly, then immerse in a rinse containing 1 oz. per 4 gallons water and dry. Do not use a towel for drying.

Sanitization of equipment in food processing plants, dairies and meat and poultry processing establishments. Clean and rinse equipment thoroughly. Terminally rinse with a solution of 1 oz. per 4 gallons of water.

Note: This product fulfills the criteria of Appendix F, the Grade A Pasteurized Milk Ordinance, 1965 recommendations of the U.S. Public Health Service in waters up to 750 p.p.m. (45 grains hardness calculated as CaCO₃), when tested by the A.O.A.C. Germicidal and Detergent Sanitizers Official Method.

Laundry rinse: Add 3 1/2 oz. per 100 lbs. of laundry (dry weight) to the final rinse water. This treatment will provide residual bacteriostatic activity against Staphylococcus aureus, Escherichia coli and Brevibacterium ammonium genes, and will impart self-sanitizing action against Staphylococcus aureus and Escherichia coli. Residual self-sanitizing activity is provided where high relative humidities are present or when the treated surface is contaminated via a liquid contaminant.

Deodorization of surfaces: Remove source of odor by cleaning with a suitable detergent. Rinse, then apply a solution of 1 - 2 oz. per gallon of water.

General disinfection of hard surfaces such as urinals, floors and walls in hospital wards, sick rooms, operating rooms and lavatories: Clean with a suitable detergent and rinse. On a clean surface, apply a solution containing 3 1/2 oz. per 5 gallons water. The dilution provides activity against Pseudomonas aeruginosa PRD 10. *This dilution is also effective against the following viruses on inanimate environmental hard surfaces: Influenza A, Adenovirus Simplex, Adenovirus Type 2 and Rotavirus. **Fungicidal claim specific to pathogenic fungi only.

Phenol Coefficients

Staphylococcus aureus	91
Salmonella typhosa	60