

[9319-1]

ACCEPTED

AUG 28 1972

UNDER THE FEDERAL INSECTICIDE
FUNGICIDE AND RODENTICIDE ACT
FOR ECONOMIC POISON REGISTERED
ED UNDER NO. 9319-1 SUBJECT
TO ATTACHED COMMENTS.

Silikil®

A SILICA INSECTICIDE

SILIKIL kills insects by dehydration. The insect has to crawl or walk through the dust film to be effective.
Follow directions carefully.

DIRECTIONS

All insects
ROACH & SILVERFISH CONTROL - To control German, Brown-banded, Oriental roaches and Silverfish apply the powder in light films at the rate of 2 ounces per 100 square feet of floor area to infested areas where the insects run. Apply the dust by means of a rubber bulb or plastic squeeze dispenser in and around household dwellings. Treat infested areas in the kitchen, bathroom, service areas and outdoors around and under the dwelling. Lay dust films in and around cupboards, cabinets, under sinks, stoves and all cracks in walls, and on door and window frames or wherever insects enter. With severe roach infestation, blow the dust between the walls of the building. Apply at monthly intervals or until infestations are controlled.

Do not reuse container. Destroy when empty.

ACTIVE INGREDIENTS

Amorphous Silica Gel* 95.5%
Ammonium Fluosilicate 1.5%
INERT INGREDIENTS 3.0%

*SILICON DIOXIDE equivalent to 93%

DUST ONLY IN AREAS NOT ACCESSIBLE TO CHILDREN AND PETS.

DRY WOOD TERMITES - To protect against entrance of dry wood termites, apply with an electric or hand rotary duster beneath the house and attics. Treat all wood surfaces at the rate of one pound per 1,000 square feet of wooden surface. Close air vents on windward side and turn off furnace and close furnace heat vents during treatments. SILIKIL will not kill termites already in wood.

EPA REG. NO. 9319-1

FLEA CONTROL - To control fleas on cats and dogs, apply powder liberally to animal rubbing thoroughly to skin surfaces of kennels should be dusted at rate of 1 oz. per 50 square feet. Heavy infestation of fleas in lawns, basements, rugs, crawl areas should be dusted at 16 ounces per 1000 square feet. Repeat as necessary.

CAUTION—

KEEP OUT OF THE REACH OF CHILDREN

Avoid inhalation of dust. Avoid skin contact. Wear a respirator when treating confined areas to prevent drying of nose and throat. Wash all exposed skin after application with soap and water to prevent drying and chapping of skin surfaces. Avoid contamination of feed and foodstuffs.

Do not use in edible products areas of food processing plants, restaurants or other areas where food is commercially prepared or processed. Do not use in serving areas while food is exposed.

CUSTOM CHEMICIDES INC.

NET WEIGHT 25 POUNDS