



PROMICO

FLY zzzAP Mineral Block No. 6

With Rabon® Oral Larvicide

To prevent the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle.

ACTIVE INGREDIENTS:	BY WEIGHT
* 2-chloro-1-(2,4,5-trichlorophenyl) vinyl dimethyl phosphate	0.75%
INERT INGREDIENTS:**	99.25%
TOTAL	100.00%

* Each pound contains 3.42 g RABON®
** Refers only to ingredients which are not larvicidal.

FEED INGREDIENTS:

Deodorized phosphate, monocalcium phosphate, calcium carbonate, wheat middlings, lignin sulfonate, salt, magnesium oxide, magnesium carbonate, sodium bicarbonate, fish meal, ethylenediamine dihydriodide, manganese oxide, cobalt carbonate, cobalt sulfate, copper oxide, zinc oxide, iron oxide, bentonite (not more than 2%), choline chloride, anise oil, dried molasses, D-Activated animal sterol (source of Vitamin D-3), vitamin A acetate and cane molasses.

GUARANTEED ANALYSIS:

Calcium (Ca), maximum	19.00%
Calcium (Ca), minimum	17.00%
Phosphorus (P), minimum	6.00%
Salt (NaCl), maximum	16.00%
Salt (NaCl), minimum	14.00%
Iodine (I), minimum	0.15%
Manganese (Mn), minimum	0.125%
Copper (Cu), minimum	0.025%
Copper (Cu), minimum	0.025%
Iron (Fe), minimum	0.85%
Fluorine (F), maximum	.06%
Vitamin D-3, minimum	50,000 U.S.P. Units Per Lb.
Vitamin A, minimum	100,000 U.S.P. Units Per Lb.

DIRECTIONS FOR USE: GENERAL CLASSIFICATION

As a violation of Federal law to use this product in a manner inconsistent with its labeling. Provide one block per 10-15 head of cattle. Add an additional block when each block has been one half consumed. Cattle should consume an average of 10 oz. of the block per 100 pounds of body weight per month. This will supply the recommended average intake of 70 mg. RABON® Oral Larvicide per hundred pounds of body weight. Animals should not be starved for minerals before initiation of the Promico Fly zzzAP Mineral Block No. 6 with Rabon® program, but omit all salt from other feed after the program is started. Do not feed free choice sources of salt or mineral containing salt in any form. Place near watering and feeding areas. Protect from rain. If consumption of Promico Fly zzzAP Mineral Block No. 6 with Rabon® is above 10 oz. of the block per 100 lbs. of body weight per month, reduce the number of feeding locations or relocate. If consumption is below 10 oz. of the block per 100 lbs. of body weight per month, increase the number of feeding locations. Start feeding Promico Fly zzzAP Mineral Block No. 6 with Rabon® early in the spring before flies begin to appear and continue feeding throughout the summer and into the fall.

KEEP OUT OF REACH OF CHILDREN

CAUTION

See Below For Additional Precautionary Statements

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS

CAUTION

KEEP OUT OF REACH OF CHILDREN
Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

STORAGE AND DISPOSAL

- 1. PROHIBITIONS** — Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.
- 2. PESTICIDE DISPOSAL** — Pesticide that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.
- 3. CONTAINER DISPOSAL** — Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.
- 4. GENERAL** — Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

Promico Fly zzzAP Mineral Block No. 6 with Rabon® may be fed up to slaughter and to lactating dairy cows.
Promico Fly zzzAP Mineral Block No. 6 with Rabon® prevents the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle, but is not effective against existing adult flies. When starting a feeding program during the fly season, it may be necessary to use other control measures to reduce the population of existing adult flies. Supplemental fly control measures may be needed in and around cattle lots and buildings to control adult house flies and stable flies which can breed not only in cattle manure, but in other decaying vegetable matter or sewage on the premises.
In order to achieve optimum fly control the Promico Fly zzzAP Mineral Block No. 6 with Rabon® should be used in conjunction with other good management and sanitation practices.

Manufactured by Promico, Inc., Eagle Grove, Iowa 50533 - A division of North Central Holdings Corp. 2-80

NET WEIGHT 50 LBS.

* Rabon is the registered trademark of Shell Oil Co. U.S. Pat. 3,102,842

EPA REG. NO. 9329-11
EPA EST. NO. 9329-1A-7

BEST DOCUMENT AVAILABLE

19