

50 LBS.

NET WEIGHT



**PROMICO™**

# MIN-A-ROL MIX 6

## With Rabon® Oral Larvicide

To prevent the development of horn flies, face flies, house flies and stable flies in the manure of treated cattle.

**ACTIVE INGREDIENTS:**

\* 2-chloro-1-(2,4,5-trichlorophenyl)  
vinyl dimethyl phosphate

**BY WEIGHT**

**INERT INGREDIENTS\*\***

TOTAL

0.75%  
99.25%  
100.00%

\* Each pound contains 3.42 g RABON®

\*\* Refers only to ingredients which are not larvicidal.

EPA REG. NO. 9329-12


EPA EST. NO. 9329-1A-1

**FEED INGREDIENTS**

Dicalcium phosphate, calcium carbonate, soybean meal, cotton seed meal, salt, bentonite, cane molasses, dried molasses, iron oxide, magnesium oxide, zinc oxide, copper oxide, cobalt carbonate, ethylenediamine dihydrochloride, manganese oxide, D-Activated animal sterol (source of Vitamin D3), Vitamin A acetate, mineral oil, artificial flavor.

**GUARANTEED ANALYSIS**

Crude Protein, not less than	8.00%
Calcium (Ca), maximum	8.00%
Calcium (Ca), minimum	6.00%
Phosphorus (P), minimum	6.00%
Salt (NaCl), maximum	16.00%
Salt (NaCl), minimum	4.00%
Magnesium (Mg), minimum	2.00%
Manganese (Mn), minimum	10%
Cobalt (Co), minimum	001%
Copper (Cu), minimum	01%
Iron (Fe), minimum	15%
Vitamin D-3, minimum	50,000 U.S.P. Units Per Lb
Vitamin A, minimum	50,000 U.S.P. Units Per Lb



**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS**

**CAUTION**

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

**STORAGE AND DISPOSAL**

1. **PROHIBITIONS** — do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.  
2. **PESTICIDE DISPOSAL** — Pesticide that cannot be used or chemically reprocessed should be disposed of in a landfill approved for toxic waste.  
3. **WASTE DISPOSAL** — Do not wash equipment used for application of this product in waterways.

To prevent the development of resistance in the manure of treated cattle

**ACTIVE INGREDIENTS:**  
• 2-chloro-1-(2,4,5-trichlorophenyl)-vinyl dimethyl phosphate  
**INERT INGREDIENTS\*\***

BY WEIGHT

0.75%  
99.25%  
100.00%

TOTAL

\* Each pound contains 3.42 g RABON  
\*\* Refers only to ingredients which are not larvicidal


EPA REG. NO. 9329-12  
EPA EST. NO. 9329 1A 1

**FEED INGREDIENTS**

Dicalcium phosphate, calcium carbonate, soybean meal, cotton seed meal, salt, bentonite, cane molasses, dried molasses, iron oxide, magnesium oxide, zinc oxide, copper oxide, cobalt carbonate, ethylenediamine dihydrochloride, calcium carbonate, D-Achlyated animal sterol (Source: Vitamin D<sub>3</sub> from A. Cholecalciferol, Vitamin A from A. Retinyl Palmitate)

**GUARANTEED ANALYSIS**

Crude Protein, not less than	8.00%
Calcium, minimum	8.00%
Calcium, maximum	6.00%
Phosphorus, minimum	6.00%
Salt (NaCl), minimum	16.00%
Salt (NaCl), maximum	14.00%
Magnesium (Mg), minimum	2.00%
Manganese (Mn), minimum	10%
Cobalt (Co), minimum	0.01%
Copper (Cu), minimum	0.1%
Iron (Fe), minimum	15%
Vitamin D <sub>3</sub> , minimum	50,000 U.S.P. Units Per Lb
Vitamin A, minimum	50,000 U.S.P. Units Per Lb



**KEEP OUT OF REACH OF CHILDREN**  
**CAUTION**  
SEE BELOW FOR ADDITIONAL PRECAUTIONARY STATEMENTS.

**PRECAUTIONARY STATEMENTS**  
**HAZARDS TO HUMANS**

**CAUTION**

Keep out of reach of children. Harmful if swallowed. Avoid contact with skin and eyes. Avoid breathing dust. Wash thoroughly with soap and water after handling and before eating or smoking. If in eyes, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

**ENVIRONMENTAL HAZARDS**

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water by cleaning of equipment or disposal of wastes.

**STORAGE AND DISPOSAL**

1 **PROHIBITIONS** — Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

2 **PESTICIDE DISPOSAL** — Pesticide that cannot be used or chemically reprocessed should be disposed of in a landfill approved for pesticides or buried in a safe place away from water supplies.

3 **CONTAINER DISPOSAL** — Dispose of in an incinerator or landfill approved for pesticide containers, or bury in a safe place.

4 **GENERAL** — Consult federal, state or local disposal authorities for approved alternative procedures such as limited open burning.

**DIRECTIONS FOR USE:**  
**GENERAL CLASSIFICATION**

If satisfactory results are not obtained, repeat applications should be made at 14-day intervals. Do not apply more than 100 lbs. of active ingredient per acre per year. Do not apply to pastures where the soil is saturated with water. Do not apply to pastures where the soil is saturated with water. Do not apply to pastures where the soil is saturated with water.

For control of house flies, apply 100 lbs. of active ingredient per 100,000 sq. ft. of area. For control of stable flies, apply 100 lbs. of active ingredient per 100,000 sq. ft. of area. For control of horn flies, apply 100 lbs. of active ingredient per 100,000 sq. ft. of area.

Do not apply to pastures where the soil is saturated with water. Do not apply to pastures where the soil is saturated with water. Do not apply to pastures where the soil is saturated with water.

Manufactured by  
Promico, Inc. Eagle Grove, Iowa 50533  
A division of North Central Holdings Corp.

"SEE BACK OF TAG FOR MIXING DIRECTIONS" 10 80

BEST DOCUMENT AVAILABLE