

ACT  
REGISTER

ER-  
ND  
UM  
IVE  
NG  
ER-  
UR-  
RE-  
NG  
IN  
INS  
OS-

micro-  
use-  
6538  
10708  
15442  
640

NEW FORMULA

# ROSECIDE

CLEANER-DISINFECTANT-DEODORIZER-SANITIZER



Active Ingredients:	
n-Alkyl (60% C <sub>14</sub> , 30% C <sub>16</sub> , 5% C <sub>12</sub> , 5% C <sub>18</sub> ) dimethyl benzyl ammonium chlorides .....	2.25%
n-Alkyl (68% C <sub>12</sub> , 32% C <sub>14</sub> ) dimethyl ethylbenzyl ammonium chlorides .....	2.25%
Sodium carbonate .....	3.00%
Tetrasodium ethylenediamine tetraacetate .....	1.00%
Inert Ingredients: .....	91.50%
(Includes compatible synthetic detergents, essential oils and organic dye)	100.00%

EPA Reg. No. 9313-19

## WARNING KEEP OUT OF REACH OF CHILDREN

Causes severe eye and skin irritation. Do not get in eyes, on skin or on clothing. Harmful if swallowed. Avoid contamination of food.

Dilute as directed, do not mix with soaps or other cleaners. Do not reuse empty container, rinse thoroughly with water and discard.

### FIRST AID

In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash all contaminated clothing before reuse. If swallowed drink milk, egg whites, gelatin solution, or if these are not available, drink large quantities of water. Call a physician immediately.

Mfg. by: ROSE CHEMICAL PRODUCTS, INC.  
545 Stimmel Road, Columbus, Ohio 43223

FOR PROFESSIONAL AND INDUSTRIAL  
USE ONLY

### HOSPITAL USE DIRECTIONS

1. To clean, disinfect and deodorize walls, floors, and other similar contaminated surfaces, use 2 ounces per gallon of water.
2. To clean, disinfect and deodorize heavily contaminated surfaces, use 4 ounces per gallon of water with special emphasis on thorough cleaning.
3. To fog an unoccupied room as an adjunct either preceding or following regular cleaning and disinfecting procedures use a dilution of 1:16 or 8 ounces per gallon of water per average size room. Allow minimum of 1 hour after fogging has stopped before entering room.

### GENERAL USE DIRECTIONS

1. To clean, disinfect and deodorize walls, floors, tables, drinking fountains, sinks, refrigerators, stoves, restroom fixtures, telephone booths, animal and bird cages, and garbage cans; wash with solution containing 2 ounces per gallon of water. Remove gross filth and heavy soil deposits from surfaces prior to application of the recommended solution.
2. For light duty cleaning and sanitizing use 1 ounce per gallon water.
3. To clean and disinfect such articles as combs, brushes, razors, scissors, instruments and rubber goods; wipe articles, clean and soak for ten minutes in a solution containing 1 ounce per quart of water.
4. To disinfect fabrics such as sheets, linens, aprons and uniforms; soak in solution containing 2 ounces per gallon of water.
5. To clean grease laden or grossly contaminated surfaces use 4 to 6 ounces per gallon of water.

LABEL COPY

FLEXABAR'S SANITIZER DETERGENT

Concentrated Detergent

Disinfectant - Sanitizer - Deodorant

Directions

For cleaning and disinfecting floors, walls, surfaces as found in hospitals, institutions, public rooms, homes, industrial areas, conveyances, etc.

1. Apply by mop or cloth FLEXABAR'S SANITIZER DETERGENT at least two ounces diluted to one gallon of water to non-porous surfaces.

For porous surfaces, or hospital applications, a dilution of at least 3 1/4 ounces diluted to one gallon of water.

For porous surfaces, or hospital applications, a dilution of at least 3 1/4 ounces diluted to one gallon of water.

For Cleaning and Sanitizing

Apply by mop or cloth FLEXABAR'S SANITIZER DETERGENT at least one ounce to one gallon of water. Allow at least two minutes of contact with surface before rinsing.

For Cleansing and Deodorizing

Apply by mop or cloth FLEXABAR'S SANITIZER DETERGENT one ounce diluted to one or two gallons of water.

Caution

KEEP OUT OF REACH OF CHILDREN.

FLEXABAR'S SANITIZER DETERGENT is a detergent-disinfectant and must be diluted before using. Solutions of FLEXABAR'S SANITIZER DETERGENT should not come in contact with food. Solutions of FLEXABAR'S SANITIZER DETERGENT should not be used with soap or anionic detergents.

Avoid contact with skin and eyes. In case of contact, wash thoroughly with water. If irritation persists get medical attention.

1/2

LABEL COPY cont'd

FLEXABAR'S SANITIZER DETERGENT

Active Ingredients

n-Alkyl (C12 50%, C14 30%, C16 17%, C18 3%)

dimethyl ethylbenzyl ammonium chloride 1.6%

n-Alkyl (C14 60%, C16 30%, C12 5%, C18 5%)

dimethyl benzyl ammonium chloride 1.6%

Inert Ingredients

96.8%

100.0%

Manufactured by  
FLEXABAR PRODUCTS, INC.  
140 Walnut Street  
Northvale, New Jersey 07647

