




**FLEXTIN  
WOOD TREATMENT  
CONCENTRATE**



**PRESERVES WOOD—STOPS ROT AND DECAY—  
PREVENTS FUNGI AND MOLDS OF WOOD—CLEAR—  
PAINTABLE**

**KEEP OUT OF REACH OF CHILDREN**

**WARNING:  
FIRST AID**

**IF SWALLOWED:** Call a Poison Control Center or doctor immediately for treatment advice. Do not induce vomiting. Drink promptly a large quantity of milk, egg white, gelatin solution, or if these are not available, drink large quantities of water. Avoid alcohol.

**IF ON SKIN:** Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a Poison Control Center or doctor for treatment advice.

**IF IN EYES:** Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first five (5) minutes. Then continue rinsing. Call a Poison Control or doctor for treatment advice.

**IF INHALED:** Move person to fresh air. If person is not breathing, call 911 or an ambulance. Then, give artificial respiration, preferably mouth-to-mouth, if possible. Call a Poison Control Center or doctor.

**NOTE TO PHYSICIAN:** Probable mucosal damage may contra-indicate the use of gastric lavage.

\* See back panel for additional precautionary statements.

Read limit of warranty and liability before buying or using. If such items are not acceptable return at once unopened.

<b>Active Ingredient:</b>	
Bis (Tri-n-Butyltin) Oxide	5.05%
<b>Inert Ingredient:</b>	94.95%
	<b>Total 100.00%</b>

EPA Reg. No. 9339-12  
EPA Est. No. 9339-NJ01

**Net Contents**

*Manufactured By*

**FLEXABAR CORPORATION**  
1969 Rutgers University Boulevard  
Lakewood, New Jersey 08701  
732-901-8500

ACCEPTED

JAN 19 2006

Under the Federal Insecticide, Fungicide, and  
Rodenticide Act as amended, for the  
pesticide, registered under  
EPA Reg. No. 9339-12

273

## DIRECTION FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.  
DILUTION: Dilute Flexlin Wood Treatment Concentrate with up to four parts by volume of mineral spirits, naphtha or equivalent solvent to make a ready-to-use solution containing not less than .75% Bis (tri-n-Butyltin) oxide by weight.

**NOTE:** This product is not to be used as antifouling on ships, boats, wood pilings OR crab, lobster or bass pots and traps.

**NOTE:** Do not use this product to treat items that will be submerged in, or come in contact with, water.

**NOTE:** Types of wood products to be treated: millwork, shingles (not asbestos), shakes, clapboards, smooth or rough-cut siding, plywood, decks, porches, railings, structural timbers and greenhouses.

## PRECAUTIONARY STATEMENTS

Hazards to humans and domestic animals.

**COVERAGE:** One gallon should cover approximately 500 square feet per coat depending on the roughness and porosity of the wood.

## STORAGE AND DISPOSAL

**Prohibitions:** Do not contaminate water, food or feed by storage or disposal. Open dumping is prohibited.

**Household:** Do not reuse empty container (bottle, can, bucket). Wrap (container) and put in trash collection.

**Pesticide Disposal (except household)** Pesticide, spray mixture, or rinse water that cannot be used according to label instructions must be disposed of according to applicable Federal, State, or local procedures.

**Container Disposal (except household)**

**Metal Containers—**Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other approved state and local procedures.

**General:** Consult Federal, State and local disposal authorities for approved alternative procedures.

**WARNING:** May be fatal if swallowed, may be absorbed through skin. Causes skin irritation. Do not get in eyes, on skin or on clothing. Do not breathe vapor or spray mist. Wear protective clothing and rubber gloves when handling this product or freshly treated lumber.

## USE WITH ADEQUATE VENTILATION

Vapor: May cause injury if adequate ventilation is not insured. Do not use this product indoors, or any other confined areas, where vapors may concentrate and cause injury to plant or animal life. Keep containers closed when not in use.

## PHYSICAL OR CHEMICAL HAZARDS

**COMBUSTIBLE:** Do not use, pour, spill or store near heat or open flame.

**IN CASE OF FIRE:** Use dry chemicals, foam, water fog or CO<sub>2</sub>. Cool closed containers with water.

ACCEPTED

JAN 19 2006

Under the Federal Insecticide, Fungicide, and  
Rodenticide, Act as amended, for the  
pesticide, registered under  
EPA Reg. No. 9339-12

## ENVIRONMENTAL HAZARDS

This product is toxic to domestic animals. Treated sawdust and other wastes should not come in contact with domestic animals. Avoid contamination of feed or foodstuffs.

This product is toxic to fish and wildlife. Do not apply directly to water. Do not contaminate water by cleaning of equipment or disposal of wastes.

Treated sawdust and other wood wastes should not be used as mulch where it will come in contact with useful living plants. Care should be taken to prevent drip or spray from contacting ornamental shrubs, trees, grass and other desirable vegetation.

**NON WARRANTY:** The information presented in this label is based upon the research and experience of Flexabar and is to the best of its knowledge accurate; however, no guarantee of its accuracy is made. Since Flexabar has no control over the conditions under which its products may be employed, and since information as to the physiological and other properties of its products is incomplete, Flexabar cannot guarantee the results obtained and assumes no liability whatsoever for possible damage or injury whether or not caused by following the suggestions in this label. Flexabar will not be liable for resulting or consequential damage. Flexabar warrants that none of its commercial products infringes the claims of any United States patent but no license is granted nor recommendation made hereby to practice any invention covered by any patent owned by Flexabar or by others.