


ACCEPTED
MAY 23 1967

GRIP & RIP

COVERAGE 2500 SQ. FT.

USDA REG. NO. _____

695




CAUTION
KEEP OUT OF REACH
OF CHILDREN. SEE
OTHER SIDE FOR
ADDITIONAL CAUTIONS.

Life

***PRE-
CRABGRASS
KILLER***

**WITH
TURF FOOD**



PRE - CRAB KILLER

NET WT. 20 LBS.

CRABGRASS KILLER

**WITH
TURF FOOD**

**WITH
CHELATED
IRON**



THE CRAB KILLER

OFF AT THE

COVERAGE 2500 SQ. FT.



AC 248-10
May-20-1977

PRE-CRABGRASS KILLER WITH TURF FOOD

MINIMUM GUARANTEED ANALYSIS

Total Nitrogen (N)	10%
Ammoniacal Nitrogen.....	4%
Urea Nitrogen	4%
Water Insoluble Nitrogen	2%
Available Phosphoric Acid (P ₂ O ₅)	3%
Soluble Potash (K ₂ O)	7%

ADDITIONAL MINIMUM GUARANTEES

Calcium (Ca)	1%
Magnesium (Mg)5%
Sulfur (S)	2%
Boron (B)02%
Copper (Cu)05%
Iron (Fe)5%
Manganese (Mn)05%
Molybdenum (Mo)0005%
Zinc (Zn)05%

Contains Dacthal®

ACTIVE INGREDIENT	
Dimethyl ester of tetrachloroterephthalic acid*	2.875%
INERT INGREDIENT	
(Relative to Herbicidal content)	97.125%
	100.000%

*Use as a pre-emergence herbicide patented under U.S. Patent No. 2,923,634

Life
Guarantee of Satisfaction

Premium Life Lawn and Garden Products are sold with this unconditional guarantee. If you have applied Life products in accordance with the printed directions, and you are not completely satisfied with the results, notify:

Consumer Service Mgr., Lawn & Garden Products, Inc.
1518 E. North Avenue, Milwaukee, Wisconsin 53201
Telephone 276-9311

We will arrange to have the unused portion returned at our expense, and a check for your full purchase price will be issued to you.

Please see the guarantee terms on the label for details. A separate warranty is offered to professional users of Life and Green products.

CAUTION

Avoid contact with skin and eyes. In case of contact with skin, wash thoroughly with soap and water; for eyes, flush with water for 15 minutes. If irritation persists, get medical attention. Keep out of reach of children. Do not take internally.

CAUTION

Avoid contact with skin and eyes. In case of contact with skin, wash thoroughly with soap and water, for eyes, flush with water for 15 minutes. If irritation persists get medical attention. Keep out of reach of children. Do not take internally. Do not apply to dichondra at any time. Some temporary thinning of fescue grasses has been occasionally observed. Do not store near seeds, other fertilizers or pesticides. Do not contaminate feed and foodstuffs.

Re-seeding caution -

Do not apply to newly sanded lawn until after the first mowing. Normally lawns fill in fast after competition from crabgrass has been removed. Delay reseeding approximately 60 days after applying. If reseeding is necessary 30-60 days after the application of LIFE pre-crabgrass killer, increase the seed sown by 50% to insure a thrifty stand of grass.

FEEDS & WEEDS

Premium LIFE pre-crabgrass killer contains Dachal[®], a product proven outstanding in tests at many mid-western agricultural colleges and universities. Its ability to control crabgrass in lawns and turf grasses is unquestioned. Lawn House Products, Inc. has combined this great herbicide with a long lasting, non-burning premium plant food. A premium turf food which contains urea-formaldehyde insuring sustained feeding throughout the season plus chelated iron for the prevention of chlorosis in plants due to lack of soluble iron compounds. You may use LIFE with complete confidence.

Also controls a host of additional weeds -

Carpet Weed	Hairy Crabgrass
Common Chickweed	Lambsquarter
Green Foxtail	Smooth Crabgrass
Yellow Foxtail	Plus lesser known weeds

DIRECTIONS

Apply contents of this bag to 2500 sq. ft. of lawn or turf grass area uniformly with a well-calibrated spreader. One application is sufficient for 3 months, allowing application as early as March without fear of losing its effective control. In the northern mid-west, crabgrass normally germinates between May 15th and June 15th. Be sure material is applied no later than May 15th in a normal season. Do not rake lawn or disturb soil surface after application until mid-June. Apply only when grass is dry. Best results are obtained when material is allowed to contact crabgrass seeds on the soil surface. Water lightly if no rain falls within one week after application.

For use in flower beds and around shrubs: Application may be made around established ornamental plantings for control of the above mentioned weeds. Apply at the rate of .8 lbs. per 100 sq. ft. prior to expected crabgrass germination. Do not disturb soil surface until mid-June. Do not apply to newly seeded flower beds. The following ornamentals may be injured:

Bugle-weed	Mesembryanthemum
Button Pink	Pansy
Cannula	Phlox
Geum	Sweet William
Germander	Telandra

SPREADER SETTINGS

Scotts 18"	Scotts 24"	*Cyclone	*Carousel	Central	Cross Country 16"	Jackman
6-5	7	6	6	9	8	6
Lawn Beauty 18"	Lawn Beauty 24"	Garden Mark 20"	Modern 20"	Modern 24"	Imperial 20"	LIFE
10	9	8	6	7	7	

*NOTE: When using a fan type spreader a 3 foot swath should be maintained to insure even coverage and proper overlap of materials between outer edges of the swath.

All spreader settings are approximate and vary slightly with the age and condition of the spreader. Actual swath check at the rate of application may be made by placing two quarts of material in spreader and dispensing it 150 ft. for a 18", 215 ft. for a 20" and 260 ft. for a 24" spreader.

Lawn House Products, Inc.

1518 EAST NORTH AVENUE

MILWAUKEE, WISCONSIN 53201

PRE-CRAB KILLER

NET WEIGHT 10 LBS.