WHEN TO APPLY: Annual Weeds and Grasses - It is best to apply in the spring or when weeds are small.

Perennial Weeds and Grasses - In areas of light rainfall (less than 20 inches), it is generally better to apply in fall and winter months. In areas with heavy winter rains, spring applications usually give best results.

General Note: Avoid application in hot dry weather as moisture is required to activate the chemical. By preventing weed growth early in the year, fire hazard from dead and dry vegetation are avoided later.

CAUTIONS

In Applications: Do not apply on or near turf, valuable trees or other plants, or in areas into which their roots may extend. The chemical should be used only where unproductive soil is not objectionable. *Avoid contamination of irrigation water.

In Handling: Harmful if swallowed. May cause irritation of eyes, nose, throat and skin with some individuals. Avoid handling with cuts of abrasions on hands, or wear gloves. Avoid breathing dust. Avoid contact with skin, eyes, and clothing. Wash clothing and equipment after application. Do not leave containers where children and animals may take the chemical internally. Avoid contamination of feed and foodstuffs.

Local conditions may affect the use of this chemical. Consult State of local agricultural authorities for specific recommendations as to dosage and time of application and for control of other weeds and grasses.

Seller makes no warranty of any kind, express or implied, concerning the results of use of this product. Buyer assumes all risk of use or handling whether in accordance with directions or not.

ACCEPTE


		ACCEPTED
NET CONTENTS	LES.	5/25/67
U.S.D.A. REG. NO.		UNDER THE FEDERAL INSECTICIDE FUNCICIDE ACT FOR ECUNUMIC PUISON REGISTERED UNDER NO ATTACHED COMMENTS.

Important: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

Since weather and other conditions under which this product may be used will vary, the Seller makes no warranty of any kind, express or implied, concerning the use of this product. The user assumes all risks of use or handling not in accordance with directions or suggestions.

DIRECTIONS FOR USE

Uniformly spray one gallon of RAV-AGE NON-SELECTIVE VEGETA-TION KILLER mixed in ten gallons of water over 1,000 sq. ft. of soil surface. Thoroughly wet all foliage to insure contact action. Best results are obtained when applications are made during or soon after weed emergence while growth is succulent. Where vegetation is tall and dense, use 1½ gailons of RAV-AGE NON-SELECTIVE VEGETA-TION KILLER in ten gallons of water per 1,000 sq. ft. For control of hard-to-kill perennial weeds and grasses such as Johnsongrass, Bindweed, and Wild Carrot, use 3-41/2 gallons per 1,000 sq. ft. Although RAVAGE NON-SELECTIVE VEG-ETATION KILLER has considerable activity through foliage contact, much of its activity is through the roots and therefore, adequate rainfall to move the chemical into the root zone is necessary. Repeat if necessary.



CAUTION: KEEP OUT OF REACH OF CHILDREN.
SEE SIDE PANEL FOR FURTHER
CAUTIONARY INFORMATION.

PRECISION LABORATORIES, INC.

NORTHBROOK, ILLINOIS 60062

Under conditions where the rainfall is high and the growing season long, a second application may be necessary to maintain a weed-free surface.

Care must be taken to keep this therbicide away from desirable flowar beds, lawns and shrubs. Do not apply over roots of valuable trees, or woody ornamental plants. Only apply herbicide outside of the drip line of trees. Avoid spray drift to desirable plants.

CAUTION

Harmful if swallowed. IF SWAL-LOWED, CALL A PHYSICIAN IM-MEDIATELY. DO NOT INDUCE VOMITING.

Do not get in eyes, on skin or on clothing. Causes skin irritation. Wash thoroughly after handling with soap and water.

Avoid inhalation of spray mist. Avoid contamination of food and feed.

Do not contaminate water used for irrigation or domestic purposes.

Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse container. Destroy when empty.

Do not use, pour, spill or store near heat or open flame.

Store at temperatures above 32°F

EPA REG. NO. 9349-8 EPA EST. 9349-1L-1


NET CONTENTS: _____U.S. GAL.

Important: Read the entire Directions for Use and the Conditions of Sale and Warranty before using this product.

Since weather and other conditions under which this product may be used will vary, the Seller makes no warranty of any kind, express or implied, concerning the use of this product. The user assumes all risks of use or handling not in accordance with directions or suggestions.

DIRECTIONS FOR USE

Uniformly spray one gallon of RAV-AGE NON-SELECTIVE VEGETA-TION KILLER mixed in ten gallons of water over 1,000 sq. ft. of soil surface. Thoroughly wet all foliage to insure contact action. Best results are obtained when applications are made during or soon after weed emergence while growth is succulent. Where vegetation is tall and dense, use 1½ gallons of RAV-AGE NON-SELECTIVE VEGETA-TION KILLER in ten gallons of water per 1,000 sq. ft. For control of hard-to-kill perennial weeds and grasses such as Johnsongrass, Bindweed, and Wild Carrot, use 3-41/2 gallons per 1,000 sq. ft. Although RAVAGE NON-SELECTIVE VEG-ETATION KILLER has considerable activity through foliage contact, much of its activity is through the roots and therefore, adequate rainfall to move the chemical into the root zone is necessary. Repeat if necessary.



CAUTION: KEEP OUT OF REACH OF CHILDREN. SEE SIDE PANEL FOR FURTHER CAUTIONARY INFORMATION.

PRECISION LABORATORIES, INC.

NORTHBROOK, ILLINOIS 60062

Under conditions where the rainfall is high and the growing season long, a second application may be necessary to maintain a weed-free surface.

Care must be taken to keep this herbicide away from desirable flower beds, lawns and shrubs. Do not apply over roots of valuable trees, or woody ornamental plants. Only apply herbicide outside of the drip line of trees. Avoid spray drift to desirable plants.

CAUTION

Harmful if swallowed. IF SWAL-LOWED, CALL A PHYSICIAN IM-MEDIATELY. DO NOT INDUCE VOMITING.

Do not get in eyes, on skin or on clothing. Causes skin irritation. Wash thoroughly after handling with soap and water.

Avoid inhalation of spray mist. Avoid contamination of food and feed.

Do not contaminate water used for irrigation or domestic purposes.

Keep out of lakes, streams, or ponds. Do not contaminate water by cleaning of equipment, or disposal of wastes. Apply this product only as specified on this label.

Do not reuse container. Destroy when empty.

Do not use, pour, spill or store near heat or open flame.

Store at temperatures above 32°F.

EPA REG. NO. 9349-8 EPA EST. 9349-1L-1

NET CONTENTS: _____U.S. GAL.

12

CRAMULAR SOIL STERILANT

A GRASS AND WEED KILLER

For Municipal and industrial use to kill weeds and grasses where lasting residual effect is desired.

ACTIVE INCREDIENTS:

Sodium chlorate (NaClO ₃)sodium metahorate (Na ₂ B ₂ O ₄ -5H ₂ O)*	40.0~
Sodium metahorate (Na ₂ B ₂ O ₄ -5H ₂ O)*	. 5. 5. 651.0%
Monuron (3-(p-chlorophenvl)-1, 1-dimethylurea)**.	2.4%
INERT INCREDIENTS:	. 2.4 8.64

*Equivalent to 4.98% boron expressed as elemental boron **Equivalent to 3% Telvar

"TELVAR," a trademark of E. J. duPont de Nemours & Co., Inc.

CAUTIONS .

See Caution Statements on Side Panel

KETP OUT OF THE REACH OF CHILDREN

- Aria Tric

DO NOT STORE WITH FOODSTUFFS

Store in a Cool, Dry Place
Avoid direct contact with ground or concrete floors

PRECISION LABORATORIES, INC. SKOKIE, ILL.

ACCEPTED

A. T.

SUBLECT

MMENTS.

17