UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

OCT 0 5 1994

Surpass Chemical Co. Inc 1254 Broadway Albany, NY 12204

Attention: Bill Mafilios
Vice President

Subject: Product Name: Algaecide

EPA Registration No. 9359-1

Your Amendment Dated December 9, 1993

The amendment (label update) referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended, is acceptable provided that you:


- 1. Make the following labeling changes below before you release the product for shipment bearing the amended labeling.
- a. Delete the phrase: General Classification.
- b. The referral statement must be placed directly below the signal word: Danger (center panel only).
- c. Add the following additional precautionary statement: Wash thorougly with soap and water after handling.
- 2. A release for shipment of the product bearing the amended labeling constitues acceptance of these conditions.
- 3. A stamped copy of the labeling is enclosed for your records.
- 4. Our records have been adjusted to reflect your product name change:

OLD PRODUCT NAME:

Nochlor Algaecide

NEW PRODUCT NAME:

Algaecide



If you have any questions concerning this letter, contact V. Goncarovs at 703-305-6663.

Sincerely,

Marshall Swindell Acting Product Manager (31) Antimicrobial Program Branch Registration Division (H7505C)

Enclosures

DANGER: Keep out of reach of children. Corrosive, Causes severe eye and skin damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling. Harmful or fatal if swallowed. Avoid contamination of food.

STATEMENT OF PRACTICAL TREATMENT: In case of contact, immediately flush eyes or skin with plenty of water for at least 15 minutes. For eyes, call a physician. Remove and wash contaminated clothing before reuse. If swallowed, drink promptly a large quantity of egg whites, gelatin solution or if these are not available, drink large quantities of water. Avoid alcohol. Call a physician adjusted and the statement of the second statement of t cian immediately.

NOTE TO PHYSICIAN: Probable mucosal damage may contra-indicate the use of gastric lavage.

ENVIRONMENTAL HAZARDS

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. De not discharge ellluent containing this product into takes, streams, pondu, estuaries, oceans or other vesters unless in accordance with the requirements of a National Pollutant Discharge Etimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effuent containing this product to sever systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

ALGAECIDE

FOR ALGAE AND SLIME CONTROL IN SWIMMING POOLS AND INDUSTRIAL RECIRCULATING WATER COOLING SYSTEMS.

ALGAECIDE, when used as directed, is effective against many air and water borne algae spores, including chlorelia pyrenoidosa (green algae), phormidium inundatum (black algae), phormidium retzii (square D algae), and lyngba versicolor (blue-

STORAGE AND DISPOSAL

1. STORAGE INSTRUCTIONS

Store in original containers and place in locked storace area.

Keep from freezing.

Do not contaminate water, food, or feed by storage or disposal.

2. SPILL OR LEAK PROCEDURE

Small spills may be mopped up or flushed away with water or absorbed on some absorbent material and incinerated.

3. PESTICIDE DISPOSAL

Securely wrap original container in sevaral layers of newspaper and discard in trash.

4. CONTAINER DISPOSAL

Do not reuse container (bottle, cano, jard). Rinse thoroughly hefore discarding in tranh.

E.P.A. Reg. No. 9359-, 1 E.P.A. Est. No. 9359-NY-02

Net Contents / Quart

ACCEPT with COMM in EPA Louis.

OCT 051

4LGAECIDE

n-Alkyl (60% C₁₄, 30% C₁₈, 5% C₁₂, 5% C₁₈) dimenthyl benzyl ammonium chlorides ... n-Alkyl (50% C12, 30% C14, 17% C18, 3% C18) dimenthyl ethylbenzyl ammonium chlorides
INERT INGREDIENTS..... 5% .90% 100%

CAREFULLY READ DIRECTIONS AND OTHER INFORMATION ON SIDE PANELS.

Bader the Redon. mphilde, and Eo. amended, for **Stered** worker E

SPA FOR POOLS AND YOUR INVISIBLE LIFEGUARI

See side panel for additional precautionary statemen

KEEP OUT OF REACH OF CHILDREN

DANGER

MANUFACTURED BY

SURPRSS CHEMICAL COLING 1254 BROADWAY, ALBANY, NY 12204 518-434-8101

BEST AVAILABLE COPY

ACCEPTED with COMMENTS in EPA Letter Dated:


prejeide and Redunitade ngende, and Resemblate her amounted, for the posticid

ssenci maire ERA Reg. To



90% TAL 100%

EFULLY READ DIRECTIONS AND OTHER INFORMATION ON SIDE PANELS.



YOUR INVISIBLE LIFEGUARD BRAND

See side panel for additional precautionary statements.

KEEP OUT OF REACH OF CHILDREN

DANGER

MANUFACTURED BY

SURPRES CHEMICAL CO., INC. 1254 BROADWAY, ALBANY, NY 12204 518-434-8101

OCT 0 5 1994 **DIRECTIONS FOR USE** Under the Bodomi Insocito

GENERAL CLASSIFICATION

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

> NOT RECOMMENDED FOR SPAS OR HOT TUBS

SWIMMING POOLS:

Initial Dose: Add one gallon ALGAECIDE for each 50,000 gallons of water when filling pool. If pool has visible algae growth repeat above doses within 48 hours after removing killed algae from pool.

Subsequent Trestment: Add one quart ALGAE-CIDE every 4 days for each 50,000 gallons of water. Add more frequently during periods of heavy use, hot sunny weather and after heavy rainstorms. If make-up water is added at the rate of more than 10% per week of pool capacity, add 1 quart of ALGAECIDE for each 10,000 gallons of fresh make-up water added per week.

INDUSTRIAL RECIRCULATING WATER COOLING SYSTEMS:

Initial Dose: Add one to two gallons of ALGAE-CIDE for each 5,000 gallons of water. For best results clean and rinse system thoroughly before treating.

Subsequent Treatment: Add one to three quarts ALGAECIDE for each 5,000 gailons of water every 7 days or sooner should visible growth appear.

The appearance of dislodged dead organic matter following initial treatment is normally expected. These debris should be removed from the system to avoid clogging.

Manufactured By SURPASS CHEMICAL CO., INC. **ALBANY, N.Y. 12204**

BEST AVAILABLE COPY