

Reg # 9359-2

PM-32

MAIL # 1111 11 11 93 JUM
MSC NOV/1470_0C2 OXD
SWSS**PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS
AND DOMESTIC ANIMALS**

DANGER: Contact may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear safety glasses, goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Use in poorly ventilated areas as soon as possible. Do not return until strong odors have dissipated.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish and aquatic organisms. Do not discharge effluent containing this active ingredient into lakes, streams, ponds, estuaries, oceans, or public waters unless this product is specifically identified and authorized in an NPDES permit. Do not discharge effluent containing this product to sewer systems without previously notifying the sewerage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL AND CHEMICAL HAZARDS: STRONG OXIDIZING AGENT: Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc. or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

This product is a strong bleaching agent. Do not spill on clothing, carpet or other fabric. Store containers upright and secure in transit to prevent upset. Caps can loosen in storage. Tighten before moving. Closures also are vented to release pressure build up, and can leak in transit.

If accidentally spilled, rinse immediately with plenty of water. Do not transfer contents to any metal container for storage.

Contents
1 Gallon

10 Pounds Net

SURCHLOR

SODIUM HYPOCHLORITE SOLUTION

A DISINFECTANT FOR CONTROLLING BACTERIA & ALGAE IN SWIMMING POOLS. USED AS A SANITIZER IN SPAS & HOT TUBS, WELL WATER, MUNICIPAL WATER SUPPLIES, TREATMENT OF SULFUR WATER, SEWAGE BLEACHING, AND FOR DISINFECTING PIPES, STORAGE TANKS & OTHER SURFACES.

ACTIVE INGREDIENT:
SODIUM HYPOCHLORITE 12.5%
INERT INGREDIENTS 87.5%
TOTAL 100.0%

KEEP OUT OF REACH OF CHILDREN DANGER


STATEMENT OF PRACTICAL TREATMENT (FIRST AID):
IF CONTACT WITH EYES OCCURS, flush with water for at least 15 minutes. Get prompt medical attention.
IF CONTACT WITH SKIN OCCURS, wash with plenty of soap and water.
IF SWALLOWED, drink large amounts of water. DO NOT induce vomiting. Call a physician or poison control center immediately.

Manufactured by
SURPASS CHEMICAL CO., INC.

1754 BROADWAY ALBANY NY 12214 518-434-8181

See side panels for additional precautionary statements.

EPA REGISTRATION NO. 9359-02
EPA EST. NO. 9359 NY 2



DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

Swimming pool water should contain proper amount of chlorine to kill bacteria and prevent the formation of algae, and cloudy water.

SWIMMING POOL WATER DISINFECTION: For new pool or spring start-up, superchlorinate with 52 to 104 oz. of product for each 10,000 gallons of water to yield 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Adjust and maintain pool water pH to between 7.2 to 7.6. Adjust and maintain the alkalinity of the pool to between 50 and 100 ppm.

To maintain the pool, add manually or by feeder device 1 oz. of this product for each 10,000 gallons of water to yield an available chlorine residual between 0.8 to 1.0 ppm by weight. Stabilized pools should maintain a residual of 1.0 to 1.5 ppm available chlorine. Test the pH, available chlorine residual and alkalinity of the water frequently with appropriate test kits. Frequency of water treatment will depend upon temperature and number of swimmers.

Every 7 days, or as necessary, superchlorinate the pool with 52 to 104 oz. of product for each 10,000 gallons of water to yield 5 to 10 ppm available chlorine by weight. Check the level of available chlorine with a test kit. Do not reenter pool until the chlorine residual is between 1.0 to 3.0 ppm.

At the end of the swimming pool season or when water is to be drained from the pool, chlorine must be allowed to dissipate from treated pool water before discharge. Do not chlorinate the pool within 24 hours prior to discharge.

For other end-uses and directions, write or call Surpass Chemical Company for a copy of procedures and recommended dosage rates.

NOTE: This product degrades with age. Use a chlorine test kit and increase or decrease dosage, as necessary, to obtain the required level of available chlorine.

STORAGE AND DISPOSAL: Store this product in a cool dry area, away from direct sunlight and heat to avoid deterioration. In case of spill, flood areas with large quantities of water. Product or residues that cannot be used should be diluted with water before disposal in a sanitary sewer. Do not reuse empty container but place in trash collection. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

BEST AVAILABLE COPY