

**ACCEPTED**  
 9359-4  
 APR 25 1980  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTERED  
 UNDER NO.

**PRECAUTIONARY STATEMENTS  
 HAZARDS TO HUMANS  
 AND DOMESTIC ANIMALS**

**DANGER:** Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Wash after handling. Avoid breathing vapors. Vacate poorly ventilated areas as soon as possible. Do not return until odors have dissipated.

**ENVIRONMENTAL HAZARDS:** This pesticide is toxic to fish. Keep out of lakes, streams, or ponds. Treated effluent may not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance, contact the regional office of the Environmental Protection Agency.

**PHYSICAL AND CHEMICAL HAZARDS:**  
**STRONG OXIDIZING AGENT:** Mix only with water according to label directions. Mixing this product with gross filth such as feces, urine, etc., or with ammonia, acids, detergents or other chemicals may release hazardous gases irritating to eyes, lungs and mucous membranes.

**NOTE:** This product degrades with age. Use a chlorine test kit and increase dosage, as necessary, to obtain the required level of available chlorine.

**STORAGE AND DISPOSAL:** Store in a cool, dry area away from direct sunlight. In case of spill, flood area with large quantities of water. Rinse empty container thoroughly with water and either return to manufacturer or discard by placing in trash collection or burying in an approved landfill. Product or rinsate that cannot be used, should be diluted with water and disposed of in a sanitary sewer. Do not contaminate food or feed by storage, disposal or cleaning of equipment.

Manufactured by  
**SURPASS CHEMICAL CO., INC.**  
 Albany, N.Y. 12204  
 ESTABLISHMENT NO. 9359-NY-2  
 EPA REGISTRATION NO. 9359-4  
 NET CONTENTS: 1 GALLON

**yjil**  
 YOUR INVISIBLE LIFE GUARD BRAND

**SUR-SHOCK  
 FOR SHOCK TREATMENT  
 OR SUPERCHLORINATION  
 OF POOL WATER**

ACTIVE INGREDIENT: Sodium Hypochlorite . . . 10.5%  
 INERT INGREDIENTS: . . . . . 89.5%  
 TOTAL . . . . . 100%

**KEEP OUT OF REACH OF CHILDREN  
 DANGER**

**FIRST AID:** If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of milk, or gelatin solution or, if these are not available, drink large quantities of water. Do NOT give vinegar or other acids. Do NOT induce vomiting. Get prompt medical attention.

See additional precautions on side panel.

**ACCEPTED**  
 9359-4  
 APR 25 1980  
 UNDER THE FEDERAL INSECTICIDE  
 FUNGICIDE AND RODENTICIDE ACT  
 FOR ECONOMIC POISON REGISTERED  
 UNDER NO.

**DIRECTIONS FOR USE  
 GENERAL CLASSIFICATION**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**FOR DAILY CHLORINATION:**  
 Add 1 or more quarts SUR-SHOCK per 10,000 gallons of pool water to obtain a chlorine residual of 6 to 1.0 p.p.m. (1.5 to 2.0 for stabilized pools).

**FOR SUPERCHLORINATION:**  
 Add 3 or more quarts SUR-SHOCK per 10,000 gallons of pool water to obtain a chlorine residual of 1.5 to 2.0 p.p.m.

**FOR SHOCK-TREATMENT:**  
 Add 6 or more quarts SUR-SHOCK per 10,000 gallons of pool water to obtain a chlorine residual of 3.0 to 6.0 p.p.m.

When you superchlorinate or shock treat, add SUR-SHOCK in the evening. Allow pool to stand unused overnight and check chlorine level with a test kit the next day. If chlorine level is too high (over 3.0 p.p.m.), let pool stand unused until the chlorine drops to a safe level.

Shock treatment and superchlorination are two ways to rapidly increase the level of chlorine in pool water. They are two of the most powerful weapons against bacteria, algae, odors, and eye burn due to the presence of chloramines (nitrogen compounds which combine with chlorine).

Superchlorination restores the ability of your regular chlorine treatment to handle algae and bacteria. Shock treatment, which is twice the dosage of superchlorination, restores it even more quickly.

**RULE OF THUMB**

A. Chlorinate daily, maintaining a chlorine residual of 6 to 1.0 p.p.m. (1.5 to 2.0 p.p.m. for stabilized pools).

B. Superchlorinate once a week as a precautionary measure.

C. Shock treat when you see algae patches on pool walls, or if water has an objectionable odor or if chlorine reading is difficult to obtain.