


7351-13

PM 32

1762

| | |
|--|--|
| <p>US ENVIRONMENTAL PROTECTION AGENCY OFFICE OF PESTICIDES PROGRAMS REGISTRATION DIVISION (75-767) WASHINGTON, DC 20460</p> <p>NOTICE OF PESTICIDE: <input type="checkbox"/> REGISTRATION <input type="checkbox"/> REREISTRATION (Under the Federal Insecticide, Fungicide, and Rodenticide Act, as amended)</p> | <p>EPA REGISTRATION NO. 9359-13</p> <p>DATE OF ISSUANCE 06/23/89</p> <p>TERM OF ISSUANCE</p> <p>NAME OF PESTICIDE PRODUCT "SUR-CLEAN 64" SANITIZER</p> |
| <p>NAME AND ADDRESS OF REGISTRANT (Include ZIP code)</p> <p>Surpass Chemical Company, Inc. 1254 Broadway Albany, NY 12204</p> | |
| <p>NOTE: Changes in labeling formula differing in substance from that accepted in connection with this registration must be submitted to and accepted by the Registration Division prior to use of the label in commerce. In any correspondence on this product always refer to the above U.S. EPA registration number.</p> | |
| <p>On the basis of information furnished by the registrant, the above named pesticide is hereby Registered/Reregistered under the Federal Insecticide, Fungicide, and Rodenticide Act.</p> <p>A copy of the labeling accepted in connection with this Registration/Reregistration is returned herewith.</p> <p>Registration is in no way to be construed as an endorsement or approval of this product by this Agency. In order to protect health and the environment, the Administrator, on his motion, may at any time suspend or cancel the registration of a pesticide in accordance with the Act. The acceptance of any name in connection with the registration of a product under this Act is not to be construed as giving the registrant a right to exclusive use of the name or to its use if it has been covered by others.</p> <p>Based on your response to the General Registration Standard - "Guidance for the Registration and Reregistration of Pesticide Products Containing Sodium or Calcium Hypochlorite as the Sole Active Ingredient"--issued February 1986 and revised April 1986, EPA has reregistered the product listed above in accordance with FIFRA section 3(g). EPA has also reviewed your response to the Sanitizer Label Improvement Program issued July 25, 1984 and has determined that your product is in compliance with the program.</p> <p>Your amended label has been stamped approved and a copy is enclosed. You must incorporate any comments noted on your label. This label must be on products released for shipment within 1 year or by the next label printing, whichever occurs first. This label must also appear on all supplemental registrations within 1 year of this Notice of Reregistration or at the next label printing, whichever occurs first.</p> <p>Your product meets the criteria for reregistration under this Standard. Failure to comply with this Standard may result in the Agency's issuance of a Notice of Intent to Cancel the registration under FIFRA section 6(b)(1).</p> <p style="text-align: right;">  Jeff Kemper Product Manager (32) Antimicrobial Program Branch Registration Division (H7504C) </p> <p>Enclosure</p> <p><input type="checkbox"/> ATTACHMENT IS APPLICABLE</p> | |
| SIGNATURE OF APPROVING OFFICIAL | DATE |

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER: Corrosive, may cause severe skin irritation or chemical burns to broken skin. Causes eye damage. Do not get in eyes, on skin or on clothing. Wear goggles or face shield and rubber gloves when handling this product. Rinse after handling. Avoid breathing vapors. Vacuum poorly ventilated areas as soon as possible. Do not return until vapors have dissipated.

ENVIRONMENTAL HAZARDS: This product is toxic to fish. Keep out of lakes, streams or ponds. Treatments should not be discharged into lakes, streams, ponds or public waters without a valid discharge permit. For guidance consult the regional office of the Environmental Protection Agency.

PHYSICAL AND CHEMICAL HAZARDS, STRONG

OXIDIZING AGENT: May react with other oxidizing or toxic substances. Mixing this product with acids such as acids, acids, etc. or with ammonia, acids, dyes, or other chemicals may produce hazardous gases resulting in eye, lung and mucous membrane irritation.

STORAGE AND DISPOSAL: Store in a cool, dry area away from direct sunlight and heat to avoid deterioration. In case of spill, rinse area with large quantities of water. Product or container that cannot be used should be placed in a leak-proof container and disposed of in a sanitary manner. Do not reuse empty container, but place in trash collection. Do not contaminate water, food, or feed by storage or disposal.

KEEP OUT OF REACH OF CHILDREN DANGER

FIRST AID: If on skin, wash with plenty of soap and water. If in eyes, flush with water for at least 15 minutes. Get medical attention. If swallowed, drink large quantities of water or milk or gelatin solution or if these are not available, drink large quantities of water. Do NOT give emetics or other drugs. Do NOT induce vomiting. Get prompt medical attention.

NET CONTENTS: 1 U.S. GAL. 3.78 LITERS

SUR-CLEAN 64 SANITIZER

FOR USE IN DAIRY AND FOOD PROCESSING PLANTS

ACTIVE INGREDIENTS: Sodium Hypochlorite 6.4%
INERT INGREDIENTS 93.6%
100.0%

EPA REG. NO. 9359-13
EPA EST. NO. 9359-NY-2

KEEP OUT OF REACH OF CHILDREN

DANGER: CORROSIVE
CAUSES EYE DAMAGE AND SKIN IRRITATION
HARMFUL IF SWALLOWED

See side panel for additional precautions
and FIRST AID statement

SURPASS CHEMICAL CO., INC.

1254 BROADWAY, ALBANY, NY 12204 518-434-8101

DIRECTIONS
GENERAL

It's a violation of
manner

DIRECTIONS FOR DAIRY EQUIPMENT

As directed by the sanitizing
applying sanitizer

The recommended use is
surfaces, such as, vacuum
ing to thoroughly wet the

TO SANITIZE NON

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

TO SANITIZE POR

SANITIZATION OF NONPOROUS FOOD CONTACT SURFACES

RINSE METHOD - A solution of 100 ppm available chlorine may be used in the sanitizing solution if a chlorine test kit is available. Solutions containing an initial concentration of 100 ppm available chlorine must be tested and adjusted periodically to insure that the available chlorine does not drop below 50 ppm. Prepare a 100 ppm sanitizing solution by thoroughly mixing 1 oz. of this product with 10 gallons of water. If no test kit is available, prepare a sanitizing solution by thoroughly mixing 2 oz. of this product with 10 gallons of water to provide approximately 200 ppm available chlorine by weight.

Clean equipment surfaces in the normal manner. Prior to use, rinse all surfaces thoroughly with the sanitizing solution, maintaining contact with the sanitizer for at least 2 minutes. If solution contains less than 50 ppm available chlorine, as determined by a suitable test kit, either discard the solution or add sufficient product to reestablish a 200 ppm residual. Do not rinse equipment with water after treatment and do not soak equipment overnight.

Sanitizers used in automated systems may be used for general cleaning but may not be re-used for sanitizing purposes.

IMERSION METHOD - A solution of 100 ppm available chlorine may be used in the sanitizing solution if a chlorine test kit is available. Solutions containing an initial concentration of 100 ppm available chlorine must be tested and adjusted periodically to insure that the available chlorine does not drop below 50 ppm. Prepare a 100 ppm sanitizing solution by thoroughly mixing 1 oz. of this product with 10 gallons of water. If no test kit is available, prepare a sanitizing solution by thoroughly mixing 2 oz. of this product with 10 gallons of water to provide approximately 200 ppm available chlorine by weight.

Clean equipment in the normal manner. Prior to use, immerse equipment in the sanitizing solution for at least 2 minutes and allow the sanitizer to drain. If solution contains less than 50 ppm available chlorine, as determined by a suitable test kit, either discard the solution or add sufficient product to reestablish a 200 ppm residual. Do not rinse equipment with water after treatment.

Sanitizers used in automated systems may be used for general cleaning but may not be re-used for sanitizing purposes.

4/21/81

SANITIZATION OF P

RINSE METHOD - Prepare a 600 ppm solution of this product with 10 gallons of water. Rinse all surfaces thoroughly with the solution for at least 2 minutes. Prior to using equipment, rinse all surfaces with the chlorine solution. Do not rinse with water.

IMERSION METHOD - Prepare a 600 ppm solution of this product in a tank, 6 oz. of this product with 10 gallons of water. Immerse equipment in the normal manner solution for at least 2 minutes. Prior to using equipment, immerse equipment in the chlorine solution. Do not rinse with water.

ACCEPTED
with COMMENTS
in EPA Letter Dated

JUN 23 1989

Under the Federal Insecticide, Fungicide, and Rodenticide Act, amended, for the pesticide registered under EPA Reg. 9359-13

BEST AVAILABLE COPY