

Spray in Corners,
Under Sinks, Bathrooms,
And All Possible
Contaminated Areas

DIRECTIONS

To kill SILVERFISH: Thoroughly spray infested areas working spray into cracks and other hiding places. When possible spray the insects directly. Repeat when necessary. To kill ANTS in buildings, follow directions above.

Spray ant trails and areas around door sills and window frames where the pests enter premises. Repeat when necessary.

To kill FLIES, MOSQUITOES and GNATS — Close doors and windows of infested area. Fill infested area with mist using hand or electric atomizer. Allow sprayed area to remain closed for 10 minutes, then sweep up and destroy fallen insects. Repeat when necessary.

To kill MOTHS and CARPET BEETLES — Thoroughly spray clothing or carpets, particularly the seams or folds. Closets and storage containers should be filled with fine mist and remain closed for 30 minutes after spraying. Spray into any cracks or other hiding places. Repeat every month unless articles are stored in a moth-tight container.

KILL-O-CIDE

FLY & INSECT SPRAY

U.S.D.A. Authorized for use in Federally Inspected
Meat, Poultry and Egg Processing Plants.

ACTIVE INGREDIENTS:

Pyrethrins063%
Piperonyl Butoxide	
* Technical313%
Petroleum Distillates	99.624%
TOTAL	100.00%
* Equivalent to .2504% of (Butylcarbityl) (6-propylpiperonyl) ether and .0626% of related compounds.	

CAUTION: — KEEP OUT OF REACH OF CHILDREN
SEE SIDE PANEL FOR OTHER CAUTIONS

E.P.A. Reg. No. 9367 - 7

E.P.A. Est. No. 9367-FL-1

CONTAINS _____ GALLONS

ANOTHER QUALITY PRODUCT MANUFACTURED BY:


 **Theochem**
LABORATORIES, INC.
5131 West Idlewild Tampa, Florida 33614

9367-7
4-16-1979

1/2



KILLS
FLIES,
MOSQUITOES,
MOTHS,
ANTS
AND CERTAIN
OTHER
HOUSEHOLD
INSECTS



Foods should be removed or covered during treatment. All food processing surfaces should be covered during treatment or thoroughly cleaned before using. When using the product as a space spray in these areas, apply only when plant is not in operation. Do not remain in enclosed treated areas and ventilate the area after the treatment is completed.

CAUTION: FLAMMABLE—
Do not spray near or toward open flame. Do not smoke while spraying. Remove or cover exposed foods before spraying. Cover or remove aquaria in areas to be treated.

Contains petroleum distillate. May be harmful or fatal if swallowed. If swallowed DO NOT INDUCE VOMITING. See a physician. Avoid contact with skin, eyes, or clothing. Avoid breathing vapors. In case of contact with skin or eyes, wash thoroughly and repeatedly with water and call physician.

362 / 279



2/2