

10/4  
NOV 5 1982

Mr. E. George Pazianos  
Theochem Laboratories, Inc.  
5131 W. Idlewild Avenue  
Tampa, FL 33614

Dear Mr. Pazianos

Subject: Residual Insecticide with Baygon  
EPA Registration No. 9367-12  
Your Application Dated October 15, 1982

The labeling referred to above, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act, as amended, is acceptable. A stamped copy is enclosed for your records.

Sincerely yours,

Jay S. Ellenberger  
Product Manager (12)  
Insecticide-Rodenticide Branch  
Registration Division (TS-767)

Enclosure

TS-767:J.S.Ellenberger:DCR-28959:WANG-1012C:lwy:Raven:479-2013:11/03/82



Residual insecticide with Baygon is a highly effective ready to use formulation for control of the insects listed below including those resistant to certain chlorinated Hydrocarbon and Phosphate insecticides. This product drives insects from their hiding place, gives rapid kill and long residual activity.

**DIRECTIONS FOR USE**

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Apply with low pressure sprayer equipped with a coarse spray nozzle. Spray but faces only until wet. Avoid excessive runoff. Apply to all insect breeding sites and harborage. Also treat adjacent exposed surfaces where insects may crawl when they come out of hiding.

**COCKROACHES** - Thoroughly treat the infested area. Spray baseboards, cracks and crevices; around window and door frames; the under surfaces of shelves, drawers and work tables; behind and beneath cabinets, refrigerators, stoves and stoves; in and around waste containers, rubbish pans, junction boxes, floor drains and other places where Cockroaches hide or rest.

**ANTS** - Apply to trails and places where ants enter premises such as window frames and door sills. Spray hills and runways outdoors.

**CABBLES, CHARLETTE BEETLES, BRISTLE BEETLES, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTHS, RED FLOOR BEETLES, SAW TOOTHED GRAM BEETLES AND WEEVILS (Exposed Stages)** - Thoroughly treat floors and the walls of the infested area with attention to cracks, crevices, corners and perforators. Sanitation and dust control are of primary importance. Fumigate or fumigate infested products.

**SILVERFISH, FINEGRATS AND PAPERLICE** - Apply to localized areas infested by these insects.

**BROWN DOB TICKS** - Spray sleeping quarters of pets, around baseboards, window frames and door sills. Spray hills and runways outdoors. Repeat as needed. Old bedding of pets should be removed and replaced with clean, fresh bedding after treatment of pet areas. Additionally, treat pets with E.P.A. approved product.

**CLOVER MITES, CRICKETS, EARWIGS, MILLIPEDS, GENTIPEDS, GOWBUES, SCORPIONS AND SPIDERS** - Thoroughly spray the interior and exterior perimeter of the infested premises. For Clover Mites, give special attention to window frames.

**FLEAS, FLIES, GNATS, MOSQUITOES, PUNKIES AND SANDFLIES (Outdoors only)** - Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, foundations, patios and other areas where insects may enter.

**FOR USE IN MEAT PACKING AND FOOD PROCESSING PLANTS** Use only in the inedible product areas of meat packing plants and food processing plants. Any exposed food products, equipment, or packaging materials must be removed or covered before spraying. Rinse all equipment with water before resuming operations. Treat food processing plants early in the season before canning or other processing begins. Repeat applications if necessary, when plant is not in operation. Spraying unloading docks and outside areas where insects congregate will aid in preventing reinfestation. Good sanitation and proper disposal of waste is essential in any effective insect control program.

**INSECT CONTROL IN RESEARCH FACILITIES:** The use of this insect spray in and around research animal quarters for insect control will not induce changes in Liver Microsomal Enzyme activity in these animals.

REPEAT TREATMENT WHENEVER NECESSARY  
RESIDUAL ACTIVITY LASTS UP TO 4 WEEKS

# RESIDUAL INSECTICIDE

WITH <sup>®</sup>BAYGON

INSECT-KILLING POWER LASTS FOR UP TO 4 WEEKS

KILLS ANTS, ROACHES, SPIDERS, and OTHER CRAWLING INSECTS AS LISTED

**ACTIVE INGREDIENTS:**

o-Isopropoxyphenyl Methylcarbamate ..... 1.00%  
Petroleum Distillate ..... 89.00%

**INERT INGREDIENTS:** ..... 10.00%

Use Outdoors Against **FLEAS, FLIES, GNATS, PUNKIES and MOSQUITOES**

**SPRAY ONLY ON SURFACES  
DO NOT USE AS A SPACE SPRAY**

\*Baygon is the registered trademark of Farbenfabriken Bayer A.G. Chemagro Corporation Licensee

**CAUTION:**  
KEEP OUT OF REACH OF CHILDREN  
Combustible Mixture  
HARMFUL OR FATAL IF SWALLOWED  
See further caution & handling statements on side panel.

ACCEPTED with COMMENTS in EPA Letter Dated:

NOV 5 1982

Under the Federal Insecticide, Fungicide, and Rodenticide Act as amended, for the pesticide registered under EPA Reg. No. 27-7-12

EPA REG NO 9287-12

EPA Est. No. 9287-FL-1

Net Contents \_\_\_\_\_ Gal.

HIGHEST QUALITY PRODUCT MANUFACTURED BY

**Theochem**  
LABORATORIES, INC.

3131 West 16th St. Tampa, Florida 33616



**BEST AVAILABLE**

KEEP OUT OF REACH OF CHILDREN  
HAZARDS  
CAUTION: Harmful if breathing vapors or spr thoroughly after using clothing with soap and this formulation. Remove and pets out of treated area being treated. Do not feed, feed, feed processed ducts areas of food processing plants prepared or prepared.  
STATE  
If swallowed - Induce vomiting  
If on skin - Wash with soap  
If in eyes - Wash with water  
If inhaled - Remove to fresh air  
SHOULD KILLNESS OCCUR TO PHYSICIAN AT ONCE  
E  
This pesticide is toxic. Do not contaminate water by cleaning of equipment.  
PHYSICIAN AT ONCE  
Do not use, pour, spill, or wash down.  
ST  
Do not contaminate water. Store in a cool, dry place.  
PESTICIDE DISPOSAL: Containers should be disposed of according to local procedures under local procedures under local procedures.  
CONTAINER DISPOSAL: Containers should be disposed of according to local procedures under local procedures.  
DO NOT CUT DRUGS  
KEEP OUT OF REACH OF CHILDREN