

THIS INSECTICIDE WITH BAYGON IS A HIGHLY EFFECTIVE READY TO USE FORMULATION FOR CONTROL OF THE INSECTS LISTED BELOW INCLUDING THOSE RESISTANT TO CERTAIN CHLORINATED HYDROCARBON AND PHOSPHATE INSECTICIDES. THIS PRODUCT DRIVES INSECTS FROM THEIR HIDING PLACE, GIVES RAPID KILL AND LONG RESIDUAL ACTIVITY.

DIRECTIONS FOR USE

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT IN A MANNER INCONSISTENT WITH ITS LABELING.

APPLY WITH LOW PRESSURE SPRAYER EQUIPPED WITH A COARSE SPRAY NOZZLE. SPRAY SURFACES ONLY UNTIL WET. AVOID EXCESSIVE RUNOFF. APPLY TO ALL INSECT BREEDING SITES AND HARBORAGES. ALSO TREAT ADJACENT EXPOSED SURFACES WHERE INSECTS MAY CRAWL WHEN THEY COME OUT OF HIDING.

COCKROACHES: THOROUGHLY TREAT THE INFESTED AREA. SPRAY BASEBOARDS, CRACKS AND CREVICES AROUND WINDOW AND DOOR FRAMES, THE UNDER SURFACES OF SHELVES, DRAWERS AND WORK TABLES BEHIND AND BENEATH CABINETS, REFRIGERATORS, SINKS AND STOVES, IN AND AROUND WASTE CONTAINERS, SWITCH PANELS, JUNCTION BOXES, FLOOR DRAINS AND OTHER PLACES WHERE COCKROACHES HIDE OR REST.

ANTS: APPLY TO TRAILS AND PLACES WHERE ANTS ENTER PREMISES SUCH AS WINDOW FRAMES AND DOOR SILLS. SPRAY HILLS AND RUNWAYS OUTDOORS.

CADELLES, CIGARETTE BEETLES, DRUGSTORE BEETLES, INDIAN MEAL MOTHS, MEDITERRANEAN FLOUR MOTHS, RED FLOUR BEETLES, SAW TOOTHED GRAM BEETLES AND WEEVILS (EXPOSED STAGES): THOROUGHLY TREAT FLOORS AND THE WALLS OF THE INFESTED AREA WITH ATTENTION TO CRACKS, CREVICES, CORNERS AND PERIMETERS. SANITATION AND DUST CONTROL ARE OF PRIMARY IMPORTANCE. FUMIGATION OR DESTROY INFESTED PRODUCTS.

SILVERFISH, FIREBRATS AND PAPERLICE: APPLY TO LOCAL, FED AREAS INFESTED BY THESE INSECTS.

BROWN DOG TICKS: SPRAY SLEEPING QUARTERS OF PETS, AROUND BASEBOARDS, WINDOW AND DOOR FRAMES, WALL CRACKS AND LOCAL AREAS OF FLOORS. REPEAT AS NEEDED. OLD BEDDING OF PETS SHOULD BE REMOVED AND REPLACED WITH CLEAN, FRESH BEDDING AFTER TREATMENT OF PET AREAS. ADDITIONALLY TREAT PETS WITH EPA APPROVED PRODUCT.

CLOVER MITES, CRICKETS, EARWIGS, MILLPEDES, CENTIPEDES, SCORPIONS AND SPIDERS: THOROUGHLY SPRAY THE INTERIOR AND EXTERIOR PERIMETER OF THE INFESTED PREMISES. FOR CLOVER MITES GIVE SPECIAL ATTENTION TO WINDOW FRAMES.

FLEAS, FLIES, GNATS, MOSQUITOES, PUNKIES AND SANDFLIES (OUTDOORS ONLY): SPRAY INFESTED AREAS THOROUGHLY INCLUDING OUTSIDE SURFACES OF SCREENS, DOORS, WINDOW FRAMES, FOUNDATIONS, PATIOS AND OTHER AREAS WHERE INSECTS MAY ENTER.

FOR USE IN MEAT PACKING AND FOOD PROCESSING PLANTS: USE ONLY IN THE INFESTIBLE PRODUCT AREAS OF MEAT PACKING PLANTS AND FOOD PROCESSING PLANTS. ANY EXPOSED FOOD PRODUCTS, EQUIPMENT OR PACKAGING MATERIALS MUST BE REMOVED OR COVERED BEFORE SPRAYING.

FACILITIES AND EQUIPMENT IN FEDERALLY INSPECTED MEAT AND POULTRY PLANTS MUST BE WASHED WITH AN EFFECTIVE CLEANING COMPOUND FOLLOWED BY A POTABLE WATER RINSE.

TREAT FOOD PROCESSING PLANTS EARLY IN THE SEASON BEFORE CANNING OR OTHER PROCESSING BEGINS. REPEAT APPLICATIONS IF NECESSARY WHEN PLANT IS NOT IN OPERATION. SPRAYING UNLOAD AND DOCKS AND OUTSIDE AREAS WHERE INSECTS CONGREGATE WILL AID IN PREVENTING REINFESTATION. GOOD SANITATION AND PROPER DISPOSAL OF WASTE IS ESSENTIAL IN ANY EFFECTIVE INSECT CONTROL PROGRAM.

INSECT CONTROL IN RESEARCH FACILITIES: THE USE OF THIS INSECTICIDE SPRAY IN AND AROUND RESEARCH ANIMAL QUARTERS FOR INSECT CONTROL WILL NOT INDUCE CHANGES IN LIVER MICROSOMAL ENZYME ACTIVITY IN THE SE ANIMAL.

EPA REG NO 9367-12

EPA EST NO 9367-FL-1

RESIDUAL INSECTICIDE

WITH BAYGON[®]


KILLS ANTS, ROACHES, SPIDERS, AND OTHER CRAWLING INSECTS AS LISTED.

ACTIVE INGREDIENTS:
O-ISOPROPOXYPHENYL-METHYL CARBAMATE.....1.00%
INERT INGREDIENTS.....99.00%
TOTAL 100.00%

*THIS PRODUCT CONTAINS THE TOXIC INERT INGREDIENT METHYLENE CHLORIDE

USE OUTDOORS AGAINST FLEAS, FLIES, GNATS, PUNKIES AND MOSQUITOES. SPRAY ONLY ON SURFACES. DO NOT USE AS A SPACE SPRAY.

BAYGON[®] IS THE REGISTERED TRADEMARK OF FARBENFABRIKEN BAYER A.G. CHEMAGRO CORPORATION LICENSEE



KEEP OUT OF REACH OF CHILDREN CAUTION:

COMBUSTIBLE MIXTURE HARMFUL OR FATAL IF SWALLOWED. SEE FURTHER CAUTION & HANDLING STATEMENTS ON SIDE PANEL.



ANOTHER QUALITY PRODUCT MANUFACTURED BY
THE CHEMEL LABORATORY, INC.
7373 ROWLETT PARK DR., TAMPA, FLORIDA 33610
"SOLUTIONS FOR A CLEANER WORLD"[™]



KEEP OUT OF REACH OF CHILDREN CAUTION

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS

HARMFUL IF SWALLOWED. MAY BE ABSORBED THROUGH THE SKIN. AVOID BREATHING VAPOURS OR SPRAY MIST. AVOID CONTACT WITH SKIN AND EYES. WASH HANDS THOROUGHLY AFTER USING AND BEFORE EATING OR SMOKING. WASH ALL CONTAMINATED CLOTHING WITH SOAP AND HOT WATER BEFORE RE USE. DO NOT TREAT HUMANS OR PETS WITH THIS FORMULATION. REMOVE PETS AND COVER FISH BOWLS BEFORE SPRAYING. KEEP CHILDREN AND PETS OUT OF TREATED AREAS UNTIL SPRAY HAS DRIED. PROVIDE ADEQUATE VENTILATION OF AREA BEING TREATED. DO NOT USE IN SERVING AREAS WHILE FOOD IS EXPOSED.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. DO NOT INDUCE VOMITING. VOMITING MAY CAUSE ASPIRATION PNEUMONIA.

IF ON SKIN: REMOVE CONTAMINATED CLOTHING AND WASH IMMEDIATELY WITH SOAP AND WATER.

IF IN EYES: WASH WITH FLOWING WATER FOR AT LEAST 15 MINUTES.

IF INHALED: REMOVE VICTIM TO FRESH AIR. APPLY ARTIFICIAL RESPIRATION IF INDICATED. SHOULD ILLNESS OCCUR, GET PROMPT MEDICAL ATTENTION. TO PHYSICIAN. ATROPINE SULFATE IS ANTIDOTAL.

ENVIRONMENTAL HAZARDS

THIS PESTICIDE IS TOXIC TO FISH AND WILDLIFE. DO NOT CONTAMINATE WATER BY CLEANING OF EQUIPMENT OR DISPOSAL OF WASTES.

PHYSICAL OR CHEMICAL HAZARDS

DO NOT USE POUR SPILL OR STORE NEAR HEAT OR OPEN FLAME. DO NOT CUT CONTAINER WITH TORCH AS EXPLOSION MAY RESULT.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE AND DISPOSAL. **STORAGE:** STORE IN A COOL, DRY PLACE. KEEP CONTAINER CLOSED.

PESTICIDE DISPOSAL

PESTICIDE WASTES ARE ACUTELY HAZARDOUS. IMPROPER DISPOSAL OF EXCESS PESTICIDE SPRAY MIXTURE OR RESIDUE IS A VIOLATION OF FEDERAL LAW. IF THESE WASTES CANNOT BE DISPOSED OF BY USE ACCORDING TO LABEL INSTRUCTIONS, CONTACT YOUR STATE PESTICIDE OR ENVIRONMENTAL CONTROL AGENCY OR THE HAZARDOUS WASTE REPRESENTATIVE AT THE NEAREST EPA REGIONAL OFFICE FOR GUIDANCE.

CONTAINER DISPOSAL

TRIPLE RINSE (OR EQUIVALENT) THEN OFFER FOR RECYCLING OR RECONDITIONING OR PUNCTURE AND DISPOSE OF IN A SANITARY LAND FILL OR BY OTHER PROCEDURES APPROVED BY STATE AND LOCAL AUTHORITIES.

REPEAT TREATMENT WHENEVER NECESSARY
RESIDUAL ACTIVITY LASTS UP TO 4 WEEKS

FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY

NET CONTENTS: GAL

Keep out of reach of children with this product. Page 2