

PM 19 9367-12

ACCEPTED
SEP 23 1993

1081

This insecticide with Baygon is a highly effective study to use for control of the insects listed below including those resistant to certain chemical insecticides and phosphorus insecticides. This product drives insects from their hiding places, gives rapid kill and long residual activity.

DIRECTIONS FOR USE:
It is a violation of Federal law to use this product in manner inconsistent with its labeling. This product must be applied using a compressed air sprayer. Do not apply this product to food or food processing equipment. Apply with low pressure sprayer equipped with a coarse spray nozzle. Spray outdoors only well out. Avoid excessive runoff. Apply to all insect harboring sites and harborage. Also use in areas where insects are likely to be present when they come out of hiding. **COCKROACHES:** Thoroughly treat the infested area. Spray on baseboards, under appliances, around kitchen and door frames, the water surfaces of drains, basins and sink tubs; behind and beneath cabinets, refrigerators, stoves and ovens; in and around waste containers, rubbish cans, janitor closets, floor drains and other places where cockroaches hide or run. **ANTS:** Apply to trails and places where ants enter premises such as window sills and door sills. Spray sills and openings between. **CADLES, CIGARETTE BEETLES, CRUSTACEAN BEETLES, BEAN MEAL MOTH, MEDITERRANEAN FLOUR MOTH, RED FLOUR BEETLE, SAW TOOTH GRAIN BEETLE AND WEEVILS (CORNER STAGER):** Thoroughly treat floors and walls of infested areas with attention to cracks, corners, crevices and perforations. Seal holes and dust control are of primary importance. **Fleas on dogs or cats:** Use only on animals. **SILVERFISH, FIREBRATS AND PAPERLICE:** Apply to harbored areas infested by these insects. **BROWN DOG TICKS:** Spray sleeping quarters of pets, around beds, under and near frames, wall cracks and floor areas of rooms. Repeat as needed. **Chickadees:** Thoroughly treat and spray with clean, fresh bedding after treatment of pet areas. Additionally, treat gaps with EPA approved product. **CLOVER WEEVIL, CRICKETS, EARWIGS, MILLIPEDS, CENTIPEDS, BOMBARDIER, SCORPIONS AND SPIDERS:** Thoroughly spray the interior and exterior perimeter of the infested premises. For other uses, give special attention to under floors. **FLEAS, FLEA GRATS, MOSQUITOES, FURGES AND SANDFLIES (OUTDOOR USE):** Spray infested areas thoroughly including outside surfaces of screens, doors, window frames, furniture, porches and other areas where insects may enter.

FOR USE IN MEAT PACKING AND FOOD PROCESSING PLANTS: Use only in the specific pest areas of meat packing plants and food processing plants. Any exposed food products, equipment, or packaging material must be removed or covered before spraying. Facilities and equipment in heavily infested meat and poultry plants must be washed with an effective cleaning compound followed by a potable water rinse. Treat food processing plants only in the evening before closing or after processing begins. Repeat applications if necessary, when plant is not in operation. Spraying on bedding, walls and ceiling areas where insects may enter is not recommended. Do not use in areas where food is present. **INSECT CONTROL IN RESEARCH FACILITIES:** The use of this insect spray in and around research testing quarters for insect control will not induce changes in their measured enzyme activity in these insects.



RESIDUAL INSECTICIDE

WITH BAYGON • INSECT-KILLING POWER LASTS FOR UP TO 4 WEEKS
KILLS ANTS, MOSQUITOES, SPIDERS, AND OTHER CRAWLING INSECTS AS LISTED.

Active Ingredients:

O-leopropoxyphenyl-	1.00%
Methylcarbamate.....	99.00%
Inert Ingredients.....	100.00%

Total..... 100.00%

*This product contains the toxic inert ingredient Methylene Chloride

USE AGAINST PLEAS, FLIES, GRATS, FURGES AND MOSQUITOES. SPRAY ONLY ON SURFACES. DO NOT USE AS A SPACE SPRAY.

BAYGON® is the registered trademark of Farnam Companies, Inc. A.S. Chemical Corporation Limited.

**KEEP OUT OF REACH OF CHILDREN
CAUTION:**
CONTAINERS TO BE KEPT IN ORIGINAL OR REPAIRED CONDITION. SEE FURTHER CAUTION AND DANGER STATEMENTS ON SIDE PANEL.



THEOCHEM LABORATORIES, INC. 7373 FOWLETT PARK DR., TAMPA, FLORIDA 33610
"SOLUTIONS FOR A CLEANER WORLD"™

**KEEP OUT OF REACH OF CHILDREN
CAUTION**
Precautionary Statements Pictograms to Humans and Domestic Animals
Hazard if swallowed. May be absorbed through the skin. Avoid breathing vapors or spray mist. Avoid contact with skin and eyes. Wash hands thoroughly after using and before eating or smoking. Wash all contaminated clothing with soap and hot water before wearing. Do not feed horses or pigs with this formulation. Remove pets and cover fish tanks before spraying. Keep children and pets out of treated areas until spray has dried. Provide adequate ventilation of areas being treated. Do not store near food or food products. Avoid contamination of food, feed, food processing equipment and food surfaces. Do not use in edible products areas of food processing plants, restaurants or other areas where food is conventionally prepared or processed. Do not use in working areas while food is exposed.

STATEMENT OF PRACTICAL TREATMENT:
If Swallowed: Call a physician or poison control center immediately. Do not induce vomiting. Vomiting may cause aspiration pneumonia. If on Milk: Remove contaminated clothing and wash immediately with soap and water. If In Eyes: Flush with flowing water for at least 15 minutes. If Inhaled: Remove victim to fresh air. Apply artificial respiration if indicated. Should these occur, get prompt medical attention. Refer to Physicians: Acquire suitable information.

ENVIRONMENTAL HAZARDS:
This pesticide is toxic to fish and wildlife. Do not contaminate water by cleaning of equipment or disposal of waste.

PHYSICAL OR CHEMICAL HAZARDS:
Do not use, pour, spill or store near heat or open flame. Do not use container with leak as explosion may result.

STORAGE AND DISPOSAL:
Do not contaminate water, food or feed by storage or disposal. Storage: Store in a cool, dry place. Keep container closed. Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or dilute solution of labeled herbicide, contact your state pesticide or environmental control agency, or the hazardous waste representative of the nearest EPA regional office for guidance.
Container Disposal: Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and crush in a secondary landfill, or by other procedures approved by state and local authorities.

Repeat treatment whenever necessary. Residual activity lasts up to 4 weeks.

EPA REG. NO. 0007-12 EPA INT. NO. 0007-PL-1

FOR INDUSTRIAL & INSTITUTIONAL USE ONLY

NET CONTENTS: GALLONS

Thou # 369

336 F. Green
BEST AVAILABLE COPY

1991