

NET WT. 50 LBS.

Ranch-O MINERAL MIX WITH RABON® ORAL LARVICIDE

To prevent the development of resistance, use only on the same species of treated cattle.

ACTIVE INGREDIENTS:

2-chloro-1-(2,4,5-trichlorophenyl)vinyl dimethyl phosphate

INERT INGREDIENTS:

* Refers only to ingredients which are listed on the label.

EPA REG. NO. 9374-1
EPA EST. NO. 09374M001

RABON® is the registered trademark of the manufacturer.

Contains: 2-chloro-1-(2,4,5-trichlorophenyl)vinyl dimethyl phosphate, calcium carbonate, calcium phosphate, calcium chloride, calcium sulfate, copper oxide, iron oxide, manganese oxide, zinc oxide, Vitamin A, Vitamin D, Vitamin E, Vitamin K, Vitamin B1, Vitamin B2, Vitamin B6, Vitamin B12, Vitamin C, Vitamin P, Vitamin K3, Vitamin K4, Vitamin K5, Vitamin K6, Vitamin K7, Vitamin K8, Vitamin K9, Vitamin K10, Vitamin K11, Vitamin K12, Vitamin K13, Vitamin K14, Vitamin K15, Vitamin K16, Vitamin K17, Vitamin K18, Vitamin K19, Vitamin K20, Vitamin K21, Vitamin K22, Vitamin K23, Vitamin K24, Vitamin K25, Vitamin K26, Vitamin K27, Vitamin K28, Vitamin K29, Vitamin K30, Vitamin K31, Vitamin K32, Vitamin K33, Vitamin K34, Vitamin K35, Vitamin K36, Vitamin K37, Vitamin K38, Vitamin K39, Vitamin K40, Vitamin K41, Vitamin K42, Vitamin K43, Vitamin K44, Vitamin K45, Vitamin K46, Vitamin K47, Vitamin K48, Vitamin K49, Vitamin K50, Vitamin K51, Vitamin K52, Vitamin K53, Vitamin K54, Vitamin K55, Vitamin K56, Vitamin K57, Vitamin K58, Vitamin K59, Vitamin K60, Vitamin K61, Vitamin K62, Vitamin K63, Vitamin K64, Vitamin K65, Vitamin K66, Vitamin K67, Vitamin K68, Vitamin K69, Vitamin K70, Vitamin K71, Vitamin K72, Vitamin K73, Vitamin K74, Vitamin K75, Vitamin K76, Vitamin K77, Vitamin K78, Vitamin K79, Vitamin K80, Vitamin K81, Vitamin K82, Vitamin K83, Vitamin K84, Vitamin K85, Vitamin K86, Vitamin K87, Vitamin K88, Vitamin K89, Vitamin K90, Vitamin K91, Vitamin K92, Vitamin K93, Vitamin K94, Vitamin K95, Vitamin K96, Vitamin K97, Vitamin K98, Vitamin K99, Vitamin K100.

Calcium carbonate
Calcium phosphate
Calcium chloride
Calcium sulfate
Copper oxide
Iron oxide
Manganese oxide
Zinc oxide
Vitamin A
Vitamin D
Vitamin E
Vitamin K

KEEP OUT OF REACH OF CHILDREN

CAUTION

RANCH-O MINERAL MIX WITH RABON® ORAL LARVICIDE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Do not breathe dust. Avoid contact with skin and eyes. Wash thoroughly with soap and water after handling and before eating. If irritation occurs, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water bodies by application or disposal of wastes.

STORAGE AND DISPOSAL

Do not store in water or feed storage or disposal. Open dumping is prohibited. Dispose of this product in accordance with approved pesticide containers or bury in a safe place.

DIRECTIONS FOR USE

GENERAL CLASSIFICATION:

This product is a fly preventive for cattle and should be used in a manner consistent with its labeling.

Apply 1/2 ounce (15.23 ml) of RABON® Oral Larvicide to the fore of 4 ounces per 1000 pounds of body weight per head per day. Feed RABON® Oral Larvicide into the ground ration or complete daily ration. Do not use RABON® Oral Larvicide on calves up to 6 months of age and on lactating dairy cows. Start feeding RABON® Oral Larvicide in the spring before flies begin to appear and continue until cold weather restricts fly activity.

RABON® Oral Larvicide is effective against horn flies, face flies, house flies and stable flies. It is also effective against existing adult flies. Do not use RABON® Oral Larvicide in conjunction with other fly control products.

RABON® Oral Larvicide should be used in a manner consistent with its labeling. Do not use RABON® Oral Larvicide on cattle in conjunction with other fly control products.

RABON® Oral Larvicide should be used in a manner consistent with its labeling. Do not use RABON® Oral Larvicide on cattle in conjunction with other fly control products.

RANCH-O MILLS, INC.
P.O. BOX 4850
ST. LOUIS, MO. 63108

NET WT. 50 LBS.

Ranch-O MINERAL MIX WITH RABON® ORAL LARVICIDE

To prevent the development of resistance, use this product on a regular basis on the entire area of treated cattle.

ACTIVE INGREDIENTS:

2-chloro-1-(2,4,5-trichlorophenyl)vinyl dimethyl phosphorothioate 99.80

INERT INGREDIENTS 0.20

100.00

* Refer to label for ingredients which are not listed here.

EPA REG. NO. 9374-

EPA EST. NO. 09374M001

RABON® is a registered trademark of the manufacturer.

Net weight 50 lbs. (22.7 kg). Contains 100% active ingredient. For use on cattle. Do not use on horses, dogs, cats, birds, or other animals. Keep out of reach of children. Store in a cool, dry place. Do not use if the container is damaged or the contents are not as shown. For more information, contact your local health department or the manufacturer.

- Calcium Phosphate
- Calcium Hydroxide
- Phosphoric Acid
- Salt (NaCl)
- Salt (Na₂SO₄)
- Iodine
- Vitamin A
- Vitamin D
- Vitamin E
- Vitamin K
- Vitamin B₁
- Vitamin B₂
- Vitamin B₆
- Vitamin B₁₂
- Vitamin C
- Vitamin H
- Vitamin M
- Vitamin P
- Vitamin Q
- Vitamin R
- Vitamin S
- Vitamin T
- Vitamin U
- Vitamin V
- Vitamin W
- Vitamin X
- Vitamin Y
- Vitamin Z

KEEP OUT OF REACH OF CHILDREN

CAUTION

RANCH-O MINERAL MIX WITH RABON® ORAL LARVICIDE

PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS CAUTION

Avoid contact with skin and eyes. If contact occurs, wash thoroughly with soap and water. After handling and before eating or smoking, wash with plenty of water for 15 minutes. If irritation persists, see a physician.

ENVIRONMENTAL HAZARDS

This product is toxic to fish. Keep out of lakes, streams or ponds. Do not contaminate water. Do not use in or around streams or ponds. Do not use in or around waterways.

STORAGE AND DISPOSAL

Do not store in water or feed. Storage and disposal: Open dumping is prohibited. Dispose of this product in accordance with approved pest control containers, or bury in a safe place.

FINAL CLASSIFICATION

For use on cattle. Do not use on horses, dogs, cats, birds, or other animals. Keep out of reach of children. Store in a cool, dry place. Do not use if the container is damaged or the contents are not as shown. For more information, contact your local health department or the manufacturer.

9374-7