

7(122)
ACCEPTED

FEB - 1 1968

U.S. DEPARTMENT OF AGRICULTURE
OFFICE OF PEST CONTROL
WASHINGTON, D.C. 20250
9382-5

WARNING:

FOR USE ONLY BY MANUFACTURERS IN THE PREPARATION OF
SCHRADAN INSECTICIDES FOR USE ON GREENHOUSE ORNA-
MENTALS ONLY. KEEP AWAY FROM FEED OR FOOD PRODUCTS.

Consult your physician about obtaining an adequate supply of 1/50 grain atropine tablets for emergency use.


Poisonous by skin contact, inhalation or swallowing. Rapidly absorbed through skin. Repeated inhalations or skin contact may, without symptoms, progressively increase susceptibility to Schradan poisoning. DO NOT GET ON SKIN, IN EYES, ON CLOTHING. Wear clean, heavy rubber gloves and clean waterproof or freshly laundered protective clothing, (overalls, rubber boots, cap, etc.). Clothing must not get wet through. Destroy and replace gloves frequently.

Bathe immediately after work and change all clothing. Wash clothing thoroughly with soap and hot water before re-use.

In case of contact, immediately remove contaminated clothing and wash skin thoroughly with water. For eyes, flush thoroughly with water for 15 minutes.

Do not breathe vapor or dust. Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Schradan protection. In case of spillage, cover with an absorbent such as soda ash, clay or lime. Sweep up and bury.

Wash area thoroughly with strong lye solution.



Made in:

Schradan

Technical



POISON



DANGER! KEEP OUT OF REACH OF CHILDREN!

SEE SIDE PANELS FOR ANTIDOTE AND ADDITIONAL WARNINGS

Active

Ingredients: Min. 90 % OCTAMETHYLPYROPHOSPHORAMIDE

Inert

Max. 10 %,
Ingredients: PRINCIPALLY HEXAMETHYLPHOSPHORAMIDE


Net Weight:

Lot No.:

U.S.D.A. REGISTRATION NO.: 9382-5

ATTENTION: This container must not be reused for any purpose. When empty add a solution of 1-lb. of lye in 1 gallon of water. Fill with water and allow to stand for 24 hours. Rinse thoroughly with water by filling and draining several times. Puncture both ends before discarding.

DISTRIBUTED BY:



CENTROCHEM, INC.
200 EAST 42nd ST.
NEW YORK, N.Y. 10017
350 F.A.S. 10
100-700-1000

Made in:

Schradam

Technical



POISON



DANGER! KEEP OUT OF REACH OF CHILDREN!

SEE SIDE PANELS FOR ANTIDOTE AND ADDITIONAL WARNINGS

Active

Ingredients: Min. 90 % OCTAMETHYLPYROPHOSPHORAMIDE

Inert

Ingredients: Max. 10 %,
PRINCIPALLY HEXAMETHYLPHOSPHORAMIDE


Net Weight:

Lot No.:

U.S.D.A. REGISTRATION NO.: 9382-5

ATTENTION: This container must not be reused for any purpose. When empty add a solution of 1-lb. of lye in 1 gallon of water. Fill with water and allow to stand for 24 hours. Rinse thoroughly with water by filling and draining several times. Puncture both ends before discarding.

DISTRIBUTED BY:



CENTRO-SOIL, INC.
300 EAST 42ND STREET
NEW YORK, N.Y. 10017
350 FIFTH AVE.
NEW YORK, N.Y. 10017

In case of fire,

ANTIDOTE:

of warm water, 1/2 to 1 quart, given
quiet. Call 112.

with soap and warm water.

NOTE FOR PHYSICIANS:

Symptoms of Poisoning: The initial symptoms is giddiness, accompanied by headache, constriction of the pupils and tightness of the chest. Nausea, vomiting, diarrhea and muscular twitches may result. Usually, increased salivary and bronchial secretion is observed. This may, sometimes, result in severe pulmonary edema.

Treatment: Large doses of atropine are indicated -- as much as 1 mg. to 2 mg. (1/60 gr. to 1/30 gr.) every hour in critically ill patients -- until symptoms of excess parasympathetic stimulation are relieved. Obviously, caution must be exercised in administering the amount of atropine and no generalization of the amount necessary is possible. Full dilatation of the pupils is one of the criteria to be used in arriving at the optimum dose.

Postural drainage and aspiration may be necessary.

The administration of oxygen under pressure (5 cm. of water) for 30 minute periods every hour may be required in addition to the continuous use of oxygen in the usual manner.

Observe patient continuously for 48 hours. Repeated exposure to cholinesterase inhibitors may, without warning, cause prolonged susceptibility to very small doses of any cholinesterase inhibitor. Allow no further exposure until time for cholinesterase regeneration has been allowed as determined by blood tests.

DO NOT USE MORPHINE

— This drug accentuates symptoms.

Printed in Switzerland

Call a Physician Immediately.

SKIN:

Immediately remove all contaminated clothing including shoes, and wash with plenty of warm water and soap. Wash clothing and remove all traces of material from shoes before re-use.

EYES:

Immediately flush with water for at least 15 minutes.

INTERNAL:

Give a tablespoonful of salt in a glass of water and repeat until vomit fluid is clear. Have patient lie down and keep warm and quiet.

NOTE - FOR PHYSICIANS ONLY:

Therapeutic doses of Atropine appear to be helpful in the treatment of poisoning.

TETRAETHYL DITHIOPYROPHOSPHATE TECHNICAL

Made in:

ACTIVE INGREDIENTS - 100%

(90% Tetraethyl Dithiopyrophosphate
10% Other Related Phosphates)

FOR USE ONLY IN THE MANUFACTURE OF ECONOMIC POISONS



POISON



DANGER! KEEP OUT OF REACH OF CHILDREN!

Net Weight:

Lot No.:

U.S.D.A. REGISTRATION NO.: 9382-4

ATTENTION: This container must not be reused for any purpose. When empty add a solution of 1-lb. of lye in 1 gallon of water. Fill with water and allow to stand for 24 hours. Rinse thoroughly with water by filling and draining several times. Puncture both ends before discarding.

DISTRIBUTED BY:



CENTERCHEM, INC.
100 EAST 42nd STREET
NEW YORK, N. Y. 10017

TETRAETHYL DITHIOPYROPHOSPHATE TECHNICAL

Made in:

ACTIVE INGREDIENTS - 100%

(90% Tetraethyl Dithiopyrophosphate
10% Other Related Phosphates)

USE ONLY IN THE MANUFACTURE OF ECONOMIC POISONS



POISON



DANGER! KEEP OUT OF REACH OF CHILDREN!

Weight: Lot No.:

REGISTRATION NO.: 9382-4

CAUTION: This container must not be reused for any purpose. When empty add a solution of 1-lb. of lye in 1 gallon of water. Fill with water and allow to stand for 24 hours. Rinse thoroughly with water by filling and emptying several times. Puncture both ends before discarding.

DISTRIBUTED BY:



CENTERCHEM, INC.
100 EAST 42nd STREET
NEW YORK, N. Y. 10017

WARNING

Do not get on skin or on clothing.

Do not breathe vapor, mist or spray.

Do not take in mouth.

Poisonous if swallowed, inhaled, or absorbed through skin or eyes! Rapidly absorbed through skin or eyes.

Wear a mask or respirator of a type passed by the U. S. Department of Agriculture for Tetraethyl Dithiopyrophosphate protection.

Wear natural rubber gloves, protective clothing and goggles.

Wash hands, arms and face with warm water and soap after handling and before chewing tobacco, eating, or smoking.

Keep away from feeds and food products.

In case of leakage or spillage, cover the TETRAETHYL DITHIOPYROPHOSPHATE with an absorbent material such as sawdust. After sawdust or absorbent material has completely absorbed all liquid, remove contaminated material and bury in waste ground. Wash contaminated surface with caustic soda-soap-water solution.



Printed in Switzerland