9386-11

01/15/2000

JAN

15

# UNITED STATES ENVIRONMENTAL PROTECTION AGENCY WASHINGTON, D.C. 20460

SEPA United States Environmental Protection Office of Pesticide Programs

Rohm and Haas Company 100 Independence Mall West Philadelphia, PA 19106-2399

Attention: Valerie Phillips

#### Subject: AMA-30

EPA Registration No. 9386-11 Notification Dated December 29, 2008

This will acknowledge receipt of your notification for the following additional alternate brand name, submitted under the provisions of FIFRA Section 3(c)(9). Based on a review of the submitted material, the following comments apply.

#### ADDITIONAL BRAND NAME

### **"TALOCIDE DTE"**

The Notification is in compliance with PR Notice 98-10 and is acceptable. This information has been added to your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

Marshall Swindell

Product Manager (33) Regulatory Management Branch 1 Antimcrobials Division (7510P)

 	(			· · ·		(		26
Please read instructions on re	verse side before completing form. United States Environmental Protection A Washington, DC 20480			Form Approved. OMB No. 2070-0 Pency Amendment Other			expires 05-31-98 fier Number	
		Applicat	ion for P	esticide – Secti				
1. Company/Product Numb 9386-11	2. EPA Product Manager Marshall Swindell			dell	3. Proposed Cl	assification		
4. Company/Product (Name) AMA-30			i	33				
5. Name And Address Of Applicant (Include ZIP Code) Kemira Chemicals, Inc. 1950 Vaughn Road Kennesaw, GA 30144				6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No Product Name				
			Sec	tion II				
Amendment – Explain Resubmission in resp Notification – Explain Explanation: Use addition Notification of Labeling Cha	onse to Agency below. onal page(s) if necessar	y. (For sectior -10 (Alternate	n I and Section	Final Printed Ia Agency letter of "Me Too" Appl Other – Explai	dated _ lication.			
This notification is consiste labeling or the confidential to EPA. I further understar of FIFRA and I may be sub	statement of formula of ad that if this notification	this product. is not consist	I understand tent with the I tles under se	I that it is a violation of terms of PR Notice 98- ctions 12 and 14 of FIF	18 U.S. 10 and	.C. Sec. 1001 to	willfully make ar	ny false statement
			Sec	tion III		- <u></u>	<u></u>	
1. Material This Product W			Water 6	Soluble Deckering		2. Type of Col	ntainor	
Child Resistant Packaging Yes*	Yes		I	Soluble Packaging es o			tal stic	
* Certification must be submitted	If "Yes" Unit Packaging wgt.	No. per Container	lf "Yes" Unit Pa	s" No. per Glass Packaging wgt. Container X Other (Specify) <u>Tote is plasti</u> <u>aluminum cage</u>			te is plastic in	
				ner: 5 gal/25L, 30 75 gal/1000L; Bulk	5.1	Oration of Labe		ng product
6. Manner in Which Label i	s Affixed to Product	Lithogra Paper g Stencil	lued					
			Sect	tion IV				
1. Contact Point (Complete	items directly below for	identification		to be contacted, if nec	essary,			(here out a)
Name Dale A. Bauer			Environmental Manager 678-8			-819-4684		
	tatements I have made at any knowingly false c able law.		and all attach				e. 6. Date Ap	df tit
2. Signature Dale G. Bauer			3. Title Environmental Manager					
4. Typed Name Dale A. Bauer			5. Date <b>December 29, 2008</b>					

EPA Form 8570-1 (Rev. 8-94) Previous editions are obsolete ٠.

· •

. , .

26

•

Health, Safety & Environmental Group

December 29, 2008

Document Processing Desk (AMEND) Office of Pesticide Programs (7504P) U.S. Environmental Protection Agency One Potomac Yard 2777 South Crystal Drive Arlington, VA 22202

Attention: Marshall Swindell (PM 33)

Subject: AMA-30, Reg. No. 9386-11 Notification under PR 98-10 for Alternate Brand Name

Dear Marshall:

Enclosed please find a notification consistent with PR 98-10 for product labeling notifications under Section IIA, to add an alternate brand name for this product.

Enclosed with this application please find the following:

1. EPA Form 8570-1

2. One copy of the label with the revisions highlighted

Please let me know if there are any questions or if anything else is needed.

Sincerely,

Dale a. Bauer

Dale A. Bauer Environmental Manager

KEMIRA CHEMICALS, INC.

eMail Dale.Bauer@Kemira.com Kemira Chemicals, Inc. Page 1 of 3

# **TALOCIDE DTE**

TALOCIDE DTE is a highly effective bactericide and fungicide for use in controlling the growth of bacteria and fungi found in paper mills, beet sugar mills, and cane sugar mills. TALOCIDE DTE, in addition to being a bactericide and fungicide, is a highly effective algaecide for use in controlling the growth of algae, as well as bacteria and fungi found in industrial recirculating water cooling towers, evaporative condensers, and air washers.

## ANTIMICROBIAL AGENT FOR INDUSTRIAL USE

Active Ingredients:

Sodium Dimethyldithiocarbamate	15%
Nabam (Disodium ethylene bis-dithiocarbamate)	15%
Inert Ingredients:	<u>70%</u>
TOTAL	00%

This product contains the active ingredients Nabam and Sodium Dimethyldithiocarbamate at 1.44 pounds each per gallon. This product contains the impurity Ethylene thiourea at 0.080%.

# KEEP OUT OF REACH OF CHILDREN WARNING

	First Aid
If swallowed:	<ul> <li>Call poison control center or doctor immediately for treatment advice.</li> </ul>
	<ul> <li>Have person sip a glass of water if able to swallow.</li> </ul>
	- Do not induce vomiting unless told to do so by the poison control center or doctor.
	- Do not give anything by mouth to an unconscious person.
If in eyes:	<ul> <li>Hold eye open and rinse slowly and gently with water for 15-20 minutes.</li> </ul>
	- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
	- Call a poison control center or doctor for treatment advice.
If on skin	- Take off contaminated clothing.
or clothes	<ul> <li>Rinse skin immediately with plenty of water for 15-20 minutes.</li> </ul>
	- Call a poison control center or doctor for treatment advice.
	HOT LINE NUMBER
1. In case of	f emergency call Chemtrec at 1-800-424-9300.
	product container or label with you when calling a poison control doctor or going for treatment.

EPA Reg. No. 9386-11 EPA EST. No. 9386-GA-3

**Manufactured By** 

# KEMIRA CHEMICALS, INC. 1950 Vaughn Road KENNESAW, GA 30144

# **DIRECTIONS FOR USE**

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

**INDUSTRIAL RECIRCULATING WATER COOLING TOWER AND EVAPORATIVE CONDENSERS**: Dosage for industrial recirculating water cooling tower or evaporative condensers will depend on the condition of the system prior to treatment initiation. Systems which are heavily contaminated should be cleaned first. Apply TALOCIDE DTE to the cleaned system or when growth is first noticed, according to the following schedule:

**INITIAL DOSE**: Apply 13.06-43.60 ounces of product per each 1,000 gallons of water in the system (120-400 ppm). This dose may be repeated once, twice or three times weekly or as required to control the growth of slime-forming organisms.

SUBSEQUENT DOSE: When microbial control is evident, add 2.18 to 4.36 fluid ounces of TALOCIDE DTE per 1,000 gallons of water (20-40 ppm) in the system every three days or as needed.

AIR WASHERS: In treating air washer systems, preclean by introducing a suitable detergent solution into the system and allow air washer to run with fan off for two hours. Check all nozzles and manually clean those that are plugged.

FEEDING: TALOCIDE DTE may be fed directly from the drum or diluted with water and fed by any suitable feed system. TALOCIDE DTE should be dosed directly into the sump or basin or any other location where good distribution can be assured.

INITIAL DOSE: Apply 13.06-21.80 ounces of product per each 1000 gallons of water in the system (120-200 ppm). This dose may be repeated once, twice or three times weekly or as required to control the growth of slime-forming organisms.

SUBSEQUENT DOSE: When microbial control is evident add 2.18-4.36 fluid ounces of TALOCIDE DTE per 1000 gallons of water (20-40 ppm) in the system every three days or as needed.

PAPER MILLS: Dosage will vary from 0.1 to 2.0 pounds (0.04 to 0.81 quarts) of TALOCIDE DTE per ton of finished paper depending on the type of stock, complexity of the system, quality of raw water and type and degree of contamination.

FEEDING: TALOCIDE DTE may be drip fed continuously from the drum or fed by a suitable chemical pump such as adjustable proportioning types, variable speed, positive displacement types or by the reciprocating type. This product should be fed as early as possible in the system at such points including the hydropulper, machine chest or broke system. TALOCIDE DTE can be used to control slime on machines which can make paper and paperboard for use in packaging.

BEET SUGAR MILLS: TALOCIDE DTE should be fed directly into the pulp press water during sugar extraction of beets to keep equipment free of bacterial slime deposits. It is to be used at the rated of 10-20 ppm of raw beets sliced, and fed continuously with a metering pump. A portion of the TALOCIDE DTE may be fed into other streams entering the diffuser each at a minimum rate of 4 ppm. The maximum total rate of all streams to be fed is 20 ppm. Refer to Composite Table 1 for the proper dosage in milliliters and ounces of TALOCIDE DTE to be used per minute.

CANE SUGAR MILLS: TALOCIDE DTE is a liquid which should be fed directly into the cane juice so that the treated juice circulates to all parts of the mill tandem. The points of addition will depend on mill design. Frequently the dosage will be split between the crusher juice and juice from the last mill. The best addition point is to juice which is circulated back to the crusher at first mill. Do not add this product to the maceration water.

TALOCIDE DTE should be fed continuously at the rate of 10-20 parts of product per million parts of cane ground per day. 10 ppm of product is the standard dosage. This may be raised up to a maximum of 20 ppm, if necessary. Conditions warranting some increase would be when grinding cane damaged through freezing, poor weather or delays between cutting and grinding. Do not exceed feed rate of 4 gallons (39.2 pounds) of product per 1000 short tons of cane ground per twenty-four hours.

Proper feed of TALOCIDE DTE is best obtained through the use of a chemical feed pump such as the adjustable proportioning type: the variable speed, positive displacement type; or the reciprocating type. The required dosage will depend on the average daily rate of cane ground. Refer to composite table I for the proper dosage in milliliters and ounces of TALOCIDE DTE to be used per minute.

Do not exceed feed rate of 4 gallons (39.2 pounds) of product per 1000 short tons of cane ground per twenty four hours.

The use of TALOCIDE DTE does not replace good housekeeping. This should include regular cleaning at least once per shift. Regular hosing with hot water and steam of mills, bagacillo conveyors and screens is essential for maintaining efficient control of microbiological slime and sucrose losses.

	Composite					
Short tons of cane	RATE OF FEED OF TALOCIDE DTE					
ground or raw beets	10 p	pm '	20 ppm			
sliced per day	ml/min	oz/min	ml/min	oz/min		
1,000	5.5	0.186	11	0.372		
2,000	11.0	0.372	22	0.744		
3,000	16.5	0.558	33	1.115		
4,000	22.0	0.744	44	1.487		
5,000	27.5	0.930	55	1.859		
6,000	33.0	1.115	66	2.231		
7,000	38.5	1.301	77	2.603		
8,000	44.0	1.487	88	2.974		
9,000	49.5	1.673	99	3.347		
10,000	55.0	1.859	110	3.718		

#### HAZARD TO HUMANS AND DOMESTIC ANIMALS

Harmful if swallowed. Harmful if absorbed through skin. Causes moderate eye irritation. Avoid contact with skin, eyes, or clothing, PERSONAL PROTECTIVE EQUIPMENT (PPE)

All industrial workers applying this product must wear coveralls over a long-sleeved shirt and long pants, shoes, socks, and chemicalresistant gloves. During dilution, a chemical-resistant apron and googles or face shield must also be worn. USER SAFETY REQUIREMENTS

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

#### ENGINEERING CONTROLS

This product must be loaded and transferred only using metering-pump system or a closed loading/application system for the following uses: industrial recirculating water cooling tower and evaporative condensers, air washers, paper mills, beet sugar mills, and cane sugar mills. Open pouring prohibited.

#### USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco, or using the toilet.

Users should remove PPE immediately after handling the product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

Users should remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish. Do not apply (or use) in estuarine oil fields where drilling fluids (muds) are discharged in the surface water. Do not contaminate water by cleaning of equipment or disposal of wastes. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

#### **General Precautions and Restrictions**

Do not apply this product in a way that will contact workers or other persons. Avoid contamination of food and feedstuffs.

#### STORAGE AND DISPOSAL:

1. PROHIBITIONS: Do not contaminate water, food, or feed by storage or disposal. Open dumping is prohibited.

2. STORAGE: Keep from freezing. Do not store below 32°F.

3. PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.

**4.CONTAINER DISPOSAL:** 

(a) Reseal container and offer for reconditioning, or

(b) Metal Containers: Triple rinse (or equivalent). Puncture and dispose of in a sanitary landfill or by other approved state and local procedures

(c) Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration or, if allowed by state and local authorities, by burning. If burned, stay out of smoke. 5. GENERAL: Consult federal, state or local disposal authorities for approved alternative procedures.

> NET CONTENTS: Pounds

DENSITY: 9.6 LBS/GAL

LABEL DATE: 29-Dec-08