

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460



Office of Pesticide Programs

FEB 21 2013

Kemira Chemicals, Inc.
1000 Parkwood Circle Suite 500
Atlanta, GA 30339

Attention: Colleen M. Snyder
Regulatory Affairs Specialist

Subject: AMA-35D-P
EPA Registration No. 9386-13
Amendment Dated December 18, 2012

The amendment, submitted in connection with registration under the Federal Insecticide, Fungicide and Rodenticide Act (FIFRA), as amended, is acceptable.

Proposed Amendment:

- Revised labeling for the Conditional Reregistration of the Dazoment RED

General Comments:

A copy of the "accepted" stamped labeling is enclosed for your records.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

A handwritten signature in black ink that reads "M. Swindell".

Marshall Swindell
Product Manager (33)
Regulatory Management Branch 1
Antimicrobials Division (7510P)

DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

For use as a preservative of industrially prepared water based suspensions (pigment slurries, adhesives, polymers and starches), and as an antimicrobial in oilfield operations and recirculating cooling water systems.

FOR THE PRESERVATION OF CLAY SLURRIES, ADHESIVES, COATINGS AND HIGH VISCOSITY SUSPENSIONS: For preservation of slurries and high viscosity suspensions, AMA@-35D-P should be added at a point in the processing system where there will be sufficient time and agitation for good mixing and dispersion. Add AMA@-35D-P at use levels of 0.04 - 0.11% by weight, based on the total formulation in slurries of starch, clay, calcium carbonate or titanium dioxide; paper coatings; high viscosity suspensions (e.g. fillers, silica-polymers, silica-polymer combinations); polyvinyl alcohol/polyvinyl acetate based adhesives; starch based adhesives; dextrin based adhesives. The exact amount of material to be added for the preservation of any given formulation will depend on the components and local storage conditions. Dosage rates should be determined by actual test.

FOR OILFIELD OPERATIONS USE, OILFIELD DRILLING MUDS AND WORKOVER OR COMPLETION FLUIDS: FOR CONTROL OF SLIME-FORMING AND/OR SPOILAGE BACTERIA: Determine the total volume of the circulating system. Calculate the number of pounds of AMA@-35D-P needed to produce a concentration of 500 ppm (0.18 lb/bbl) of AMA@-35D-P in the drilling mud circulating system. For example, 175 pounds of AMA@-35D-P per 1000 barrels of drilling fluid will produce the proper concentration. For best results, add AMA@-35D-P in a thin stream to the mud pit while drilling fluid circulates. As the total volume increases due to greater well depth, add additional AMA@-35D-P to maintain the proper concentration. Because of the wide variation in drilling mud composition and bacterial contamination, greater or lesser amounts of the AMA@-35D-P may be prescribed.

OILFIELD WATER TREATMENT AND WATER FLOODS: FOR CONTROL OF SLIME-FORMING BACTERIA: Calculate the total volume of water to be treated. Using this volume, calculate the number of pounds of AMA@-35D-P needed to produce a concentration of approximately 200 ppm AMA@-35D-P. For example, 1.67 pounds of AMA@-35D-P per 1000 gallons of total volume will produce this dilution. 150 ppm AMA@-35D-P added each week is recommended to maintain bacterial control. This may be accomplished by adding 1.25 pounds of AMA@-35D-P to each 1,000 gallons of total volume. Because of the wide variation in waters found in the oil fields, greater or lesser amounts of AMA@-35D-P may be required in a particular location.

RECIRCULATING COOLING WATER SYSTEMS: FOR CONTROL OF ALGAE, FUNGI, AND SLIME FORMING BACTERIA: Dosages for industrial recirculating cooling water systems will depend upon the conditions of the system prior to treatment initiation. Systems which are heavily contaminated should be cleaned first. Apply AMA@-35D-P to the cleaned system or when growth is first noticed according to the following schedule.

INITIAL DOSAGE: Apply 9.5 to 18.9 ounces of AMA@-35D-P per each 10,000 gallons of water in the system. This dosage may be as a continuous treatment or applied once, twice or three times weekly, or as required to control the growth of slime forming organisms.

SUBSEQUENT DOSAGE: When microbial control is evident, add 1.5 to 9.5 ounces of AMA@-35D-P per 10,000 gallons of water in the system as a continuous treatment daily or every 3 days or as required to maintain control.

AMA®-35D-P

Active Ingredient:
Tetrahydro-3,5-dimethyl-2H-1,3,5-thiadiazine-2-thione.....98 %
Other Ingredients 2 %
TOTAL 100 %

ANTIMICROBIAL AGENT FOR INDUSTRIAL USE

KEEP OUT OF REACH OF CHILDREN

DANGER

First Aid	
If on skin, clothes:	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor for treatment.
If swallowed:	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
If inhaled:	- Move person to fresh air - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. - Call a poison control center or doctor for further treatment.
If in eyes:	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for treatment advice.

HOTLINE:
Have product container or label with you when calling a poison control center or doctor or going for treatment. Poison Control Centers: 1-800-222-1222.

NOTE TO PHYSICIAN
Probable mucosal damage may contraindicate gastric lavage. Treat Symptomatically. No known antidote.

Contact CHEMTREC at 800-424-9300 for additional information
See side panel for additional precautionary statements.

EPA REG. No. 9386-13 EPA EST. No. 9386-GA-003,
81981-SC-0001, 33967-NJ-001

SOLD BY:
Kemira
KEMIRA CHEMICALS, INC.
1000 PARKWOOD CIRCLE, SUITE 500
ATLANTA, GA 30339
FEB 21 2013
ACCEPTED
9386-13

PRECAUTIONS

HAZARDS TO HUMANS: Corrosive. Causes skin irritation if swallowed. Harmful if inhaled.

Physical and Chemical Hazards: A flammable liquid. Causes skin irritation if in contact with skin. Causes eye irritation if in contact with eyes.

Personal Protective Equipment: Wear gloves, long sleeves, and pants. Wash hands thoroughly after use.

User Safety Recommendations: Do not eat, drink, or smoke while using this product. Wash thoroughly before and after use.

ENVIRONMENTAL

This pesticide is toxic to fish, aquatic invertebrates, and birds. Do not apply to water bodies. Do not discharge into the environment.

STORAGE

Do not contaminate water, food, or feed. Store in a cool, dry place. Do not store near heat or open flame.

PESTICIDE STORAGE: Keep container tightly closed. Do not use if container is damaged or leaking.

PESTICIDE DISPOSAL: Do not discharge into the environment. Dispose of in a sanitary landfill.

LABEL DATE: CMS17DEC12

LOT#

NET WT:

PO 23

R USE

anner inconsistent with its labeling. based suspensions (pigment slurries, microbial in oilfield operations and systems.

ADHESIVES, COATINGS AND tion of slurries and high viscosity in the processing system where there d dispersion. Add AMA@-35D-P at formulation in slurries of starch, clay, s; high viscosity suspensions (e.g. ; polyvinyl alcohol/polyvinyl acetate ad adhesives. The exact amount of en formulation will depend on the ould be determined by actual test.

ELD DRILLING MUDS AND FOR CONTROL OF SLIME- Determine the total volume of the . AMA@-35D-P needed to produce a 'D-P in the drilling mud circulating per 1000 barrels of drilling fluid will AMA@-35D-P in a thin stream to the e increases due to greater well depth, oncentration. Because of the wide mination, greater or lesser amounts of

FLOODS: FOR CONTROL OF volume of water to be treated. Using MA@-35D-P needed to produce a -P. For example, 1.67 pounds of vduce this dilution. 150 ppm AMA@- n bacterial control. This may be to each 1,000 gallons of total volume. il fields, greater or lesser amounts of

S: FOR CONTROL OF ALGAE, Dosages for industrial recirculating ns of the system prior to treatment uld be cleaned first. Apply AMA@- noticed according to the following

A@-35D-P per each 10,000 gallons of as treatment or applied once, twice or rowth of slime forming organisms. is evident, add 1.5 to 9.5 ounces of m as a continuous treatment daily or

AMA® -35D-P

Active Ingredient:	
Tetrahydro-3,5-dimethyl-2H-1,3,5-thiadiazine-2-thione	98 %
Other Ingredients	2 %
TOTAL	100 %

ANTIMICROBIAL AGENT FOR INDUSTRIAL USE

KEEP OUT OF REACH OF CHILDREN DANGER

First Aid	
If on skin, clothes:	- Take off contaminated clothing. - Rinse skin immediately with plenty of water for 15-20 minutes. - Call a poison control center or doctor immediately for treatment advice.
If swallowed:	- Call a poison control center or doctor immediately for treatment advice. - Have person sip a glass of water if able to swallow. - Do not induce vomiting unless told to do so by the poison control center or doctor. - Do not give anything by mouth to an unconscious person.
If inhaled:	- Move person to fresh air - If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible. - Call a poison control center or doctor for further treatment.
If in eyes:	- Hold eye open and rinse slowly and gently with water for 15-20 minutes. - Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. - Call a poison control center or doctor for treatment advice.
HOTLINE:	Have product container or label with you when calling a poison control center or doctor or going for treatment. Poison Control Centers: 1-800-222-1222.
NOTE TO PHYSICIAN	Probable mucosal damage may contraindicate gastric lavage. Treat Symptomatically. No known antidote.
	Contact CHEMTREC at 800-424-9300 for additional information. See side panel for additional precautionary statements.
EPA REG. No. 9386-13	EPA EST. No. 9386-GA-003, 81981-SC-0001, 33967-NJ-001

SOLD BY: **Kemira**
KEMIRA CHEMICALS, INC.
1000 PARKWOOD CIRCLE, SUITE 500
ATLANTA, GA 30339
 ACCEPTED FEB 21 2013
 9386-13

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. Corrosive. Causes skin burns. Do not get in eyes, on skin, or on clothing. May be fatal if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Avoid breathing dust.

Physical and Chemical Hazards: Avoid oxidizing agents.

Personal Protective Equipment: Wear coveralls over long-sleeved shirt and long pants, foot-resistant shoes, goggles or face shield and chemical-resistant gloves (such as nitrile, neoprene, or butyl rubber).

Use and Storage Requirements: Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other laundry. Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

User Safety Recommendations: Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible wash thoroughly and change into clean clothing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish, aquatic invertebrates, oysters and shrimp. This pesticide is expected to be toxic when in contact with terrestrial or aquatic plants. Do not apply (or use) in estuarine oil fields where drilling fluids (muds) are discharged in the surface water. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage or disposal of this product.

PESTICIDE STORAGE: Keep container closed when not in use. If contents are spilled or leaked due to container damage, collect and dispose of in accordance with local, state and federal disposal regulations.

PESTICIDE DISPOSAL: Pesticide waste is acutely hazardous. Improper disposal of excess pesticide, spray mixture or rinsate is a violation of Federal law. If the waste cannot be disposed of by use according to label instructions, contact your state Pesticide or Environmental Control Agency, or the Hazardous Waste representative or your EPA Regional Office for guidance.

CONTAINER DISPOSAL: Nonrefillable container. Do not reuse or refill this container. Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill by incineration or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

LABEL DATE: CMS17DEC12

LOT#

NET WT:

Pounds DENSITY: 47 LBS./CUBIC FT