

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

DANGER. CORROSIVE. CAUSES SEVERE EYE AND SKIN DAMAGE. HARMFUL OR FATAL IF SWALLOWED. Do not get in eyes, on skin, or clothing. Wear goggles or face shield and rubber gloves when handling. Avoid breathing vapor or mist. Avoid contamination of food. Do not take internally. Wash thoroughly after handling.

ENVIRONMENTAL HAZARDS. This pesticide is toxic to fish. Do not discharge it into lakes, streams, ponds, or public waters, unless in accordance with a NPDES permit. For guidance, contact your regional office of EPA. Do not contaminate water by cleaning of equipment or disposal of waste.

STORAGE AND DISPOSAL

DO NOT CONTAMINATE WATER, FOOD OR FEED BY STORAGE OR DISPOSAL.

STORAGE: Store in a cool dry place. Keep drums tightly closed when not in use.

PESTICIDE DISPOSAL: Pesticide, spray mixture or rinsate that cannot be used according to label instructions must be disposed of according to Federal, State, or local procedures under the Resource Conservation and Recovery Act.

CONTAINER DISPOSAL: Metal - Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill, or by other approved State and local procedures. Plastic - Triple rinse (or equivalent) and offer for recycling or reconditioning, or dispose of in a sanitary landfill or by incineration if permitted by State and local authorities.

VININGS
Chemical Comp

ATLANTA, GEORGIA

AMA-3

(Antimicrobial Agent)

ACTIVE INGREDIENTS:

- n-Alkyl (50% C₁₄, 40% C₁₂, 10% C₁₆)
- dimethyl benzyl ammonium chloride
- Bis(tributyltin) oxide
- INERT INGREDIENTS

KEEP OUT OF THE REACH OF CHILDREN

DANGER

STATEMENT OF PRACTICAL

IF SWALLOWED: Drink promptly a large quantity of milk, eggs, or water. If these are not available, 1 or 2 glasses of water are acceptable. Do not induce vomiting or give any medicine.

IF ON SKIN: Wash thoroughly with soap and water. Reuse clothing before reuse.


IF IN EYES: Flush with plenty of water for at least 15 minutes.

NOTE TO PHYSICIAN:

Probable Mucosal damage may contraindicate the use of vasopressors against circulatory shock, respiratory depression and other complications.

SEE SIDE PANEL FOR ADDITIONAL PRECAUTIONS.

EPA Reg. No. 9386-22 EPA E: 100-100-100



Company

A, GEORGIA 30339

AMA-3523

.....	20.00%
.....	2.85%
.....	77.15%
TOTAL	100%

OF THE REACH OF CHILDREN
DANGER
OF PRACTICAL TREATMENT

ge quantity of milk, egg whites, or gelatin solution, or if these
or 2 glasses of water. Avoid alcohol. Get medical attention at
vomiting or give anything by mouth to an unconscious person
h soap and water. Remove and wash contaminated clothing

water for at least 15 minutes. Call a physician

NOTE TO PHYSICIAN

y contraindicate the use of gastric lavage. Measures
piratory depression and convulsions may be needed.

ADDITIONAL PRECAUTIONARY STATEMENTS

9386-22 EPA Est. No. 9386-GA-1



DIRECTIONS FOR USE

GENERAL CLASSIFICATION

IT IS A VIOLATION OF FEDERAL LAW TO USE THIS PRODUCT
IN A MANNER INCONSISTENT WITH ITS LABELING.


TREATMENT DIRECTIONS

INDUSTRIAL AND COMMERCIAL RECIRCULATING COOLING TOWERS: FOR CONTROL OF ALGAE AND SLIME-FORMING BACTERIA: Dosages for recirculating cooling water systems will depend on the conditions of the system prior to treatment initiation. Systems which are heavily contaminated should be cleaned first. Apply AMA-3523 to the cleaned system or when growth is first noticed according to the following schedule

INITIAL DOSAGE: Apply 19.4-32.4 fluid ounces (150 ppm-205 ppm) of AMA-3523 per each 1000 gallons of water in the system. This dose may be as a continuous treatment or applied once, twice, or three times weekly or as required to control the growth of slime-forming organisms

SUBSEQUENT DOSAGE: When microbial control is evident add 5.2-15.6 fluid ounces (40-120 ppm) per 1000 gallons of water in the system as a continuous treatment daily or every 3 days or as required to maintain control.

NOTE: AMA-3523 must be added at a point in the cooling system where uniform mixing and even distribution will occur, such as the cooling tower basin or sump.



CONTENTS 8.42 LBS. PER GALLON

Manufactured By

VININGS CHEMICAL COMPANY
MARIETTA, GEORGIA 30066