

04/10/2013

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY
WASHINGTON, D.C. 20460

APR 10 2013



United States
Environmental Protection
Agency

Office of Pesticide Programs

Kemira Chemicals, Inc.
1000 Parkwood Circle, suite 500
Kennesaw, GA 30339

Attention: Colleen M. Snyder
Product Regulatory Specialist

Subject: AMA-20
EPA Registration No. 9386-28
Notification Dated March 12, 2013

This will acknowledge receipt of your notification, submitted under the provisions of FIFRA Section 3(c)(9).

Proposed Notification

- To add an Indoor, Nonfood Use Site to the Product Registration

General Comment

Based on a review of the submitted material, the following comments apply:

The Notification dated March 12, 2013 to add the existing approved use, "Construction Materials" is in compliance with PR Notice 98-10 and is acceptable. This information has been made a part of your file.

If you have any questions concerning this letter, please contact Martha Terry at (703) 308-6217.

Sincerely

A handwritten signature in black ink, appearing to read "M Swindell".

Marshall Swindell
Product Manager (33)
Regulatory Management Branch 1
Antimicrobials Division (7510P)

	United States Environmental Protection Agency Washington, DC 20460	<input type="checkbox"/> Registration <input type="checkbox"/> Amendment <input type="checkbox"/> Other	OPP Identifier Number
---	---	---	-----------------------

Application for Pesticide – Section 1

1. Company/Product Number <p style="text-align: center;">9386-28</p>	2. EPA Product Manager <p style="text-align: center;">Marshall Swindell</p>	3. Proposed Classification <input checked="" type="checkbox"/> None <input type="checkbox"/> Restricted
4. Company/Product (Name) AMA-20 and its Alternates	PM# <p style="text-align: center;">33</p>	
5. Name And Address Of Applicant (Include ZIP Code) KEMIRA CHEMICALS INC 1000 PARKWOOD CIRCLE, Suite 500 ATLANTA GA 30339 <input type="checkbox"/> Check if this is a new address		6. Expedited Review. In accordance with FIFRA Section 3(c)(3) (b)(i), my product is similar or identical in composition and labeling to: EPA Reg. No. _____ Product Name _____

Section II

<input type="checkbox"/> Amendment – Explain below.	<input type="checkbox"/> Final Printed labels in response to Agency letter dated _____
<input type="checkbox"/> Resubmission in response to Agency letter dated _____	<input type="checkbox"/> "Me Too" Application.
<input checked="" type="checkbox"/> Notification – Explain below.	<input type="checkbox"/> Other – Explain Below.


Explanation: Use additional page(s) if necessary. (For section I and Section II.)

Notification to add an existing approved use, "Construction Materials", to existing US EPA Registered Pesticide; as per Pesticide Registration Notice PR 98-10, Notifications, Non-Notifications and Minor Formulation Amendments II. Label Notifications, C. Adding an Indoor, NonFood Site for an Antimicrobial Product.

Section III

1. Material This Product Will Be Packaged In:			
Child Resistant Packaging <input type="checkbox"/> Yes* <input checked="" type="checkbox"/> No	Unit Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	Water Soluble Packaging <input type="checkbox"/> Yes <input checked="" type="checkbox"/> No	2. Type of Container <input type="checkbox"/> Metal <input type="checkbox"/> Plastic <input type="checkbox"/> Glass <input type="checkbox"/> Paper <input type="checkbox"/> Other (Specify) _____
* Certification must be submitted		If "Yes" No. per Unit Packaging wgt. Container	If "Yes" No. per Unit Packaging wgt. Container
3. Location of Net Contents Information <input checked="" type="checkbox"/> Label <input type="checkbox"/> Container		4. Size(S) Retail Container: 5gal/25l, 30gal/115l, 55gal/220l, 275gal/1000l, 330gal/1200l, bulk-tanker	
6. Manner in Which Label is Affixed to Product <input type="checkbox"/> Lithographed <input checked="" type="checkbox"/> Paper glued <input type="checkbox"/> Stenciled		5. Location of Label Directions <input checked="" type="checkbox"/> On Label <input type="checkbox"/> On Labeling accompanying product	

Section IV

1. Contact Point (Complete items directly below for identification of individual to be contacted, if necessary, to process this application)		
Name: Colleen M. Snyder	Title: Product Regulatory Specialist	Telephone No. (Include Area Code) 678-810-4566
Certification I certify that the statements I have made on this form and all attachments thereto are true, accurate and complete. I acknowledge that any knowingly false or misleading statement may be punishable by fine or imprisonment or both under applicable law.		6. Date Application Received
2. Signature 	3. Title: Product Regulatory Specialist	
4. Typed Name Colleen M. Snyder	5. Date 14 March 2013	

kemira

Worldwide Construction

PRODUCT STEWARDSHIP AND
REGULATORY AFFAIRS
NORTH AMERICA

3/6

12 MARCH 2013

Via FedEx Courier

Mr. Marshall Swindell
Product Manager #33
Document Processing Desk (NOTIF)
Office of pesticide Programs (7504P)
U.S. Environmental Protection Agency
Room S-4900, One Potomac Yard
2777 South Crystal Drive
Arlington VA 22202-4501

RE: Pesticide Registration Notice PR 98-10, Notifications to Add a Use to a Registered Pesticide; EPA Reg. # 9386-28; AMA-20 and its Alternates.

Dear Mr. Swindell:

As per Pesticide Registration Notice PR 98-10, Notifications, Non-Notifications and Minor Formulation Amendments II. Label Notifications, C. Adding an Indoor, NonFood Site for an Antimicrobial Product, Kemira respectfully notifies the Agency of the addition of the existing approved use to the Kemira Dazomet based finished products; **EPA Reg. # 9386-28; AMA-20 and its Alternates.**

This use, CONSTRUCTION MATERIALS: concrete, concrete admixtures and additives, caulking and caulking compounds, construction adhesives and masonry, has been approved on product labels such as EPA Reg. # 39967-118, VeriGuard OD.

Specifically enclosed to support this Notification is:

- One (1) copy EPA Form 8570-1 Application

KEMIRA CHEMICALS, INC.

1000 Parkwood Circle
Suite 500
Atlanta, GA 30339

TELEPHONE
678-819-4566 dd


TOLL FREE
800-347-1542

eMail
Colleen.Snyder@Kemira.com


- Three (3) copies of the parent product label with the addition of the Construction Materials Use Directions in highlight yellow
- Three (3) copies of the finished market label
- One (1) Self-addressed stamped envelope for a return copy of the pin-punched label.

Please feel free to contact me at 678-819-4566 or Colleen.Snyder@kemira.com, should you have any questions.

Best regards,



Colleen M Snyder
Product Regulatory Specialist



DIRECTIONS FOR USE:

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

PAPER MILL SLIME CONTROL: FOR THE CONTROL OF SLIME-FORMING AND/OR SPOILAGE BACTERIA: AMA@-20 is added at a point in the system (raw stock chest; beater and/or refiner chest or machine chest - wire pit) where it will be uniformly mixed. Application may be continuous or intermittent for a certain number of hours per day or per shift, depending upon system characteristics. Add 5 to 20 fluid ounces of AMA@-20 per ton of paper produced. **INTERMITTENT FEED METHOD:** Apply 12 to 20 fluid ounces of AMA@-20 per ton (dry basis) of pulp or paper produced for 2 hours every 8 hours. Badly fouled process systems must be cleaned before initial treatment. **CONTINUOUS FEED METHOD:** Apply 5 to 15 fluid ounces of AMA@-20 per ton (dry basis) of pulp or paper produced on a continuous basis. Badly fouled process systems must be cleaned before initial treatment.

OIL FIELD DRILLING MUDS AND WORKOVER OR COMPLETION FLUIDS: FOR CONTROL OF SLIME-FORMING AND/OR SPOILAGE BACTERIA: Determine the total volume of the circulating system. Calculate the number of gallons of AMA@-20 needed to produce a concentration of 2,080 ppm (0.73 lb/bbl) of AMA@-20 in the drilling mud circulating system. For example, 75 gallons of AMA@-20 per 1000 barrels of drilling fluid will produce the proper concentration. For best results, add AMA@-20 in a thin stream to the mud pit while the drilling fluid is circulating. As the total volume increases, due to greater well depth, add additional AMA@-20 to maintain the proper concentration. Because of the wide variation in drilling mud composition and bacterial contamination, greater or lesser amounts of the AMA@-20 may be prescribed.

OILFIELD WATER TREATMENT AND WATER FLOODS: FOR CONTROL OF SLIME-FORMING AND/OR SPOILAGE BACTERIA: Calculate the total volume of water to be treated. Using this volume, calculate the number of gallons of AMA@-20 needed to produce a concentration of approximately 2,500 ppm of AMA@-20. For example, 2.1 gallons of AMA@-20 per 1000 gallons of total volume will produce this dilution. 350 ppm of AMA@-20 added each week is recommended to maintain bacterial control. This may be accomplished by adding 0.30 gallons of AMA@-20 to each 1000 gallons of total volume. Because of the wide variation in waters found in the oil fields, greater or lesser amounts of AMA@-20 may be required in a particular location.

FOR THE PRESERVATION OF CLAY SLURRIES, ADHESIVES, COATINGS AND HIGH VISCOSITY SUSPENSIONS: This product is not cleared for use in the manufacture of adhesives that may come into contact with food. For preservation of slurries and high viscosity suspensions, AMA@-20 should be added at a point in the processing system where there will be sufficient time and agitation for good mixing and dispersion. Add AMA@-20 at use levels of 0.04-0.40%, by weight, based on the total formulation in slurries of starch, clay, calcium carbonate or titanium dioxide; paper coatings; high viscosity suspensions (e.g. polymers; silica-polymer combinations); polyvinyl alcohol/polyvinyl acetate based adhesives; starch based adhesives; dextrin based adhesives. The exact amount of material to be added for the preservation of any given formulation will depend on the components and local storage conditions. Dosage rates should be determined by actual test.

FOR THE PRESERVATION OF CONSTRUCTION MATERIALS: For preservation of concrete, concrete admixtures and additives, caulking and caulking compounds, construction adhesives and masonry. AMA@-20 should be added at a point in the processing system where there will be sufficient time and agitation for good mixing and dispersion. Add AMA@-20 at use levels of 0.04 - 0.38% (400 ppm to 3800 ppm) by weight, based on the total formulation. The exact amount of material to be added for the preservation of any given formulation

depend on the components and local storage conditions. Dosage rates should be determined by actual test.
RECULATING COOLING WATER SYSTEMS: FOR THE CONTROL OF ALGAE, FUNGI AND SLIME FORMING BACTERIA: Dosages for industrial recirculating cooling water systems will depend on the conditions of the system prior to treatment initiation. Systems which are heavily contaminated should be cleaned first. Apply AMA@-20 to the cleaned system or when growth is first noticed according to the following schedule. **INITIAL DOSAGE:** Apply 3.25-6.5 fluid ounces (30-60 ppm) of AMA@-20 per each 1000 gallons of water in the system. This dose may be as a continuous treatment or applied once, twice, or three times weekly or as required to control the growth of slime-forming organisms. **SUBSEQUENT DOSAGE:** When microbial control is evident add 0.5 to 3.25 fluid ounces (5-30 ppm) of AMA@-20 per 1000 gallons of water in the system as a continuous treatment daily or every 3 days or as required to maintain control.

AMA®-20

Active Ingredient:

Tetrahydro-3,5-dimethyl-2H-1,3,5-thiadiazine-2-thione

Inert Ingredients:

TOTAL

20%
80%
100%

ANTIMICROBIAL AGENT FOR INDUSTRIAL USE ONLY

KEEP OUT OF REACH OF CHILDREN

CAUTION

First Aid

If in eyes: - Hold eye open and rinse slowly and gently with water for 15-20 minutes
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.

If swallowed: - Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.

If on skin or clothing: - Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment.

If inhaled: - Move person to fresh air
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment.

Have product container, label or label information with you when calling a poison control center or doctor or going for treatment.
Contact CHEMTREC at 800-424-9300 for additional information
See side panel for additional precautionary statements

EPA REG. No. 9386-28

EPA EST. No. 9386-GA-3

Manufactured By

Kemira

KEMIRA CHEMICALS, INC.
1000 PARKWOOD CIRCLE, SUITE 500
ATLANTA, GA 30339

PRECAUTIONARY

HAZARDS TO HUMANS AND

CAUTION. KEEP OUT OF REACH OF Avoid contact with skin, eyes or clothing. Handling. Wear goggles or face shield and water systems; appropriate PPE (long pants, and goggles or face shield) must be used when absorbed through skin.

ENVIRONMENTAL HAZARDS: This pesticide is oysters and shrimp. Do not apply (or use) in are discharged in the surface water. Do not lakes, streams, ponds, estuaries, oceans or requirements of a National Pollution Discharge permitting authority has been notified in writing containing this product to sewer systems w treatment plant authority. For guidance contact the EPA.

PHYSICAL OR CHEMICAL HAZARDS: DANGER

STORAGE AND

Nonrefillable container. Do not
Do not contaminate water, food

STORAGE: Protect from freezing and tem closed when not in use. If contents are spill liquid with absorbent material and dispose disposal regulations.

PESTICIDE DISPOSAL: Pesticide wastes or food by storage or disposal. Improper disposal is a violation of federal law. Dispose of excess: Pesticide or Environmental Control Agency, nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal Containers recycling or reconditioning, or puncture and procedures approved by state and local authority equivalent). Then offer for recycling or sanitary landfill, or incineration, or, if allowed burned, stay out of smoke.

LABEL DATE: 12-MAR-13CMS

LOT#

NET WT.

56

USE FOR USE:

ner inconsistent with its labeling.
CONTROL OF SLIME-FORMING AND/OR SPOILAGE
em (raw stock chest; beater and/or refiner chest or machine
ation may be continuous or intermittent for a certain number
acteristics. Add 5 to 20 fluid ounces of AMA@-20 per ton of
Apply 12 to 20 fluid ounces of AMA@-20 per ton (dry basis)
adly fouled process systems must be cleaned before initial
to 15 fluid ounces of AMA@-20 per ton (dry basis) of pulp
cess systems must be cleaned before initial treatment.

FOR COMPLETION FLUIDS: FOR CONTROL OF
IA: Determine the total volume of the circulating system.
to produce a concentration of 2,080 ppm (0.73 lb/bbl) of
ample, 75 gallons of AMA@-20 per 1000 barrels of drilling
lts, add AMA@-20 in a thin stream to the mud pit while the
s, due to greater well depth, add additional AMA@-20 to
ide variation in drilling mud composition and bacterial
) may be prescribed.

FLOODS: FOR CONTROL OF SLIME-FORMING
volume of water to be treated. Using this volume, calculate
a concentration of approximately 2,500 ppm of AMA@-20.
is of total volume will produce this dilution. 350 ppm of
bacterial control. This may be accomplished by adding 0.30
cc. Because of the wide variation in waters found in the oil
ured in a particular location.

ADHESIVES, COATINGS AND HIGH VISCOSITY
e manufacture of adhesives that may come into contact with
uspensions, AMA@-20 should be added at a point in the
agitation for good mixing and dispersion. Add AMA@-20 at
formulation in slurries of starch, clay, calcium carbonate or
ons (e.g. polymers; silica-polymer combinations); polyvinyl
adhesives; dextrin based adhesives. The exact amount of
mulation will depend on the components and local storage
est.

MATERIALS: For preservation of concrete, concrete
ounds, construction adhesives and masonry. AMA@-20
where there will be sufficient time and agitation for good
0.04 - 0.38% (400 ppm to 3800 ppm) by weight, based on
o be added for the preservation of any given formulation
itions. Dosage rates should be determined by actual test.

FOR THE CONTROL OF ALGAE, FUNGI, AND
rial recirculating cooling water systems will depend on the
tems which are heavily contaminated should be cleaned first.
s first noticed according to the following schedule. INITIAL
if AMA@-20 per each 1000 gallons of water in the system.
ce, twice, or three times weekly or as required to control the
DSAGE: When microbial control is evident add 0.5 to 3.25
f water in the system as a continuous treatment daily or every

AMA®-20

Active Ingredient:
Tetrahydro-3,5-dimethyl-2H-1,3,5-thiadiazine-2-thione
Inert Ingredients:
TOTAL

20%
80%
100%

ANTIMICROBIAL AGENT FOR INDUSTRIAL USE ONLY

**KEEP OUT OF REACH OF CHILDREN
CAUTION**

First Aid
If in eyes:
- Hold eye open and rinse slowly and gently with water for 15-20 minutes
- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.
- Call a poison control center or doctor for treatment advice.
If swallowed:
- Call poison control center or doctor immediately for treatment advice.
- Have person sip a glass of water if able to swallow.
- Do not induce vomiting unless told to do so by the poison control center or doctor.
- Do not give anything by mouth to an unconscious person.
If on skin or clothing:
- Take off contaminated clothing.
- Rinse skin immediately with plenty of water for 15-20 minutes.
- Call a poison control center or doctor for treatment.
If inhaled:
- Move person to fresh air
- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.
- Call a poison control center or doctor for further treatment.
Have product container, label or label information with you when calling a poison control center or doctor or going for treatment.
Contact CHEMTREC at 800-424-9300 for additional information
See side panel for additional precautionary statements

EPA REG. No. 9386-28 EPA EST. No. 9386-GA-3

Manufactured By
Kemira
KEMIRA CHEMICALS, INC.
1000 PARKWOOD CIRCLE, SUITE 500
ATLANTA, GA 30339

PRECAUTIONARY STATEMENTS:

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION. KEEP OUT OF REACH OF CHILDREN. Causes eye and skin irritation. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling. Wear goggles or face shield and rubber gloves when handling. If used in cooling water systems; appropriate PPE (long pants, long-sleeved shirts, chemical resistant gloves, and goggles or face shield) must be used when applying this product. Harmful if swallowed or absorbed through skin.

ENVIRONMENTAL HAZARDS: This pesticide is toxic to fish, aquatic invertebrates, oysters and shrimp. Do not apply (or use) in estuarine oil fields where drilling fluids (muds) are discharged in the surface water. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollution Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

PHYSICAL OR CHEMICAL HAZARDS: Do not use, spill, pour or store near open flame.

STORAGE AND DISPOSAL:

Nonrefillable container. Do not reuse or refill this container.

Do not contaminate water, food, or feed by storage or disposal

STORAGE: Protect from freezing and temperatures in excess of 140°F. Keep container closed when not in use. If contents are spilled or leaked due to container damage, collect liquid with absorbent material and dispose of in accordance with local, state and federal disposal regulations.

PESTICIDE DISPOSAL: Pesticide wastes are hazardous. Do not contaminate water, food, or feed by storage or disposal. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of federal law. Dispose of excess or waste pesticide by use or contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Metal Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or by other procedures approved by state and local authorities. Plastic Containers - Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

LABEL DATE: 12-MAR-13GMS

LOT#

NET WT. _____ **POUNDS DENSITY: 8.8 LBS/GAL**

6/6