

TETRAMET[®] TR

ANTIMICROBIAL AGENT FOR INDUSTRIAL USE

Active Ingredient:

Tetrahydro-3,5-dimethyl-2H-1,3,5-thiadiazine-2-thione.....84.5 %
Inert Ingredients.....15.5 %
TOTAL.....100 %

KEEP OUT OF REACH OF CHILDREN

WARNING

First Aid	
If in eyes:	<ul style="list-style-type: none">- Hold eye open and rinse slowly and gently with water for 15-20 minutes- Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye.- Call a poison control center or doctor for treatment advice.
If swallowed:	<ul style="list-style-type: none">- Call poison control center or doctor immediately for treatment advice.- Have person sip a glass of water if able to swallow.- Do not induce vomiting unless told to do so by the poison control center or doctor.- Do not give anything by mouth to an unconscious person.
If on skin or clothing:	<ul style="list-style-type: none">- Take off contaminated clothing.- Rinse skin immediately with plenty of water for 15-20 minutes.- Call a poison control center or doctor for treatment.
If inhaled:	<ul style="list-style-type: none">- Move person to fresh air- If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth, if possible.- Call a poison control center or doctor for further treatment.
Have product container, label or label information with you when calling a poison control center or doctor or going for treatment.	
Contact CHEMTREC at 800-424-9300 for additional information See side panel for additional precautionary statements	

EPA REG. No. 9386-36

EPA EST. No. 51219-NY-1

MANUFACTURED BY

KEMIRA

KEMIRA CHEMICALS, INC.
245 TownPark Drive, Suite 200
KENNESAW, GA 30144

PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

WARNING. May be fatal if swallowed. Harmful if absorbed through skin. Avoid contact with skin, eyes or clothing. Wash thoroughly with soap and water after handling and before eating, drinking or using tobacco. Remove contaminated clothing and wash before reusing.

ENVIRONMENTAL HAZARDS

This pesticide is toxic to fish. Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance contact your State Water Board or Regional Office of the EPA.

STORAGE AND DISPOSAL

Do not contaminate water, food or feed by storage and disposal.

STORAGE: Protect from temperatures in excess of 140°F. Keep container closed when not in use. If contents are spilled or leaked due to container damage, collect and dispose of in accordance with local, state and federal disposal regulations.

PESTICIDE DISPOSAL: Pesticide wastes are toxic. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional Office for guidance.

CONTAINER DISPOSAL: Plastic Containers: Triple rinse (or equivalent). Then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or incineration, or if allowed by state and local authorities, by burning. If burned, stay out of smoke.

DENSITY: 70.4 LB/FT³

LABEL DATE: 08-Jan-03

LOT#

NET WT. X,XXX Pounds

9386-36

1/29/2003

Page 1 of 2


DIRECTIONS FOR USE

It is a violation of federal law to use this product in a manner inconsistent with its labeling.

RECIRCULATING COOLING WATER SYSTEMS: FOR CONTROL OF ALGAE, FUNGI, AND SLIME FORMING BACTERIA: Dosages for industrial recirculating cooling water systems will depend upon the conditions of the system prior to treatment initiation. Systems which are heavily contaminated should be cleaned first. Apply TETRAMET® TR to the cleaned system or when growth is first noticed according to the following schedule.

INITIAL DOSAGE: Apply 1.80 to 3.60 ounces of TETRAMET® TR per each 2000 gallons of water in the system. This dosage may be as a continuous treatment or applied once, twice or three times weekly, or as required to control the growth of slime forming organisms.

SUBSEQUENT DOSAGE: When microbial control is evident, add 0.36 to 1.80 ounces of TETRAMET® TR per 2000 gallons of water in the system as a continuous treatment daily or every 3 days or as required to maintain control.



262